

Solution Manual for Chemistry 7th Edition by McMurry

ISBN 0321940873 9780321940872

Full link download

Solution Manual:

<https://testbankpack.com/p/solution-manual-for-chemistry-7th-edition-by-mcmurry-isbn-0321940873-9780321940872/>

Test Bank:

<https://testbankpack.com/p/test-bank-for-chemistry-7th-edition-by-mcmurry-isbn-0321940873-9780321940872/>

CHAPTER 2

ATOMS, MOLECULES, AND IONS

Chapter Learning Goals for Students

- Section 2.1** Use symbols to represent element names.
- Section 2.2** Identify the location of metals, nonmetals, and semimetals on the periodic table.
- Indicate the atomic number, group number, and period number for an element whose position in the periodic table is given.
- Identify groups as main group, transition metal group, or inner transition metal group.
- Section 2.3** Specify the location and give examples of elements in the alkali metal, alkaline earth metal, halogen, and noble gas groups.
- Use the properties of an element to classify it as metal, nonmetal, or semimetal and give its location in the periodic table.
- Section 2.4** Determine the mass of the products in a reaction using the law of mass conservation.
- Section 2.5** Demonstrate the law of multiple proportions using mass composition of two compounds of the same elements.
- Section 2.6** Describe Thomson's cathode-ray experiment and what it contributed to the current model of atomic structure.
- Describe Millikan's oil drop experiment and what it contributed to the current model of atomic structure.
- Section 2.7** Describe Rutherford's gold foil experiment and what it contributed to the current

model of atomic structure.

Describe the structure and size of the atom.

Calculate the number of atoms in a sample given the size of the atom.

Section 2.8 Determine the mass number, atomic number, and number of protons, neutrons, and electrons from an isotope symbol.

Write the isotope symbol for elements.

Section 2.9 Calculate atomic weight given the functional abundance and mass of each isotope.

Convert between grams and numbers of moles or atoms using molar mass and Avogadro's number.

Identify an element given the mass and number of atoms or moles.

Section 2.10 Classify molecular representations of matter as a mixture, pure substance, element, or compound.

Convert between structural formulas, ball-and-stick models, and chemical formulas.

Section 2.11 Classify bonds as ionic or covalent.

Determine the number of electrons and protons from chemical symbol and charge.

Match the molecular representation of an ionic compound with its chemical formula.

Section 2.12 Convert between name and formula for binary ionic compounds.

Convert between formula and name for ionic compounds with polyatomic ions.

Convert between name and formula for binary molecular compounds.

Lecture Outline

Chemistry and the Elements¹

A. Element – fundamental substance that can't be chemically changed or broken down into anything simpler

1. Chemical symbol –represents a specific element
 - a. Capitalize first letter
 - b. Lower case used for second letter if present

B. Periodic table – tabular organization of all 114 elements

Elements and the Periodic Table²

A. Creation of the periodic table – ideal example of how scientific theory comes into being

1. Random observations
2. Organization of data in ways that make sense
3. Consistent hypothesis emerges
 - a. Explains known facts
 - b. Makes predictions about unknown phenomena

B. Mendeleev's hypothesis about organizing known chemical information – meets criteria for a good hypothesis

1. Listed the known elements by atomic weight
2. Grouped them together according to their chemical reactivity
3. Was able to predict the properties of unknown elements – *eka*-aluminum, *eka*-silicon

C. Periodic table – grid of the elements arranged in 7 horizontal rows and 18 vertical columns

1. Periods – seven horizontal rows in the periodic table
2. Groups – 18 vertical columns in the periodic table
 - a. Groups numbered 1A → 8A and 1B → 8B (or 1 → 18)
 - b. Actually have 32 groups – lanthanides (14 elements after lanthanum) and actinides (14 elements after actinium) not included in the group numbers
 - c. Elements in a given group have similar chemical properties.

D. The periodic table of the elements is the most important organizing principle of chemistry.

1. Regular progression in size of the seven periods – reflects a similar regularity in atomic structure
2. Main Group (or Representative) Elements – Groups 1A-8A; (two larger groups on the left and six larger groups on the right of the table)
3. Transition Metal Elements – Groups 1B-8B; (10 smaller groups in the middle of the table)

4. Inner Transition Metal (or Rare Earth) Elements (14 groups shown separately at the bottom of the table)

Some Common Groups of Elements and Their Properties³

- A. Property – any characteristic used to describe or identify matter
 1. Physical properties – characteristics not involving chemical change of the sample
 2. Chemical properties – properties that do change chemical makeup of the sample
 3. Intensive properties – sample size-independent properties
 4. Extensive properties – sample size-dependent properties
- B. Elements within a group have similar chemical properties.
 1. Group 1A – Alkali metals
 - a. Lustrous, silvery metals
 - b. React rapidly with water to form highly alkaline products
 2. Group 2A – Alkaline earth metals
 - a. Lustrous, silvery metals
 - b. Less reactive than alkali metals
 3. Group 7A – Halogens
 - a. Corrosive, nonmetallic elements
 - b. Salt formers
 4. Group 8A – Noble gases: gases with low reactivity
- C. Three major classes of elements
 1. Metals
 - a. Largest category of elements
 - b. Found on the left side of the periodic table (left of the heavy zigzag line)
 - i. Solids (except mercury)
 - ii. Malleable
 - iii. Ductile – can be drawn into thin wires without breaking
 - iv. Conduct heat and electricity
 2. Nonmetals
 - a. Relatively small number
 - b. Found on the right side of the periodic table (right of the heavy zigzag line)
 - i. Gases, liquids, or solids
 - ii. Brightly colored
 - iii. Brittle solids
 - iv. Poor conductors of heat and electricity
 3. Semimetals (metalloids)
 - a. Elements adjacent to the zigzag boundary between metals and nonmetals
 - b. Properties fall between metals and nonmetals
 - i. Brittle
 - ii. Poor conductors of heat and electricity

Observations Supporting Atomic Theory: The Conservation of Mass and the Law of Definite Proportions⁴

- A. Element – a substance that cannot be further broken down
- B. Law of Mass Conservation – Mass is neither created nor destroyed in chemical reactions.
- C. Law of Definite Proportions – Different samples of a pure chemical substance always contain the same proportion of elements by mass; elements do not combine chemically in random proportion.

The Law of Multiple Proportions and Dalton's Atomic Theory⁵

- A. Dalton's Atomic Theory
 1. Elements made of tiny particles called atoms
-

2. Each element characterized by the mass of its atoms
 - a. Atoms of the same element – identical masses
 - b. Atoms of different elements – different masses
 3. Atoms combine in small, whole-number ratios – form new substances, called compounds
 4. Chemical reactions only rearrange the way that atoms are combined; atoms themselves are not changed.
- B. Law of Multiple Proportions – If two elements combine in different ways to form different substances, the mass ratios are small, whole-number multiples of each other.

Atomic Structure: Electrons⁶

- A. Thomson – found that cathode rays consist of tiny, negatively charged particles called electrons
1. Electrons are emitted from electrodes made of two thin pieces of metal.
 2. Many different metals may be used to make electrodes – all contain electrons.
 3. Cathode rays can be deflected by bringing either a magnet or an electrically charged plate near the tube. Deflection depends on the
 - a. strength of the deflecting magnetic or electric field.
 - b. size of the negative charge on the electron.
 - c. mass of the electron.
 4. Charge-to-mass ratio, e/m of the electron = $1.758\,819 \times 10^8$ C/g
- B. Millikan determined that the charge on a drop of oil was always a small, whole-number multiple of e . (See Fig. 2.4 in the textbook.)
1. $e = 1.602\,177 \times 10^{-19}$ C
 2. Knowing the values for e/m and e for an electron, m can be calculated.
 - a. $m = 9.109\,390 \times 10^{-28}$ g

Atomic Structure: Protons and Neutrons⁷

- A. Rutherford directed a beam of alpha particles at a thin gold foil.
1. Alpha (α) particles
 - a. 7000 times more massive than electrons
 - b. Have a positive charge twice the magnitude of, but opposite in sign to, the charge on an electron
 2. Beam of α particles
 - a. Most pass through the thin gold foil
 - b. A few deflected at large angles
- B. Nuclear model of the atom
1. Nucleus
 - a. A tiny central core in an atom where the mass of the atom is concentrated
 - b. Contains the atom's positive charges
 2. Electrons move in space a relatively large distance away from the nucleus.
- C. Nucleus composed of two kinds of particles
1. Protons
 - a. Mass = $1.672\,623 \times 10^{-24}$ g
 - b. Positively (+) charged
 - c. Number of protons = number of electrons in a neutral atom
 2. Neutrons
 - a. Neutron mass \approx proton mass
 - b. Charge = 0

Atomic Numbers⁸

- A. Elements differ from one another according to the number of protons in their atoms.
- B. Atomic number (Z) = the number of protons in an atom = the number of electrons in an atom
- C. Most nuclei also contain neutrons.

- D. Mass number (A) = number of protons + number of neutrons in an atom
- E. Isotopes – atoms with identical atomic numbers but different mass numbers
 1. Mass number written as left superscript
 2. Atomic number (Z) written as left subscript (The atomic number is sometimes left off because all atoms of an element always contain the same number of protons.)
 3. Number of neutrons in an isotope calculated from $A - Z$
 4. Number of neutrons in an atom has little effect on chemical properties of the atom.

Atomic Weights and the Mole⁹

- A. Unified atomic mass unit (u) previously the atomic mass unit (amu)
 1. Exactly 1/12th the mass of an atom of $^{12}_6\text{C}$
 2. $1 \text{ u} = 1.660\,539 \times 10^{-24} \text{ g}$
 3. Unit also called a Dalton (Da)
- B. Isotopic mass
 1. Mass of an atom in atomic mass units
 2. Numerically close to the atom's mass number
- C. Atomic massweight values – weighted averages for the naturally occurring mixtures of isotopes
 1. Average atomic mass of an element (atomic weight) = $\Sigma(\text{mass of each isotope} \times \text{the fraction of the isotope})$
 2. Σ used for the term “the sum of”
 3. Use atomic weights to count number of atoms by weighing a sample of the element.
- D. One mole of any element is the amount whose mass in grams is numerically equal to its atomic weight.
 1. Mole (mol) = 6.022×10^{23} of anything
 - a. Avogadro's number (abbreviated N_A)
 - b. $1 \text{ mol N atoms} = 6.022 \times 10^{23} \text{ atoms of N}$
 - c. Likewise, $1 \text{ mol electrons} = 6.022 \times 10^{23} \text{ electrons}$
 2. Importance of the mole – provides a relationship between numbers of atoms and masses of atoms
- E. Molar mass of an element
 1. One mole of any element has a mass equal to its atomic weight in grams
 2. Mass of 6.022×10^{23} atoms of an element
 3. Serves as a conversion factor between numbers of atoms and mass

Mixtures and Chemical Compounds; Molecules and Covalent Bonds¹⁰

- A. Different kinds of matter on earth classified as either pure substances or mixtures – textbook Figure 2.10
- B. Pure substance
 1. Elements
 2. Compounds
- C. Chemical compounds – pure substance formed from the combination of atoms of two or more different elements
 1. Have constant composition
 2. Composition indicated by a chemical formula
 - a. Lists the symbols of individual constituent elements
 - b. Number of each atom is given by subscript
 3. Formed when atoms undergo chemical combination in a specific manner
 4. Transformation from elements to compound = chemical reaction
- D. Chemical bonds – connections that join atoms together in a compound
 1. Formed by atom's electrons
 2. Classified as:

- a. Covalent bonds – occur between two nonmetals
 - b. Ionic bonds – occur between a metal and a nonmetal
- E. Covalent bond – two atoms share electrons
1. Molecule – unit of matter that results when two or more atoms joined by covalent bonds
 2. Structural formula
 - a. Shows specific connections between atoms
 - b. Contains more information than the chemical formula
 3. Some elements exist as molecules: H₂, O₂, N₂, F₂, Cl₂, Br₂, I₂

Ions and Ionic Bonds¹¹

- A. Ionic Bond – complete transfer of one or more electrons from one atom to another
1. Formed between metals and nonmetals
 - a. Metal – gives up electrons
 - b. Nonmetal – accepts electrons
 2. Ions – charged particles resulting from loss or gain of electrons
 - a. Cation – positively charged particle resulting from loss of one or more electrons
 - b. Anion – negatively charged particle resulting from gain of one or more electrons
 - c. Polyatomic ions
 - i. Charged, covalently bonded groups of atoms
 - ii. Charged molecules – specific numbers and kinds of atoms joined in a definite way by covalent bonds
 3. Ionic solids
 - a. Cations and anions packed together in a regular manner
 - b. Charges cancel

Naming Chemical Compounds¹²

- A. Binary Ionic Compounds – ionic compounds containing only two elements, a cation and an anion
1. Identify cation first, then anion
 - a. Cation
 - i. Same name as the element
 - ii. Remember metals form cations
 - b. Anion
 - i. First part of its name from the element
 - ii. Adds the ending *ide*
 - iii. Remember nonmetals form anions
 2. Common main group and transition metal ions – textbook Figures 2.15 and 2.16
 - a. Elements within a group often form similar kinds of ions.
 - b. Main-group metal cations: charge = group number
 - c. Main-group nonmetal anions: charge = group number – 8
 - d. Some metals form more than one kind of cation.
 - i. Charge indicated by a Roman numeral in parentheses
 - ii. Common for transition metal complexes
 3. Electrical neutrality – cations and anions combine in such a manner that the overall charge on a compound is equal to zero
 - a. Total positive charge = total negative charge
 - b. Determine number of positive charges on the cation by counting the number of negative charges on the anion (and vice versa)
 4. Formulas for ionic compounds always contain the smallest whole number ratio of cation to anion.
- B. Ionic compounds containing polyatomic ions named by following rules for naming binary ionic compounds.
-

1. Identify cation
 2. Identify anion
 - a. Names, formulas, and charge numbers of the most common polyatomic anions found in textbook Table 2.5
 - b. Most names end with the suffix *ite* or *ate*
 - c. Several pairs of ions related by presence or absence of hydrogen atom
 3. Oxoanions – an atom of the same element combined with different numbers of oxygen atoms
 - a. Learn the name and formula of the ion whose name ends with *ate* (including the charge on the anion).
 - b. Add one O; add prefix *per*.
 - c. Remove one O; change *ate* to *ite*.
 - d. Remove two O's; add prefix *hypo* and change *ate* to *ite*.
- C. Binary molecular compounds – molecular compounds (nonmetals) containing only two elements
1. One of the elements is more cationlike – takes the name of the element
 2. One of the elements is more anionlike – takes an *ide* ending
 3. Character depends on relative positions of the two elements in the periodic table
 - a. More cationlike – farther left in the periodic table
 - b. More anionlike – farther right in the periodic table
 4. To specify the numbers of each element present, use numerical prefixes (textbook Table 2.6) – the *mono* prefix not used for the atom named first
 5. When naming binary molecular compounds that contain hydrogen, it is necessary to indicate whether the molecule is in the gaseous or aqueous (in water) state.
 - a. If molecule a gas
 - i. Use above rules.
 - ii. Indicate gaseous state with (*g*) after formula
 - b. If molecule in aqueous solution
 - i. Name compound as a binary acid (see below)
 - ii. Indicate aqueous state with (*aq*) after formula

How is the Principle of Atom Economy Used to Minimize Waste in a Chemical Synthesis?

CHAPTER 2

ATOMS, MOLECULES, AND IONS

Teaching Tips, Points of Emphasis, and Common Misconceptions

- Section 2.1** Elements *can* be broken into simpler substances (protons, neutrons, electrons, etc.), but the energy required is greater than available under ordinary chemical conditions.
- Section 2.2** Iodine is a silvery-gray solid that sublimates to a purple gas. The brown solution that was once used as an antiseptic medicine is known as tincture of iodine (iodine dissolved in alcohol).
- Section 2.2** Because elements in the same group tend to exhibit similar chemical behavior, a group is also called a *family*.
- Section 2.3** While elements within the same group tend to have similar chemical properties, due to its small size the first member of each main group exhibits a chemistry that differs most from the other members of the group.
- Section 2.3** Hydrogen is a unique element. Although listed under group 1A, hydrogen is not a metal under ordinary conditions. In its ionic chemistry, hydrogen sometimes behaves as though it belongs in group 7A. In covalent compounds, hydrogen behaves as though it belongs between boron and carbon.
- Section 2.5** Dalton did not know about isotopes – atoms of the same element that have different masses due to different numbers of neutrons. Challenge students to determine which of Dalton’s postulates are incorrect.
- Section 2.7** Demonstrate the relative insignificance of an electron’s mass by calculating its percent contribution to the approximate mass of a simple atom, such as carbon-12.
- Section 2.9** The use of carbon-12 to define the amu is another example of a system of measurement based on an arbitrary standard. In earlier times the amu was based on oxygen-16 and hydrogen-1.
- Section 2.9** The atomic weight of an element is a weighted, not a simple, average.
- Section 2.9** An effective example showing the difference between simple average and weighted average is the use of a hypothetical student’s test scores of 100, 100, 100, 60. The weighted average = 90; since there are only two different grades, 100 and 60, the simple average is 80.
- Section 2.10** The element oxygen is written O₂. P₄ and S₈ are other examples of elements that occur as polyatomic species.
- Section 2.11** NaCl is a *simplest formula* or *empirical formula*. It does not reveal that the compound is made up of ions (Na⁺Cl⁻), nor that it is an extended system (NaCl)_x.
- Section 2.11** *Polyatomic ions* are also known as *molecular ions* because they are molecules with a charge.

- Section 2.11** Some students think HCl is ionic because it dissolves in water to form H⁺ and Cl⁻. The interaction of a molecule and a solvent can substantially change the properties of the molecule.
- Section 2.12** In compounds, elements on the left of the periodic table tend to be relatively positive, and elements on the right tend to be relatively negative.

Lecture/Laboratory Demonstration References

- Section 2.2** James L. Marshall, "A Living Periodic Table," *J. Chem. Educ.*, Vol. 77, **2000**, 979-983. Describes a portable and permanent collection of 87 elements.
- Section 2.8** Arthur B. Ellis, Edward A. Adler, and Frederick H. Juergens, "Dramatizing Isotopes: Deuterated Ice Cubes Sink," *J. Chem. Educ.*, Vol. 67, **1990**, 159-160.

Literature References

- Section 2.1** P.G. Nelson, "Important Elements," *J. Chem. Educ.*, Vol. 68, 1991, 732-737.
- Section 2.1** Vivi Ringes, "Origin of the Names of Chemical Elements," *J. Chem. Educ.*, Vol. 66, **1989**, 731-738.
- Section 2.2** Milton J. Wieder, "It's Elementary," *J. Chem. Educ.*, Vol. 78, **2001**, 468-469.
- Section 2.4** John J. Fortman, "Analogical Demonstration," *J. Chem. Educ.*, Vol. 69, **1992**, 323-324. Discusses the law of conservation of mass and the law of multiple proportions.
- Section 2.5** Doris Eckey, "A Millikan Oil Drop Analogy," *J. Chem. Educ.*, Vol. 73, **1996**, 237-238.
- Section 2.7** Mary V. Lorentz, "Bowling Balls and Beads, A Concrete Analogy to the Rutherford Experiment," *J. Chem. Educ.*, Vol. 65, **1988**, 1082.
- Section 2.7** Barrie M. Peake, "The Discovery of the Electron, Proton, and Neutron," *J. Chem. Educ.*, Vol. 66, **1989**, 738.
- Section 2.8** William Spindel and Takanobu Ishida, "Isotope Separation," *J. Chem. Educ.*, Vol. 68, **1991**, 312-318.
- Section 2.9** Arthur M. Last and Michael J. Webb, "Using Monetary Analogies to Teach Average Atomic Mass," *J. Chem. Educ.*, Vol. 70, **1993**, 234-235.
- Section 2.9** John J. Fortman, "Pictorial Analogies IV: Relative Atomic Weights," *J. Chem. Educ.*, Vol. 70, **1993**, 235-236.
- Section 2.9** Josefina Arce de Sanabria, "Relative Atomic Mass and the Mole: A Concrete Analogy to Help Students Understand These Abstract Concepts," *J. Chem. Educ.*, Vol. 70, **1993**, 233-234.

- Section 2.12** Gerhard Lind, "Teaching Inorganic Nomenclature: A Systematic Approach," *J. Chem. Educ.*, Vol. 69, **1992**, 613-614.
- Section 2.12** Steven J. Hawkes, "A Mnemonic for Oxy-Anions," *J. Chem. Educ.*, Vol. 67, **1990**, 149.

Media References

- Section 2.1** Names of Elements activity 1 from the Instructor Resource Center DVD
- Section 2.1** Names of Elements activity 2 from the Instructor Resource Center DVD
- Section 2.2** Periodic Property movie from the Instructor Resource Center DVD
- Section 2.3** Sodium and Potassium in Water movie from the Instructor Resource Center DVD
- Section 2.3** Physical Properties of the Halogens movie from the Instructor Resource Center DVD
- Section 2.3** Periodic Table Groups activity from the Instructor Resource Center DVD
- Section 2.4** Electrolysis of Water movie from the Instructor Resource Center DVD
- Section 2.4** Conservation of Mass activity from the Instructor Resource Center DVD
- Section 2.25** Multiple Proportions movie from the Instructor Resource Center DVD
- Section 2.5** Multiple Proportions activity from the Instructor Resource Center DVD
- Section 2.6** Millikan Oil Drop Experiment movie from the Instructor Resource Center DVD
- Section 2.6** Separation of Rays activity from the Instructor Resource DVD
- Section 2.7** Rutherford Experiment movie from the Instructor Resource Center DVD
- Section 2.8** Atomic Number activity from the Instructor Resource Center DVD
- Section 2.58** Carbon Isotopes activity from the Instructor Resource Center DVD
- Section 2.9** Isotopes of Hydrogen activity from the Instructor Resource Center DVD
- Section 2.10** Mixtures and Compounds activity from the Instructor Resource Center DVD
- Section 2.12** Main-Group Ions activity from the Instructor Resource Center DVD
- Section 2.12** Nonmetal Anions activity from the Instructor Resource Center DVD
- Section 2.12** Transition Metal Ions activity from the Instructor Resource Center DVD
- Section 2.12** Naming Polyatomic Ions activity 1 from the Instructor Resource Center DVD

Section 2.12 Naming Polyatomic Ions activity 2 from the Instructor Resource Center DVD

Section 2.12 Naming Polyatomic Ions activity 3 from the Instructor Resource Center DVD

Experiment 2:

A Submarine Adventure: Density Saves the Day

Instructor Notes and Lab Preparation

Chemicals and Equipment

Various metal shapes of copper, nickel, lead, aluminum, brass, iron, and magnesium
10 mL graduated cylinder
100 mL graduated cylinder
Large tub of salt water (NaCl)
Round balloons
Disposable pipettes and bulbs
¼ ounce fishing weight egg pellets
Vernier calipers
Analytical balance

Preparation

There is very little preparation for this lab. The glassware and equipment above should be available to each student.

I have left the shape of the unknown metal objects up to the discretion of the instructor. I have most commonly used cylinders, but even balled up wire will work. The metal unknowns should be constructed such that each metal either has a different dimension or shape or is stamped with a code to differentiate them. Some of the metals should be either too large or too oddly shaped to measure by use of the calipers so that each student must calculate the volume by difference at least once.

The concentration of the salt in the ocean water is also up to the discretion of the instructor. I would suggest a density of about 1.2 g/mL. To save money, table salt or rock salt can be used instead of reagent-grade NaCl. For the reservoir, you can use a 5 L beaker or a plastic tub. Simply dissolve the desired amount of NaCl in distilled water to create the “ocean.” I generally have the prep person take a sample of the prepared “ocean” and calculate the density so that I have a relative value to expect from the students.

Instruction Notes

This lab experiment normally takes about 2 hours for the students to complete both parts.

Part 1

For the best results in part 1, you should separate the metal unknowns into two groups: those whose volume can be determined by calculation and those whose volume must be determined by displacement. I generally have the students take one of each for investigation. The prelab determines the possible identities of the metal unknowns. If you would like to use other metals, the densities of those metals would simply need to be made available to the students.

A key teaching point in this part of the experiment is a discussion regarding which method of volume determination is more accurate. The metals over time tend to become scratched and dented so that the volume by displacement is more accurate. But students often think that the more numbers they collect, the more accurate their data become.

Another key point is the discussion of observation to assist in the identification of the metals. Obviously, copper and brass unknowns could probably be identified by their color alone. A discussion about how a scientist uses all of his or her senses to investigate a subject can be incorporated into the experiment.

Potential Problems

The greatest difficulty can arise when the students forget the difference between diameter and radius in their calculations. A reminder at the beginning of the lab session generally keeps the students straight on this point. Also, the prelaboratory exercise should be checked to make sure that the values the students transfer into their lab notebooks are accurate enough to use for their conclusions.

Part 2


The creation of the submarine, while silly, seems to really firm up the concept of density in the minds of the students in my labs. One of the main teaching points is the relationship between the mass and volume and how a change in either can cause a shift in the density. A good discussion point is which change has a greater impact. Even though the weight of 20 quarter-ounce lead pellets is well over 100 g, the total volume of the balloon and thus its diameter is still pretty small. Because they often must adjust their sub's volume to get a good submarine, students start to get a feel for how a very small adjustment in the volume can lead to big changes in density. A good submarine will very seldom end up floating exactly in the middle of the beaker/tub of water. A good submarine is a balloon that is completely below the water line with just the knot of the balloon touching the surface.

Potential Problems

Although we use round balloons, when they are blown up, they are still fairly small and thus not quite round in shape. The best way to get a good balloon volume is to set the calipers to the measured balloon diameter desired and lay it flat on the counter or table top. Then blow the balloon up as close as possible to that diameter while pressing the balloon into as round a shape as possible. Only once the correct diameter is achieved should the balloon be tied off.

Show all work for full credit.


1) A pycnometer with a mass of 56.96 g when empty, has a mass of 108.22 g when filled with water (density = 1.000 g/mL), and a mass of 97.56 g when filled with liquid C.




(a) What is the volume of the pycnometer? **51.26 mL**

(b) What is the density of liquid C? **0.7920 g/mL**


2) Finding the density of solids requires a method of measuring the volume of the solid. If the solid has a regular geometric shape, the volume can be calculated from a measurement of the dimensions of the shape. Examples of three simple shapes are shown here, with the formulas for calculating their volumes.



$$V = L \times W \times H$$



$$V = \frac{4}{3} \pi \left(\frac{D}{2}\right)^3$$



$$V = \pi \left(\frac{D}{2}\right)^2 \times L$$

You measure the following dimensions of a rectangular metal block of metal A: length = 10.89 cm; width = 6.49 cm; height = 1.57 cm. It has a mass of 193.07 g.

What is the density of metal A? **1.74 g/cm³**

A sphere of metal B has a mass of 298.15 g and a diameter of 3.09 cm.

What is the density of metal B? **19.3 g/cm³**

You measure the following dimensions of a cylinder of metal C: length = 9.49 cm; diameter = 2.35 cm. It has a mass of 469.24 g.

What is the density of metal C? **11.4 g/cm³**

| Metal | Density (g/cm ³)* |
|-----------|-------------------------------|
| Nickel | 8.90 |
| Lead | 11.4 |
| Aluminum | 2.70 |
| Gold | 19.3 |
| Brass | 8.51 |
| Copper | 8.92 |
| Iron | 7.86 |
| Magnesium | 1.74 |

Based on the densities in the table, identify the unknown metals A, B, and C:

Metal A = **magnesium**

Metal B = **gold**

Metal C = **lead**

3) You determine that the salt water in the tank has a density of 1.02 g/mL. The balloon weighs 2.0 g, and your weights have a mass of 30.0 g each. If you put six weights in your balloon, you must inflate the balloon to what diameter for it to have a density equal to the salt water, and therefore float in the middle of the tank?

6.98 cm

Lab Report Key

The title page should include:

Student's full name

Date of experiment

Complete title of lab report

Name of partner(s)

Instructor's name

Lab and section number

The purpose should include:

This experiment deals with several subjects, including density, balance use, caliper use, and measurements of volumes and masses using balances and graduated cylinders. The purpose should include references to most of these topics and should not be a copy of what is given in the manual. Full credit can be given if at least three of the aforementioned topics are discussed.

Procedure:

This should be an MLA form reference to the lab manual with any changes in the procedure noted.

Data:

The data section should include all observations made during the lab of the cylinders, balloons, and anything else involved in the experiment. A data table for determining the density of a metal cylinder should also be included with the following information **a)** measurements of the cylinders, **b)** volume of both cylinders, **c)** mass of the cylinders **d)** density of the cylinders, and **e)** identity of unknown metals.

A second data table with the submarine data should be included. Be sure that the table includes the following information: **a)** mass of graduated cylinder, **b)** volume of ocean water, **c)** mass of water, **d)** weight of balloon with weights, **e)** density of ocean water, **f)** volume of balloon needed to match salt water density, **g)** final volume of submarine design, and **h)** final density of submarine design.

Calculations:

The calculations section should have example calculations of the following: **a)** volume of the cylinders, **b)** mass of water, **c)** density of ocean water, **d)** volume of balloon needed to match salt water density, **e)** final volume of submarine, and **f)** final density of submarine. Units must be used correctly in all tables and calculations.

Conclusions:

The conclusion section should be in paragraph format. This section should summarize the information in the data section. For the density of the metal cylinder section, there should be a report of the density and identity of the unknown metals. There should be a discussion of any differences in the known and unknown density and the percent error. Also any experimental errors that might have led to these differences should be discussed.

For the submarine data, a report of the density of the ocean water, the ideal volume of the submarine, and the final volume and density of the submarine should be present. A description of the trial and error portion of making the submarine and the differences in the ideal volume of the submarine and the final volume of the submarine should be presented. Finally, a discussion of any errors in the submarine design and the experiment should be included.

Questions:

- 1) Give an example of the use of density (other than submarines) that you have observed in your own life.

This could be salad dressing, hot air balloons, etc. Anything reasonable can apply.

- 2) What is third-person writing, and why is it used in the writing of scientific papers?

When writing, “person” refers to the point of view of the author. First person is written from the “I” point of view, second person is written from the “we” point of view, and third person is written from the “it” point of view. Because much of science is collaborative in nature, most all papers are written without personalization of the text, i.e., from the third person neutral point of view. Writing from the first or second person implies that none of the information in the paper was contingent on any research/work done previously, which is seldom true.

| Experiment 2: A Submarine Adventure: Density Saves the Day | | |
|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------------------|----------------------|
| Section | Points Worth | Points Earned |
| Title page (name, title, date, TA, course, section, partner's name) | | |
| Purpose (at least three points) | | |
| Procedure (cited/changes) | | |
| Data (observations) | | |
| Table I (measurements, volumes, mass, density, metal #, ID) | | |
| Table II (mass graduated cylinder, volume water, mass water, density water, mass of balloon, volume of balloon, final volume and density) | | |
| Calculations (volume by displacement and measurement, density, mass of water, density of water, balloon volume needed, final volume and density of submarine) | | |
| Conclusions (ID and density, differences in known and unknown values, density of ocean water, ideal volume, final volume and density, trial and error discussions, errors) | | |
| Questions | | |
| Total | 100 | |
| Grade | / | % |

| Experiment 2: A Submarine Adventure: Density Saves the Day | | |
|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------------------|----------------------|
| Section | Points Worth | Points Earned |
| Title page (name, title, date, TA, course, section, partner's name) | | |
| Purpose (at least three points) | | |
| Procedure (cited/changes) | | |
| Data (observations) | | |
| Table I (measurements, volumes, mass, density, metal #, ID) | | |
| Table II (mass graduated cylinder, volume water, mass water, density water, mass of balloon, volume of balloon, final volume and density) | | |
| Calculations (volume by displacement and measurement, density, mass of water, density of water, balloon volume needed, final volume and density of submarine) | | |
| Conclusions (ID and density, differences in known and unknown values, density of ocean water, ideal volume, final volume and density, trial and error discussions, errors) | | |
| Questions | | |
| Total | 100 | |
| Grade | / | % |

| Experiment 2: A Submarine Adventure: Density Saves the Day | | |
|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------------------|----------------------|
| Section | Points Worth | Points Earned |
| Title page (name, title, date, TA, course, section, partner's name) | | |
| Purpose (at least three points) | | |
| Procedure (cited/changes) | | |
| Data (observations) | | |
| Table I (measurements, volumes, mass, density, metal #, ID) | | |
| Table II (mass graduated cylinder, volume water, mass water, density water, mass of balloon, volume of balloon, final volume and density) | | |
| Calculations (volume by displacement and measurement, density, mass of water, density of water, balloon volume needed, final volume and density of submarine) | | |
| Conclusions (ID and density, differences in known and unknown values, density of ocean water, ideal volume, final volume and density, trial and error discussions, errors) | | |
| Questions | | |
| Total | 100 | |
| Grade | / | % |

| Experiment 2: A Submarine Adventure: Density Saves the Day | | |
|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------------------|----------------------|
| Section | Points Worth | Points Earned |
| Title page (name, title, date, TA, course, section, partner's name) | | |
| Purpose (at least three points) | | |
| Procedure (cited/changes) | | |
| Data (observations) | | |
| Table I (measurements, volumes, mass, density, metal #, ID) | | |
| Table II (mass graduated cylinder, volume water, mass water, density water, mass of balloon, volume of balloon, final volume and density) | | |
| Calculations (volume by displacement and measurement, density, mass of water, density of water, balloon volume needed, final volume and density of submarine) | | |
| Conclusions (ID and density, differences in known and unknown values, density of ocean water, ideal volume, final volume and density, trial and error discussions, errors) | | |
| Questions | | |
| Total | 100 | |
| Grade | / | % |