Solution Manual for Elementary Algebra For College Students 9th Edition by Ange Runde Gilligan and Semmler ISBN 0321868064 9780321868060

Full link download

Test Bank:

https://testbankpack.com/p/test-bank-forelementary-algebra-for-college-students-9thedition-by-ange-runde-gilligan-and-semmler-isbn-0321868064-9780321868060/

Solution Manual:

https://testbankpack.com/p/solution-manual-for-elementary-algebra-for-college-students-9th-edition-by-ange-runde-gilligan-and-semmler-isbn-0321868064-9780321868060/

INSTRUCTOR'S SOLUTIONS MANUAL

MATH MADE VISIBLE

Math Made Visible, LLC

ELEMENTARY ALGEBRA FOR COLLEGE STUDENTS NINTH EDITION

Allen Angel

Monroe Community College

Dennis Runde

State College of Florida

PEARSON

Boston Columbus Indianapolis New York San Francisco Upper Saddle River Amsterdam Cape Town Dubai London Madrid Milan Munich Paris Montreal Toronto Delhi Mexico City São Paulo Sydney Hong Kong Seoul Singapore Taipei Tokyo This work is protected by United States copyright laws and is provided solely for the use of instructors in teaching their courses and assessing student learning. Dissemination or sale of any part of this work (including on the World Wide Web) will destroy the integrity of the work and is not permitted. The work and materials from it should never be made available to students except by instructors using the accompanying text in their classes. All recipients of this work are expected to abide by these restrictions and to honor the intended pedagogical purposes and the needs of other instructors who rely on these materials.

The author and publisher of this book have used their best efforts in preparing this book. These efforts include the development, research, and testing of the theories and programs to determine their effectiveness. The author and publisher make no warranty of any kind, expressed or implied, with regard to these programs or the documentation contained in this book. The author and publisher shall not be liable in any event for incidental or consequential damages in connection with, or arising out of, the furnishing, performance, or use of these programs.

Reproduced by Pearson from electronic files supplied by the author.

Copyright © 2015, 2011, 2007, 2004 Pearson Education, Inc. Publishing as Pearson, 75 Arlington Street, Boston, MA 02116.

All rights reserved. No part of this publication may be reproduced, stored in a retrieval system, or transmitted, in any form or by any means, electronic, mechanical, photocopying, recording, or otherwise, without the prior written permission of the publisher. Printed in the United States of America.

ISBN-13: 978-0-321-86808-4 ISBN-10: 0-321-86808-0

www.pearsonhighered.com



Table of Contents

Chapter 1	1
Chapter 2	59
Chapter 3	141
Chapter 4	177
Chapter 5	225
Chapter 6	266
Chapter 7	352
Chapter 8	392
Chapter 9	448
Chapter 10	499

Chapter 1

Exercise Set 1.1

1.-10. Answers will vary.

- **11.** To prepare properly for this class, you need to do all the homework carefully and completely; preview the new material that is to be covered in class.
- 12. Answers will vary.
- **13.** At least 2 hours of study and homework time for each hour of class time is generally recommended.
- **14.** A mathematics text should be read slowly and carefully; do not just skim the text.
- **15.a.** You need to do the homework in order to practice what was presented in class.

b. When you miss class, you miss important information. Therefore it is important that you attend class regularly.

- **16.** It is important to know why you follow the specific steps to solve a problem so that you will be able to solve similar types of problems.
- 17. Answers will vary.
- **18.**1. Carefully write down any formulas or ideas that you need to remember.
 - 2. Look over the entire exam quickly to get an idea of its length. Also make sure that no pages are missing.
 - 3. Read the test directions carefully.
 - 4. Read each question carefully. Show all of your work. Answer each question completely, and make sure that you have answered the specific question asked.
 - 5. Work the questions you understand best first; then go back and work those you are not sure of. Do not spend too much time on any one problem or you may not be able to complete the exam. Be prepared to spend more time on problems worth more points.
 - 6. Attempt each problem. You may get at least partial credit even if you do not obtain the correct answer. If you make no attempt at answering the question, you will lose full credit.
 - 7. Work carefully step by step. Copy all signs and exponents correctly when working from

step to step, and make sure to copy the original question from the test correctly.

- 8. Write clearly so that your instructor can read your work. If your instructor cannot read your work, you may lose credit. Also, if your writing is not clear, it is easy to make a mistake when working from one step to the next. When appropriate, make sure that your final answer stands out by placing a box around it.
- 9. If you have time, check your work and your answers.
- 10. Do not be concerned if others finish the test before you or if you are the last to finish. Use any extra time to check your work.

Exercise Set 1.2

- 1. The <u>median</u> of the data 2, 4, 7, 8, 9 is 7.
- **2.** A general collection of numbers, symbols, and operations is called a(n) <u>expression</u>.
- 3. The symbol \approx means <u>approximately</u> equalto.
- 4. The <u>mean</u> of the data 2, 4, 7, 8, 9 is 6.
- 5. One of the five important steps in problem solving, seeing if your answer makes sense, is referred to as <u>checking</u> a problem.
- **6.** The mean and median are types of averages, also called measures of <u>central</u> tendency.
- 7. Graphical representation of data includes bar graphs, line graphs and <u>circle</u> graphs.
- **8.** Parentheses and brackets are examples of <u>grouping</u> symbols.
- **9.** In this book we use Pólya's five-step approach for <u>problem</u> solving.
- 10. Reading a problem at least twice, making a list of facts, and making a sketch are the problem-solving step called <u>understanding</u> the problem.
 78+97+59+74+74 382

= _____ = 76.4

11.a.

5 The mean grade is 76.4.

b. 59, 74, 74, 78, 97. The middle value is 74. The median grade is 74.

12.a. $\frac{161+131+187+163+145}{5} = \frac{787}{5} = 157.4$ 5 The mean score is 157.4. **b.** 131, 145, 161, 163, 187 The middle value is 161. The median score is 161. **13.a.** $\frac{96.56 + 108.78 + 87.23 + 85.90 + 79.55 + 65.88}{6} = \frac{523.90}{6} \approx 87.32$ 6 The mean bill is about \$87.32. **b.** \$65.88, \$79.55, \$85.90, \$87.23, \$96.56, \$108.78 The middle values are \$85.90 and \$87.23. $\frac{85.90 + 87.23}{85.90} = \frac{173.13}{86.57} = 86.57$ 2 2 The median bill is about \$86.57. $\frac{204.83 + 153.85 + 210.03 + 119.76 + 128.38}{5} = \frac{816.85}{5} = 163.37$ 14.a. The mean bill is \$163.37. **b**. \$119.76, \$128.38, \$153.85, \$204.83, \$210.03 The middle value is \$153.85. The median bill is \$153.85. **15.a.** $\frac{8.3 + 25.5 + 46.1 + 55.9 + 91.1 + 151.6 + 221.7 + 268.6}{9} = \frac{868.8}{9} = 108.6$ The mean population for the 140 years is 108.6 thousand. **b.** 8.3, 25.5, 46.1, 55.9, 91.1, 151.6, 221.7, 268.6 The middle values are 55.9 and 91.1. $\frac{55.9+91.1}{2} = \frac{147}{2} = 73.5$ 2 2 The median population for the 140 years is 73.5 thousand. 124,100 +175, 900 +142, 300 +164, 800 +146, 000 +210, 000 +112, 200 +153, 600 16.a. 8 =<u>1,228,90</u>0 8 = 153612.5The mean sale price for homes is \$153,612.50. **b.** 112,200, 124,100, 142,300, 146,000, 153,600, 164,800, 175,900, 210,000 The middle values are 146,000 and 153,600. $\frac{146,000+153,600}{149,800} = \frac{299,600}{149,800} = 149,800$ 2 2 The median sale price of homes is \$149,800. **17.** Barbara's earnings = 5% of sales Barbara's earnings = 0.05(9400)= 470

Her week's earnings were \$470.

 $\frac{\text{number of feet}}{\text{number of meters}} = \frac{1454}{443} \approx 3.28$ **18.** feet per meter = There are about 3.28 feet in a meter. **19.a.** sales tax = 7% of price sales tax = 0.07(2300)= 161The sales tax was \$161.00. **b.** Total cost = price + tax Total cost = 2300 + 161= 2461The total cost was \$2461.00. **20.a.** sales tax = 6.75% of price sales tax = 0.0675(300)= 20.25The sales tax was \$20.25. **b.** Total cost = price + tax Total cost = 300 + 20.25= 320.25The total cost was \$320.25. **21.** operations performed = (number of operations in billions)(amount of time in seconds) = (2.3)(0.7)= 1.61 billion In 0.7 seconds, 1,610,000,000 operations can be performed. **22.a.** total cost with payments = down payment + (number of months)(monthly payment) total cost with payments = 200 + 24(33)= 200 + 792= 992Making monthly payments, it costs \$992. **b.** savings = total cost with payments - total cost at purchase savings = 992 - 950= 42 He saves \$42 by paying the total at the time of purchase. kJ in hamburger **c.** time to use energy = $\frac{\text{kJ in glass of skim milk}}{\text{milk}}$ **23.a.** time to use energy = kJ/min running kJ/min cycling $=\frac{350}{100}$ $=\frac{1550}{1}$ 80 35 = 19.375=10It takes 10 minutes to use up the energy from a It takes 19.375 minutes to use up the energy from a hamburger by running. glass of skim milk by cycling. 24. a. Cost at Don's kJ in milkshake **h**. time to use energy = \mathbf{h} = 20.00 (number of 30 min intervals) kJ/min walking = 20.00(6)= <u>2200</u> It takes 88 minutes to use up the energy from a chocolate milkshake by walking. 25 = 88

CopyCingutur@1200952101/5PbgurBearEducEduccation., Inc.

Chapiter: EleReenhtaumAdeuebra

= \$120 Cost at A.J.'s = 50 (number of hours) = 50(3) = \$150

Don's is the better deal.

b. savings = cost at A.J.'s - cost at Don's savings = 150 - 120 = 30You would save \$30. **25.** miles per gallon = $\frac{\text{number of miles}}{1}$ number of gallons <u>= 16, 935.4 – 16, 741.3</u> 10.5 =<u>194.1</u> 10.5 ≈ 18.49 His car gets about 18.49 miles per gallon. **26.a.** taxes = 1740 + 15% in excess of 17,400 taxes = 1740 + 0.15(53,298 - 17,400)= 1740 + 0.15(35,898)= 1740 + 5384.70= 7124.70Their taxes were \$7124.70. **b.** taxes = 27,735 + 28% in excess of 142,700 = 27,735 + 0.28 (156,212 - 142,700)= 27,735 + 0.28(13,512)= 27,735 + 3783.36= 31, 518.36Their taxes were \$31,518.36. 27. savings = local cost – Internet cost

27. savings = rocar cost = internet cost
local cost =
$$425 + (0.08)(425)$$

= $425 + 34$
= 459
Internet cost = $4(62.30 + 6.20 + 8)$
= $4(76.50)$
= 306
savings = $459 - 306$
= 153
Eric saved \$153.
28. Santana's salary per inning
= $\frac{\text{total amount paid}}{\text{number of innings pitched}}$
= $\frac{$23,145,011}{117 \text{ innings}}$

≈ \$197, 820.61 per inning

Rodriguez's salary per bat $= \frac{\text{total salary}}{\text{number of at bats}}$ $= \frac{\$30,000,000}{529 \text{ at bats}}$ $\approx \$56,710.78 \text{ per at bats}$

197,820.61 - 56,710.78 = 141,109.83

Santana received about \$141,109.83 more per inning than Rodriguez did per at bat.

- **29.** A single green block should be placed on the 3 on the right.
- **30.** Cost = Flat Fee + 0.30(each quarter mile traveled) + 0.20(each 30 seconds stopped in traffic)

= 2.00 + 0.30(12) + 0.20(3)

= 6.20

His ride cost \$6.20.

31.a. gallons per year = 365(gallons per day) gallons per year = 365(11.25 gallons)= 4106.25There are 4106.25 gallons of water wasted each year.

b. additional money spent = (cost)(gallons wasted)

$$= \frac{5.20}{1000 \text{ gallons}} \cdot 4106.25 \text{ gallons}$$

$$\approx 21.35$$
About \$21.35 extra is spent because of the
wasted water.
32.a. $\frac{1 \text{ mile}}{1 \text{ hour } 1 \text{ mile}} = \frac{5280 \text{ feet}}{1 \text{ hour } 1 \text{ mile}}$

$$= 5280 \text{ feet per hour}$$

b.
$$\frac{1 \text{ mile}}{1 \text{ hour}} = \frac{1 \text{ mile}}{1 \text{ hour}} \cdot \frac{5280 \text{ feet}}{1 \text{ mile}} \cdot \frac{1 \text{ hour}}{60 \text{ min}} \cdot \frac{1 \text{ min}}{60 \text{ sec}}$$
$$= \frac{5280}{3600} \text{ feet per second}$$
$$\approx 1.47 \text{ feet per second}$$
c.
$$\frac{60 \text{ miles}}{1 \text{ hour}} = \frac{60 \text{ miles}}{1 \text{ hour}} \cdot \frac{5280 \text{ feet}}{1 \text{ mile}} \cdot \frac{1 \text{ hour}}{3600 \text{ seconds}}$$
$$\approx 88.0 \text{ feet per second}$$

33.a. cost = deductible + 20% (doctor bill – deductible)

= 150 + 0.20 (365 - 150)= 150 + 0.20(215)= 150 + 43

 -130 ± 4

```
= 193
```

Mel will be responsible for \$193.

b. The insurance company would be responsible for the remainder of the bill which would be 365 - 193 = \$172.

34.a. premiums savings = (number of years)(savings per year) premiums savings = 7(10% of 630)

$$= 441$$

He would save \$441.

b. savings after course = savings – cost of course savings after course =441 - 70

$$= 371$$

His net savings is \$371.

35.a. Finland; 540

.

b. Mexico; 420

c. 540 - 420 = 120

36.a. 20.1 inches

b. 9.5 inches

c.
$$\frac{20.1}{9.5} \approx 2.1$$
 times greater

37.a. 1,200,000 motorcycles and 450,000 motorcycles

b. 1,200,000 - 450,000 = 750,000

c.
$$\frac{1,200,000}{450,000} \approx 2.67$$

 ≈ 2.67 times greater

38.a. 2003-2004 and 2011-2012

b. 2010-2011

c. 2007–2008

39.a. 82% of 1.8 million = 0.82(1.8 million)

=1.476 million or 1,476,000

- **b.** 15% of 1.8 million = 0.15(1.8 million) =0.27 million or 270,000
- **c.** 3% of 1.8 million = 0.03(1.8 million)

CopyCiggbytr@1200952101/5PbgrrBearEducEduccation., Inc.

=0.054 million or 54,000

40.a. 83.125% of 160 = 0.83125 (160) = 133 He answered 133 questions correctly. **b.** 160 - 133 = 27He answered 27 questions incorrectly. sum of grades **41.a.** mean = ____ number of exams $60 = \frac{50 + 59 + 67 + 80 + 56 + 60}{100} = \frac{50 + 59 + 67 + 80}{100} + \frac{50 + 56}{100} + \frac{50 + 56}{$ last 6 360 = 312 +last last = 360-312 = 48

Lamond needs at least a 48 on the last exam.

b. $70 = \frac{312 + \text{last}}{6}$ 420 = 312 + last last = 420 -312 =108

Lamond would need 108 points on the last exam, so he cannot get a C.

42.a. To earn a B she would need to accumulate 5(80)

= 400 points. minimum grade on the fifth exam = 400 - the sum of the first four exams = 400 - (95 + 88 + 82 + 85)= 400 - 350= 50 Heather needs to earn a minimum of 50 on the next exam.

- **b.** To earn a A she would need to accumulate 5(90) = 450 points. minimum grade on the fifth exam
 - = 450 the sum of the first four exams
 - =450 (95 + 88 + 82 + 85)
 - =450-350= 100

Heather needs to earn a 100 on the next exam.

43. a. $\frac{39,771}{30,627} \approx 1.3$

 ≈ 1.3 times greater

b. $\frac{56,665}{39,771} \approx 1.4$ \approx 1.4 times greater

c. $\frac{73,738}{56,665}$ ≈ 1.3

- - ≈ 1.3 times greater

44. 6(78) = 468

- 45. Answers will vary. One possible solution is: 50, 60, 70, 80, 90 $mean = \frac{50 + 60 + 70 + 80 + 90}{100}$ 5 $=\frac{350}{5}$
 - = 70
- 46. The mean will decrease because the new value is less than the current mean.

6(10) = 60

$$mean = \frac{60 + 5}{11}$$
$$= \frac{65}{11}$$

47. The mean is greater. The median is the middle value of the five numbers, which is 5. The mean is the average of the five numbers, which includes one very high number (70) that will greatly affect the mean.

48. a. The meter reading is 16,504.

b. electrical cost = (number of kilowatt hour used)(cost per kilowatt hour) =(16,504 - 16064)(.243)= 440(.243)= 106.92Your electrical cost would be \$106.92.

Exercise Set 1.3

- 1. When two fractions are being added or subtracted we rewrite them so that they both have the same (common) denominator.
- 2. 5 + $\frac{1}{3}$ is usually written as 5 $\frac{1}{3}$, which is called a mixed number.
- 3. Letters that represent numbers are called variables.
- 4. In the expression 2, 4, 6, 8, ... the three dots, called an ellipsis, signify the sequence continues indefinitely.
- 5. $\frac{1}{3} \div \frac{1}{2} = \frac{2}{3}$
- 6. Numbers or variables that are multiplied together are called factors.
- 7. In the fraction $\frac{3}{4}$, 4 is called the <u>denominator</u>.
- 8. 15 is the GCF of 30 and 75.
- 9. To perform the division $\frac{4}{7} \div \frac{2}{3}$ we rewrite it as $\frac{4}{72}$.
- 10. 40 is the LCD of the fractions $\frac{3}{2}$ and $\frac{7}{2}$.

$$\begin{array}{rl} mean = \frac{2}{+3 + 5 + 6} \\ \pm 70 \end{array} \qquad \begin{array}{r} 11. & 2 \cdot 2 \cdot 3 \\ 12. & 2 \cdot 3 \cdot 3 \\ 13. & 2 \cdot 2 \cdot 3 \cdot 5 \\ 14. & 2 \cdot 2 \cdot 2 \cdot 2 \cdot 2 \cdot 5 \\ 15. & 2 \cdot 3 \cdot 5 \cdot 5 \end{array}$$

Chapiter: Elerneantaum/kaleuebra

5

16. $2 \cdot 2 \cdot 3 \cdot 3 \cdot 5$

 $=\frac{86}{5}$ = 17.2 ISNCHapteentaRealgebrabers

- 8 10
- **17.** The greatest common factor of 12 and 18 is 6.
- **18.** The greatest common factor of 15 and 27 is 3.
- **19.** The greatest common factor of 60 and 80 is 20.

Chapater: EleReentatornalgesbra

- 20. The greatest common factor of 45 and 63 is 9.
- 21. The greatest common factor of 150 and 294 is 6.
- 22. The greatest common factor of 126 and 162 is 18.
- **23.** The greatest common factor of 8 and 10 is 2. $\frac{8}{10} = \frac{8 \div 2}{10 \div 2} = \frac{4}{5}$
- 24. The greatest common factor of 9 and 15 is 3.

$$\frac{9}{15} = \frac{9 \div 3}{15 \div 3} = \frac{3}{5}$$

- **25.** The greatest common factor of 24 and 28 is 4.
 - $\frac{24}{28} = \frac{24 \div 4}{28 \div 4} = \frac{6}{7}$
- 26. The greatest common factor of 24 and 42 is 6. $\frac{24}{24} = \frac{24 \div 6}{24} = \frac{4}{24}$
 - 42 $42 \div 6$ 7
- **27.** The greatest common factor of 36 and 76 is 4.
 - $\frac{36}{76} = \frac{36 \div 4}{76 \div 4} = \frac{9}{19}$
- 28. The greatest common factor of 16 and 72 is 8. $\frac{16}{72} = \frac{16 \div 8}{72 \div 8} = \frac{2}{9}$
- 29. The greatest common factor of 18 and 42 is 6.

$$\frac{18}{42} = \frac{18 \div 6}{42 \div 6} = \frac{3}{7}$$

30. The greatest common factor of 60 and 105 is 15.

$$\frac{60}{105} = \frac{60 \div 15}{105 \div 15} = \frac{4}{7}$$

- **31.** 18 and 49 have no common factors other than 1. Therefore, the fraction is already simplified.
- **32.** 35 and 36 have no common factors other than 1.

36.
$$15 \stackrel{1}{-} = {}^{45+1} = {}^{46}$$

3 -3 -3
37. $7 \stackrel{2}{-} = {}^{21+2} = {}^{23}$
38. $14 \stackrel{3}{-} = {}^{56+3} = {}^{59} = {}^{4}$
39. $3 \stackrel{5}{-}{}_{18} = {}^{54+5} = {}^{59} = {}^{18}$
40. $2 \stackrel{2}{-} = {}^{18+2} = {}^{20} = {}^{9} = {}^{18} + {}^{2} = {}^{20} = {}^{18+2} = {}^{20} = {}^{9} = {}^{9} = {}^{9} = {}^{9} = {}^{9} = {}^{9} = {}^{9} = {}^{9} = {}^{9} = {}^{9} = {}^{9} = {}^{9} = {}^{9} = {}^{9} = {}^{9} = {}^{18} + {}^{2} = {}^{18} + {}^{18}$

42. $\frac{18}{7} = 2 \frac{4}{7} \frac{b}{7} = 2 \text{ R4}$

1 R3

43. $\frac{13}{4} = 3\frac{1}{4}$ because $13 \div 4 = 3 \text{ R} 1$ **44.** $\frac{9}{2} = 4 \frac{1}{2}$ because $9 \div 2 = 4 \text{ R} 1$

45.
$$\frac{32}{2} = 4 \frac{4}{2}$$
 because $32 \div 7 = 4$ R 4

46.
$$\frac{110}{20} = 5\frac{10}{20} = 5\frac{1}{2}$$
 because $110 \div 20 = 5$ R 10

47.
$$\frac{1}{3} \cdot \frac{4}{5} = \frac{1 \cdot 4}{3 \cdot 5} = \frac{4}{15}$$

$$\begin{array}{c} \mathbf{48.} \stackrel{6}{\underline{}} \cdot \stackrel{7}{\underline{}} = \stackrel{6}{\underline{}} \cdot \stackrel{7}{\underline{}} = \stackrel{42}{\underline{}} \\ 13 \ 17 \ 13 \cdot 17 \ 221 \end{array}$$

10 10 CopyCingthyr@1200052001 StearBearEductationcation, Inc.

Chapiter: EleReentaluynAdeusbra

Therefore, the fraction is already simplified.

- **33.** The greatest common factor of 100 and 150 is 50. $\frac{100}{2} = \frac{100 \div 50}{2} = \frac{2}{2}$
 - $150 \quad 150 \div 50 \quad 3$
- 34. The greatest common factor of 112 and 144 is 16.

 $\frac{112}{144} = \frac{112 \div 16}{144 \div 16} = \frac{7}{9}$ $\frac{13}{30 + 13} = \frac{43}{43}$ $35. \ 2 = = =$ $15 \quad 15 \quad 15$

ISMCHEapteentaRealgebrabers

49.
$$\frac{5}{4} \cdot \frac{4}{2} = \frac{5}{24} \cdot \frac{4}{4} = \frac{1 \cdot 1}{2} = 1$$

12 15 312 15 3·3 9
36 16 1/ / 4 1·44
50. $= \frac{3}{2} \cdot \frac{16}{16} = =$
48 45 14 45 15 1·15 15
51. $\frac{3}{4} \div \frac{1}{2} = \frac{3}{24} \cdot \frac{2}{1} = \frac{3}{2} \cdot \frac{1}{2} = \frac{3}{2} \text{ or } 1\frac{1}{2}$
 $\frac{3}{4} \div \frac{3}{2} = \frac{3}{24} \cdot \frac{4}{1} = \frac{1 \cdot 1}{2 \cdot 1} = \frac{1}{2}$
52. $\frac{3}{8} \div \frac{3}{4} = \frac{3}{28} \cdot \frac{4}{31} = \frac{1 \cdot 1}{2 \cdot 1} = \frac{1}{2}$

or $1^{\overline{37}}$

40

53.
$$15. 4 = \frac{3}{16} \cdot \frac{4}{2} = \frac{5 \cdot 1}{2} = \frac{5}{2} \cdot \text{orl}^{1}$$

163 416 $3, 4 \cdot 1$ 4 4
54. $- - = \frac{2}{10} = \frac{2}{10} = \frac{11}{2}$
55. $\frac{3}{6} + \frac{9}{9} = \frac{-\sqrt{9}}{2} = \frac{11}{2} = \frac{1}{2}$
 9 9 $30, 9$ 6 54
56. $\frac{5}{7} + 30 = \frac{5}{2} \cdot \frac{1}{2} = \frac{11}{2} = 1$
 9 9 $30, 9$ 6 54
57. $\frac{1}{7} + \frac{3}{3} = \frac{1}{2} - \frac{65}{3}$
 $3 \cdot 1^{2} - \frac{1}{2} - \frac{16}{3} - \frac{65}{4}$
 $56. \frac{5}{7} + 30 = \frac{5}{2} \cdot \frac{1}{2} = \frac{11}{2} = 1$
 9 9 $30, 9$ 6 54
 $57. \frac{1}{7} + \frac{3}{3} = \frac{1}{2} - \frac{65}{3}$
 $3 \cdot 1^{2} - 3^{2} - \frac{5}{4} = \frac{8}{36} = \frac{1}{36} = \frac{1}{2}$
 $3 \cdot 1^{2} - 3^{2} + \frac{1}{4} = \frac{5}{4} = \frac{43}{8} = \frac{43}{12} = \frac{43}{14} = \frac{43}{8} = \frac{43}{14} = \frac{5}{14} = \frac{43}{14} = \frac{5}{14} = \frac{43}{14} = \frac{5}{14} = \frac{43}{14} = \frac{5}{16} = \frac{1}{12} = \frac{11}{12} =$

10 12

CopyCiggbyr@120052101 57 BarBearSchutzdiocation. Inc.

Chapitel: EleReenhildum/kolepesbra

$$=\frac{43 \cdot 1}{2 \cdot 5} = \frac{43}{10} \text{ or } 4\frac{3}{10}$$

60.
$$4\frac{4}{5} \div \frac{8}{15}$$

 $4\frac{4}{5} = \frac{20+4}{5} = \frac{24}{5}$
 $4\frac{4}{5} \div \frac{8}{15} = \frac{24}{5} \div \frac{8}{15}$
 $3 \swarrow 3^{3}$
 $= \frac{24}{15} \cdot \frac{15}{8}$
 $= \frac{3\cdot3}{1\cdot1}$
 $= 9$

ISNCHapteentaRealgebrabers

$$\begin{array}{c}
8 & 8 & 3 & 24 \\
5 & = 5 & 4 & = 20 \\
6 & 6 & 4 & 24 \\
\hline
7 & 8 + 5 & = 21 \\
8 & 8 & 24 \\
\hline
24 & 24 \\
\hline
24$$

70.
$$\frac{3}{7} + \frac{17}{35}$$
$$\frac{3}{7} = \frac{3}{7} \cdot \frac{5}{5} = \frac{15}{35}$$
$$\frac{3}{7} + \frac{17}{17} = \frac{15}{15} + \frac{17}{17} = \frac{15 + 17}{15} = \frac{32}{15}$$

71. $\frac{1}{1} + \frac{1}{1}$ 3 4 $\frac{1}{3} = \frac{1}{3} \cdot \frac{4}{4} = \frac{4}{12}$ $\frac{1}{2} = \frac{1}{2} \cdot \frac{3}{2} = \frac{3}{2}$ 4 4 3 12 $\frac{1}{3} + \frac{1}{4} = \frac{4}{12} + \frac{3}{12} = \frac{4}{12} + \frac{3}{12} = \frac{7}{12}$ **72.** $\frac{1}{2} + \frac{1}{2}$ 6 18 $\frac{1}{6} = \frac{1}{6} \cdot \frac{3}{3} = \frac{3}{18}$ $\frac{1}{6} + \frac{1}{18} = \frac{3}{18} + \frac{1}{18} = \frac{3+1}{18} = \frac{4}{18} = \frac{2}{18} = \frac{2}{18}$ **73.** $\frac{7}{2}$ - $\frac{2}{3}$ 12 9 $\frac{7}{12} = \frac{7}{12} \cdot \frac{3}{3} = \frac{21}{36}$ $\frac{2}{9} = \frac{2}{9} \cdot \frac{4}{4} = \frac{8}{36}$ $\frac{7}{12} - \frac{2}{9} = \frac{21}{36} - \frac{8}{36} = \frac{21 - 8}{36} = \frac{13}{36}$ **74**. $\frac{3}{-5}$ 7 12 $\frac{3}{2} = \frac{3}{2} \cdot \frac{12}{12} = \frac{36}{12}$ 7 7 12 84 $\frac{5}{12} = \frac{5}{12} \cdot \frac{7}{7} = \frac{35}{84}$ $\underline{3} \underline{-5} = \underline{36} \underline{-35} = \underline{36} \underline{-35} = \underline{1}$ 7 12 84 84 84 84 84 **75.** $\frac{11}{60} + \frac{7}{150}$ $\frac{\underline{11}}{\underline{60}} \cdot \frac{5}{5} = \frac{\underline{55}}{\underline{300}}$ 150 2 300 $\frac{11}{60} + \frac{7}{150} = \frac{55}{300} + \frac{14}{300} = \frac{69}{300} = \frac{23}{300} = \frac{100}{100}$

• =

76.
$$\frac{13}{126} \pm \frac{5}{2} - \frac{126}{126} = \frac{26}{252}$$

 $5 \cdot 3 \pm \frac{15}{126} = \frac{26}{252} = \frac{5}{252} =$

10 10

CopyCigptyr@120095201 5 PearBearEducEdiocration, Inc.

85.⁷-⁵ **81.** $5\frac{9}{10}+3\frac{1}{3}$ $5\frac{9}{10} = \frac{50+9}{10} = \frac{59}{10} \cdot \frac{3}{3} = \frac{177}{30}$ $3\frac{1}{3} = \frac{9+1}{3} = \frac{10}{3} \cdot \frac{10}{10} = \frac{100}{30}$ $5 \frac{9}{4} + 3 \frac{1}{2} = \frac{177}{4} + \frac{100}{4} = \frac{177 + 100}{4} = \frac{277}{4} \text{ or } 9^{\frac{7}{2}}$ 10 3 30 30 30 30 30 82. $8\frac{2}{7}+3\frac{1}{3}$ $8\frac{2}{7} = \frac{56+2}{7} = \frac{58}{7} \cdot \frac{3}{3} = \frac{174}{21}$ $3\frac{1}{3} = \frac{9+1}{3} = \frac{10}{3} \cdot \frac{7}{7} = \frac{70}{21}$ 86 $8^{\frac{2}{2}} + 3^{\frac{1}{2}} = \frac{174}{10} + \frac{70}{10} = \frac{174}{10} + \frac{70}{10} = \frac{244}{10}$ or $11^{\frac{13}{10}}$ 7 3 21 21 21 21 21 **83.** $\frac{5}{6} - \frac{3}{8}$ $\frac{5}{6} \cdot \frac{4}{4} = \frac{20}{24}$ $\frac{3}{8} \cdot \frac{3}{3} = \frac{9}{24}$ 87 $\frac{5}{6} - \frac{3}{8} = \frac{20}{24} - \frac{9}{24} = \frac{20-9}{24} = \frac{11}{24}$ It is $\frac{11}{24}$ mile larger. 24 1 1 84. $\frac{1}{5}^{-}\frac{1}{7}$ <u>1</u> <u>7</u> <u>7</u> 5 7 35 $\frac{1}{7} \cdot \frac{5}{5} = \frac{5}{35}$ <u>7 5 7-5 2</u> 35 $\mathbf{c}, \frac{3}{2} \cdot \frac{2}{2} = \underbrace{3}_{\mathbf{a}} \underbrace{2}_{\mathbf{a}} - \underbrace{1 \cdot 1}_{\mathbf{a}} - \underbrace{1}_{\mathbf{a}}$

5.
$$7 = 5$$

 $\overline{8} = 12^{-10}$
 $12 = 2 = 10$
 $12 = 2 = 24$
 $21 = 10 = 21 = 10 = 11$
 $24 = 24 = 24 = 24$
It is $\frac{11}{24}$ cm larger.
 $11 = \frac{3}{-26} = \frac{77}{252} = \frac{77}{252} = \frac{50}{252} = \frac{25}{126}$
 $\frac{77}{252} = \frac{27}{252} = \frac{77 - 27}{252} = \frac{50}{252} = \frac{25}{126}$
It is $\frac{25}{126}$ vd larger.
7. a. $3 = \frac{2}{4}$
 $\frac{3}{4} = \frac{2}{3} = \frac{9}{4}$
 $\frac{3}{3} = \frac{2}{12}$
 $2 = 4 = 8$
 $\frac{3}{4} = \frac{4}{3} = \frac{17}{12}$ or $1 = 5$
 $4 = 3 = 12$
 $2 = 4 = 8$
 $\frac{3}{4} = \frac{3}{3} = \frac{9}{12}$
 $2 = 4 = 8$
 $3 = \frac{3}{2} = \frac{9}{2} = 8 = 1 = 1$
 $4 = 3 = 12$
 $2 = 4 = 8$
 $3 = 4 = 12$
 $3 = 2 = 9 = 8 = 1 = -4$
 $4 = 3 = 12 = 12$
 $4 = 3 = 12 = 12$
 $3 = 2 = 9 = 8 = 1 = -4$
 $4 = 3 = 12 = 12$
 $3 = 2 = 9 = 8 = 1 = -4$
 $4 = 3 = 12 = 12$
 $3 = 2 = 9 = 8 = 1 = -4$
 $4 = 3 = 12 = 12$
 $3 = 2 = 9 = 8 = 1 = -4$
 $4 = 3 = 12 = 12$
 $3 = 2 = 9 = 8 = 1 = -4$
 $4 = 3 = 12 = 12$
 $3 = 2 = 9 = 8 = 1 = -4$
 $4 = 3 = 12 = 12$
 $3 = 2 = 9 = 8 = 1 = -4$
 $4 = 3 = 12 = 12$
 $3 = 2 = 9 = 8 = 1 = -4$
 $4 = 3 = 12 = 12$
 $3 = 2 = 9 = 8 = 1 = -4$
 $4 = 3 = 12 = 12$
 $3 = 2 = 9 = 8 = 1 = -4$
 $4 = 3 = 12 = 12$
 $3 = 2 = 9 = 8 = 1 = -4$
 $4 = 3 = 12 = 12$
 $3 = 2 = 9 = 8 = 1 = -4$
 $4 = 3 = 12 = 12$
 $3 = 2 = 9 = 8 = 1 = -4$
 $4 = 3 = 12 = 12$
 $3 = 2 = 9 = 8 = 1 = -4$
 $4 = 3 = 12 = 12$
 $3 = 2 = 9 = 8 = 1 = -4$
 $4 = 3 = 12 = 12$
 $3 = 2 = 9 = 8 = 1 = -4$
 $4 = 3 = 12 = 12$
 $3 = 2 = 9 = 8 = 1 = -4$
 $4 = 3 = 12 = 12$
 $3 = 2 = 9 = 8 = 1 = -4$
 $4 = 3 = 12 = 12$
 $3 = 2 = 9 = 8 = 1 = -4$
 $3 = 12 = 12 = 12$
 $3 = 2 = 9 = 8 = 1 = -4$
 $3 = 12 = 12 = 12$
 $3 = 12 = 12 = 12$
 $3 = 12 = 12 = 12$
 $3 = 12 = 12 = 12$
 $3 = 12 = 12 = 12$
 $3 = 12 = 12 = 12$
 $3 = 12 = 12 = 12$
 $3 = 12 = 12 = 12$
 $3 = 12 = 12 = 12$
 $3 = 12 = 12 = 12$
 $3 = 12 = 12 = 12$
 $3 = 12 = 12 = 12$
 $3 = 12 = 12 = 12$
 $3 = 12 = 12 = 12$
 $3 = 12 = 12 = 12$
 $3 = 12 = 12 = 12$
 $3 = 12 = 12 = 12$
 $3 = 12 = 12 = 12$
 $3 = 12 = 12 = 12$
 $3 = 12 = 12 = 12$
 $3 = 12 = 12 = 12 = 12$
 $3 = 12 = 12 = 12 = 12$
 $3 = 12 = 12 = 12 = 12 = 12$
 $3 = 12 = 12 = 12 = 12 = 12$

10 12

CopyCigpty 1@1200052101 5 Pear Bear Education ation, Inc.

Chapitel: EleReenhildum/kolepesbra

ISA**ChapteentaRealgebra**bers

43
$${}^{2}\mathcal{A} \hspace{0.5cm} \mathcal{A}^{1} \hspace{0.5cm} 2 \cdot 1 \hspace{0.5cm} 2$$

d. $\frac{3}{4} \div \frac{2}{3} = \frac{3}{4} \div \frac{3}{2} \cdot \frac{3 \cdot 3}{4 \cdot 2} = \frac{9}{8} \cdot \frac{1}{8}$
88. a. $\frac{5}{2} \div \frac{3}{2} = \frac{5}{2} \cdot \underbrace{\cancel{8}}{4} = \frac{5 \cdot 4}{2} = \frac{20}{9} \text{ or } 2^{\frac{2}{2}}$
6 8 ${}_{3}\mathscr{B} \hspace{0.5cm} 3 \hspace{0.5cm} 3 \cdot 3 \hspace{0.5cm} 9 \hspace{0.5cm} 9$

c. $2\frac{5}{6} \div 1\frac{2}{3}$ $2\frac{5}{6} = \frac{12+5}{6} = \frac{17}{6}$ $1\frac{2}{3} = \frac{3+2}{3} = \frac{5}{3}$ **b.** $\frac{5}{6} + \frac{3}{8}$ $\frac{5}{6} \cdot \frac{4}{4} = \frac{20}{24}$ $\frac{3}{8} \cdot \frac{3}{3} = \frac{9}{24}$ $\frac{5}{6} + \frac{3}{8} = \frac{20}{24} + \frac{9}{24} = \frac{29}{24}$ or $1\frac{5}{24}$ $2\frac{5}{6} \div 1\frac{2}{3} = \frac{17}{6} \div \frac{5}{3}$ $=\frac{17\cdot \mathscr{J}_1}{{}_2\not{\otimes}\cdot 5}$ c. $\frac{5}{-3}$ 6 8 $=\frac{17\cdot 1}{2\cdot 5}$ $\frac{5}{6} \cdot \frac{4}{4} = \frac{20}{24}$ $\frac{3}{8} \cdot \frac{3}{3} = \frac{9}{24}$ $=\frac{17}{10}$ or $1\frac{7}{10}$ $\frac{5}{6} - \frac{3}{8} = \frac{20}{24} - \frac{9}{24} = \frac{11}{24}$ **d.** $2\frac{5}{6} - 1\frac{2}{3}$ $2\frac{5}{2} = \frac{12+5}{2} = \frac{17}{2}$ 5 3 5 χ^1 5 1 5 $1\frac{6}{3} = \frac{3}{3} = \frac{5}{3} = \frac{5}{2} = \frac{10}{6}$ **d.** $\frac{-1}{6} \cdot \frac{-1}{8} = \frac{-1}{2} \cdot \frac{-1}{8} = \frac{-1}{16} = \frac{-1}{16}$ **89. a.** 2 ^{<u>5</u>} .1 ^{<u>2</u>} 1 $2\frac{5}{6} - 1\frac{2}{3} = \frac{17}{6} - \frac{10}{6} = \frac{17 - 10}{6} = \frac{7}{6}$ or 1 6 3 $2\frac{5}{2} = \frac{12+5}{12} = \frac{17}{12}$ $\begin{array}{c} 6 & 6 & 6 \\ 1 \frac{2}{2} = \frac{3+2}{2} = \frac{5}{2} \end{array}$ **90.** a. $3\frac{1}{2}-2\frac{3}{4}$ $3\frac{1}{2}=\frac{4}{2}=\frac{7}{2}=\frac{14}{2}=\frac{14}{4}$ $2\frac{5}{6} \cdot 1\frac{2}{3} = \frac{17}{6} \cdot \frac{5}{3}$ $2\frac{3}{4} = \frac{8+3}{4} = \frac{11}{4}$ $=\frac{17\cdot 5}{6\cdot 3}$ $3\frac{1}{2} - 2\frac{3}{4} = \frac{14}{4} - \frac{11}{4} = \frac{14 - 11}{4} = \frac{3}{4}$ $=\frac{85}{18}$ or $4\frac{13}{18}$ **b.** $3\frac{1}{2} \cdot 2\frac{3}{4}$ **b.** $2^{\frac{5}{2}} + 1^{\frac{2}{2}}$ 5^{6} 1^{3}_{2+5} 17 $3\frac{1}{2} = \frac{6+1}{6+1} = \frac{7}{2}$ $2 \frac{-}{2} 2$ $2_{6} = -6 = 6$ $2\frac{3}{4} = \frac{8+3}{4} = \frac{11}{4}$ $1 - \frac{2}{3} - \frac{3}{2} - \frac{5}{2} - \frac{10}{10}$ 3 3 3 2 6 $3^{\frac{1}{2}} \cdot 2^{\frac{3}{2}} = \frac{7}{11} \cdot \frac{11}{12}$ $2\frac{5}{2} + 1\frac{2}{2} = \frac{17}{10} + \frac{10}{10} = \frac{17}{10} = \frac{27}{10} = \frac{9}{10} \text{ or } 4\frac{1}{10}$

CopyCiogbytr@121095210/15PbgrrBearEducEduccation., Inc.

Chapitel: EleReenhildum/kolepesbra

6 3 6 6 6 6 2 2		6	3	6	6	6	6	2	2
-----------------	--	---	---	---	---	---	---	---	---

ISNCHapteentaRealgebrabers

$$\begin{array}{r}
4 & 2 & 4 \\
= \frac{7 \cdot 11}{2 \cdot 4} \\
= \frac{77}{8} \text{ or } 9 \frac{5}{8}
\end{array}$$

2

CopyCingutur@1200952101 SteparBearSchutzdioccation., Inc.

Chapitel: EleReenhitslaymkolegesbra

99.



CopyCigntyr@1200952101/5PbparBearEducEduccationa, Inc.

Chapitel: EleReentialoyn/olgesbra 105 ISNCHapteentaRealgebrabers

10

She improved by $2\frac{3}{10}$ minutes.

100.
$$13\frac{1}{2} = \frac{26+1}{2} = \frac{27}{2}$$

 $\begin{pmatrix} 1 \\ 22 \\ 13 \\ 2 \end{pmatrix} = \frac{122}{1} \cdot \frac{27}{21} = \frac{11\cdot 27}{1\cdot 1} = \frac{297}{1} = \frac{297}{$

The turkey should be baked for 297 minutes or 4 hours and 57 minutes.

101. $3\frac{1}{8} = \frac{24+1}{8} = \frac{25}{8}$ $3\frac{1}{8} \div 2 = 3\frac{1}{8} \div \frac{2}{10} = \frac{25}{8} \cdot \frac{1}{10} = \frac{25}{10} \text{ or } 1\frac{9}{10}$ Each piece is $\frac{25}{10}$ or $1\frac{9}{10}$ inches long.

102.
$$29\frac{3}{8} = \frac{29 \cdot 8 + 3}{8} = \frac{235}{8}$$

 $32 = \frac{32}{8} \cdot \frac{8}{8} = \frac{256}{1 \cdot 8}$
 $32 - 29\frac{3}{8} = \frac{256}{235} = \frac{21}{21} \text{ or } 2\frac{5}{8}$

8 8 8 8 8 8 The pants will need to be shortened by $2^{\frac{5}{2}}$ inches.

$$8 = 103. \pm 80 = 1 \cdot 80 = 1 \cdot 5 = 5$$

16 16 1 1 1 Mr. Krisanda should be given 5 milligrams

of the drug.

104.
$$5\frac{1}{2} = \frac{10+1}{2} = \frac{11}{2}$$

 $5\frac{1}{2} \cdot \frac{1}{4} = \frac{11}{2} \cdot \frac{1}{4} = \frac{11 \cdot 1}{2 \cdot 4} = \frac{11}{8} \text{ or } 1^3 \frac{1}{8}$
 $1^{\frac{3}{2}}$ cups of chopped onions are needed.
 8

105.

400 +544 +339

 $16\frac{2}{3} + 22\frac{2}{3} + 14\frac{1}{8} = \frac{400}{24} + \frac{544}{24} + \frac{339}{24}$

ISNChapteentaRealgebrabers

$$= \frac{24}{24}$$

$$= \frac{1283}{24} \text{ or } 53\frac{11}{24}$$
Matt will need 53 $\frac{24}{24}$ yards of fence.
b. $60 = \frac{60 \cdot 24}{24} = \frac{1440}{24}$
 $53\frac{11}{24} = \frac{1283}{24}$
 $24 \quad 24$
 $53\frac{11}{24} = \frac{1283}{24}$
 $60 - 53\frac{2}{24} = \frac{24}{24} - \frac{24}{24}$
 $= \frac{1440 - 1283}{140 - 1283}$
 $157 \quad 24$
 13
 $= \frac{24}{24} \text{ or } 6\frac{13}{24}$
Matt will have $6\frac{13}{24}$ yards of fence left over.
 $\frac{1}{4} + \frac{1}{4} + 1 = \frac{1}{4} + \frac{1}{4} + \frac{4}{4} = \frac{6}{4} = \frac{3}{2} \text{ or } 1\frac{1}{2}$
The total thickness is $1\frac{1}{2}$ inches.
 $4\frac{1}{2} = \frac{8+1}{2} = \frac{9}{2} = \frac{9}{2} \cdot \frac{6}{6} = \frac{54}{12}$
 $1\frac{1}{6} = \frac{6+1}{6} = \frac{7}{6} = \frac{7}{6} \cdot \frac{2}{2} = \frac{14}{12}$

107.

108.

CopyCigntyr@120052019 5PbarBearEducEdiocration, Inc.

ISMChapteentaRealgebrabers

106. a.	16 <u>2</u> =	<u>48 +2</u> =	$=\frac{50}{50}=5$	<u>50</u> . <u>8</u> =	400
	$3 \\ 22^{\frac{2}{2}} =$	3 <u>66 +2</u>	$\frac{3}{68} =$	38 68.8	24 = <u>544</u>
	$3 \\ 14\frac{1}{8} = -$	$\frac{3}{112+1}$	$=\frac{3}{113}$	$=\frac{3}{8}\frac{113}{8}$	24 $\frac{3}{3} = \frac{339}{24}$

2 6 4 12 12 12 12 12 12 The total weight is $7\frac{5}{12}$ tons.

109. $4\frac{2}{3} = \frac{12+2}{3} = \frac{14}{3}$

 $28 \div \frac{14}{28} = \frac{28}{3} \cdot \frac{3}{28} = \frac{2}{3} \cdot \frac{3}{28} = \frac{6}{28} = 6$

3 1 14 1 2 1 There will be 6 whole strips of wood.

110.
$$4\frac{1}{2} = \frac{9}{2} = \frac{9}{2} \cdot \frac{12}{12} = \frac{108}{24}$$

 $2\frac{1}{3} = \frac{7}{3} = \frac{7}{3} \cdot \frac{8}{8} = \frac{56}{24}$
 $\frac{1}{8} = \frac{1}{8} \cdot \frac{3}{3} = \frac{3}{24}$
 $4\frac{1}{2} + 2\frac{1}{3} + \frac{1}{8} = \frac{108}{24} + \frac{56}{24} + \frac{3}{24} = \frac{167}{24} \text{ or } 6\frac{23}{24}$
The length of the shaft of the bolt must be

$$6\frac{23}{24}$$
 inches.

111.a. $8 = \frac{8}{1} \cdot \frac{12}{12} = \frac{96}{12}$

8 feet = 96 inches $36\frac{1}{2} + 14\frac{1}{8} + 31\frac{3}{8} \approx 37 + 14 + 32 \approx 83 < 96$ Yes, there will be sufficient room for this purchase.

b. Total height of TV + stangl + credenza= 36 in. + 14 in. + 31 in.

$$\overline{2} \quad \overline{8} \quad \overline{4}$$

$$36 \frac{1}{=} \frac{73}{73} = \frac{73}{73} \cdot \frac{4}{=} = \frac{292}{292}$$

$$2 \quad 2 \quad 4 \quad 8$$

$$14 \frac{1}{8} = \frac{112+1}{8} = \frac{113}{8}$$

$$31 \quad \overline{3} = \frac{127}{127} = \frac{127}{2} \cdot \frac{2}{=} = \frac{254}{4}$$

$$4 \quad 4 \quad 4 \quad 2 \quad 8$$

$$36 \quad \frac{1}{2} + 14 \frac{1}{8} + 31 \frac{3}{4} = \frac{292}{8} + \frac{113}{8} + \frac{254}{8} = \frac{659}{8} \text{ or }$$

$$82 \quad \frac{3}{8}$$

Total height of the TV, the stand, and the

credenza is
$$\frac{659}{0}$$
 or $82\frac{3}{1}$ inches.
8 8
112. $(5 \cdot 2) \div 30 = 10 \div 30 = \frac{10}{1} \cdot = =$
1 30₃ 1.3 3

The LCM of 6, 3, and 10 is 30.

114. Answers will vary.

To simplify a fraction, divide out the common

factors. For example, to simplify the fraction $\frac{18}{24}$, you would divide out the common factors. 18: 1, 2, 3, 6, 9, 18

24: 1, 2, 3, 4, 6, 8, 12, 24

The greatest common factor is 6

$$\frac{18}{24} = \frac{18 \div 6}{24 \div 6} = \frac{3}{4}$$

115. a.
$$\frac{\frac{x}{a} + \frac{2}{a} = \frac{x+2}{a}}{a}$$

$$\frac{\mathbf{b} \cdot \underbrace{\bigcirc} - - \underbrace{\bigcirc} = \frac{-1}{2}}{2} = \frac{-1}{2}$$
c.
$$\underbrace{\bigotimes} + \underbrace{4}_{=} = \underbrace{\bigotimes + 4}_{=} = \underbrace{\bigcirc}_{=} + \underbrace{4}_{=} = \underbrace{\bigotimes + 4}_{=} = \underbrace{\bigotimes}_{=} + \underbrace{4}_{=} = \underbrace{\bigotimes}_{=} -2}_{3}$$
d.
$$\underbrace{\frac{x}{a} - 2}_{3} = \frac{x-2}{3}$$
e.
$$\underbrace{\frac{12}{x} - 4}_{x} = \underbrace{\frac{12-4}{x}}_{x} = \underbrace{\frac{8}{x}}_{x}$$
116.a.
$$\underbrace{\bigotimes}_{a} \cdot \underbrace{-1}_{b} = \underbrace{2}_{a} = \underbrace{\bigotimes}_{a} = \underbrace{2}_{i} \cdot \underbrace{\bigotimes}_{a} = \underbrace{2}_{i} = \underbrace{2}_{i} \cdot \underbrace{\bigotimes}_{a} = \underbrace{2}_{i} = \underbrace{2}_{i} \cdot \underbrace{\bigotimes}_{a} = \underbrace{2}_{i} = \underbrace{2}_{i} \cdot \underbrace{2}_{i} \cdot$$

CopyCigptyr@1200952by 5PbarBearEducEduceation. Inc.

Chapiter: EleReantaloymalogesbra

Each person gets $\frac{1}{3}$ liter.

113. Answers will vary.

1

For example, to find the LCM of 6, 3, and 10, list the multiples of each number, and the LCM will be the first multiple that all three numbers have in common.

3: 3, 6, 9, 12, 15, 18, 21, 24, 27, 30

6: 6, 12, 18, 24, 30

10: 10, 20, 30

ISMCHEapteentaRealgebrabers

$$\mathbf{e} \cdot \frac{3}{x} \cdot \frac{x}{y} = \frac{3}{y} \cdot \frac{x}{y} = \frac{3 \cdot 1}{1 \cdot y} = \frac{3}{y}$$

117. number of pills

 $= \frac{(\text{mg per day})(\text{days per month})(\# \text{ of months})}{\text{mg per pill}}$ number of pills = $\frac{(450)(30)(6)}{300}$ = 270 Dr. Muechler should prescribe 270 pills.

- 118. a. flakes, 2 cups; milk, 6 tbsp
 b. flakes, 2 cups; milk, 7 ¹/₃ tbsp
 c. flakes, 2 cups; milk, ¹/₂ cup or 8 tbsp
 d. flakes, 2 cups; milk, 8 ²/₃ tbsp
 e. flakes are same, milk is different: ¹/₃ cup is not twice 2 tbsp
- 119. Answers will vary.

$$9+8+15+32+16$$
 80

120.

The mean is 16.

5

- **121.** In order, the values are: 8, 9, 15, 16, 32. The median is 15.
- 122. Variables are letters used to represent numbers.

 $= \frac{16}{5} = 16$

Exercise Set 1.4

- 1. $\sqrt{5}$ and $\sqrt{7}$ are examples of <u>irrational</u> numbers.
- 2. The set of negative integers is $\{\dots -3, -2, -1\}$.
- 3. Another name for the positive integers is the set of <u>counting</u> numbers.
- **4.** The set {..., -2, -1, 0, 1, 2, 3, ...} is more commonly referred to as the set of <u>integers</u>.
- **5.** The set of real numbers can be displayed

pictorially as a real number line.

- 6. The symbol \emptyset is used to denote the <u>empty</u> set.
- 7. $\{0, 1, 2, 3, \ldots\}$ is called the set of <u>whole</u> numbers.

- **16.** The positive integers are $\{1, 2, 3, 4, ...\}$.
- **17.** True; the natural numbers are $\{1, 2, 3, 4, ...\}$.
- **18.** False; the natural numbers are $\{1, 2, 3, 4, \ldots\}$.
- **19.** False; the whole numbers are $\{0, 1, 2, ...\}$.
- **20.** True; the whole numbers are $\{0, 1, 2, ...\}$.
- **21.** False; the integers are {..., -2, -1, 0, 1, 2, ...}.
- **22.** True; the integers are $\{..., -2, -1, 0, 1, 2, ...\}$.
- 23. True; 0.57 can be expressed as a quotient of two integers, $\frac{100}{100}$.
- 24. False; $\sqrt{3}$ cannot be expressed as the quotient of two integers.
 - **25.** False; $\sqrt{2}$ cannot be expressed as the quotient of two integers.
- **26.** True; 0.666... can be expressed as a quotient of two integers, $\frac{2}{3}$.
- 27. True; $-\frac{1}{5}$ can be expressed as a quotient of two integers, $\frac{5}{-1}$ or .

28. False;
$$-\frac{2}{3}$$
 can be expressed as a quotient of two integers, $\frac{-2}{3}$ or $\frac{2}{3}$

3 -3

-5

5

29. True; $\sqrt{5}$ cannot be expressed as the quotient of

two integers.

- **30.** True; $-\sqrt{7}$ cannot be expressed as the quotient of
 - 8. Numbers than can be expressed as a fraction having integer numerator and non-zero integer denominator are called <u>rational</u> numbers.

Chapatler: EleReeantaluym/alguesbra

- 9. An example of a real number that is not a rational number is $\sqrt{3}$.
- 10. In general, a collection of elements is called a set.
- **11.** The natural numbers are $\{1, 2, 3, 4, ...\}$.
- **12.** The counting numbers are $\{1, 2, 3, 4, ...\}$
- **13.** The whole numbers are $\{0, 1, 2, 3, 4, ...\}$.
- **14.** The negative integers are $\{..., -3, -2, -1\}$.
- **15.** The integers are {..., -3, -2, -1, 0, 1, 2, 3, ...}.

two integers.

- **31.** False; 0 is a whole number, but it is not a natural number.
- **32.** True; every counting number can be expressed as a quotient of two integers.
- **33.** True, either \emptyset or $\{\}$ is used.
- **34.** False; the positive integers are not negative.
- 35. False; irrational numbers are real but not rational.
- **36.** True; any negative integer can be represented on a real number line and is therefore real.
- **37.** True; any rational number can be represented on a real number line and is therefore real.

ISNChapteentaRealgebrabers

Chaptler: EleReenhtalum/kolegesbra

- **38.** True; the counting numbers are {1, 2, 3, ...}, the whole numbers are {0, 1, 2, ...}.
- **39.** True; irrational numbers are real numbers which are not rational.
- 40. False; all irrational numbers are also real numbers.
- **41.** False; any negative irrational number is a counterexample.
- 42. True; this is the definition of a real number.
- **43.** True; the symbol □ represents the set of real numbers.
- 44. True; this is the definition of a negative number.
- **45.** False; every number greater than zero is positive but not necessarily an integer.
- **46.** False; irrational numbers are real and so can be represented on a number line.
- **47.** True; the integers are $\left\{ \begin{array}{cc} ..., -2, -1 \\ ..., -2, -1 \end{array}, \begin{array}{cc} 0 \\ ..., -2, -1 \end{array}, \begin{array}{cc} 0 \\ ..., -2, -1 \end{array} \right\}$.

negative integers zero positive integers

- **48.** True; all are names for the set {1, 2, 3, ...}.
- **49. a.** 13 is a positive integer.
 - **b.** -2 and 13 are rational numbers.
 - **c.** -2 and 13 are real numbers.
 - **d.** 13 is a whole number.
- 50. a. 0 is an integer.

b. 0 and 2
$$\frac{1}{2}$$
 are rational numbers.

c. 0 and
$$2\frac{1}{2}$$
 are real numbers.

51. a. 3 and 77 are positive integers.

b. 0, 3, and 77 are whole numbers.

c. 0, –2, 3, and 77 a	are integers.
d. $-\frac{5}{7}$, 0, -2, 3, 6	$\frac{1}{4}$ 1.63, and 77

9 1 22
d. -6, 7, 12.4,
$$- = -20_{3}$$
, 9, 0.35, and _____ are
5 4 7
rational numbers.

e.
$$\sqrt{3}$$
 and $\sqrt{7}$ are irrational numbers.

f. -6, 7, 12.4,
$$-\frac{9}{5}$$
, $-2\frac{1}{4}$, $\sqrt{3}$, 0, 9, $\sqrt{7}$, 0.35, and $\frac{22}{7}$ are real numbers.

For Exercises 53–64, answers will vary. One possible answer is given.

54.
$$\stackrel{1}{}$$
, $-\stackrel{1}{}$, 0.6
55. $\stackrel{2}{}$, $\stackrel{2}{}$, $\stackrel{7}{}$, $\stackrel{7}{}$, $\stackrel{7}{}$, $\stackrel{7}{}$

56. 1,
$$\frac{1}{2}$$
, $-\frac{3}{5}$
57. $-\frac{2}{3}$, $\frac{1}{2}$, $\frac{6}{5}$
58. -5, 0, 4
59. -13, -5, -1
60. -1, -2, -3
61. $\sqrt{2}$, $\sqrt{3}$, $-\sqrt{5}$
62. 1.5, 3, 6¹
4

64.
$$-\frac{1}{2}, -\frac{5}{2}, \sqrt{7}$$

2 8
ers.

n

u m b

CopyCigptyr@1200952101/5PbgrBearEducEdiocration., Inc.
Chapiter: EleReentaluynAdeusbra

are rational

65. {8, 9, 10, 11, ..., 94} 94 - 8+1 = 86 + 1= 87 The set has 87 eleme nts. 6 6 • { _ 4 , _ 3 , _ 2 , _ 1 , 0 , 1 , . . . , 6 4 } 64 – (-4) + 1 = 64 + 4+ 1 = 69 e. $\sqrt{7}$ and $-\sqrt{3}$ are irrational numbers.

The set has 69 elements.

d. A or $B = \{1, 2, 3, 4, 5, 6, 7, 8\}$

67. a. $A = \{1, 3, 4, 5, 8\}$ **b.** $B = \{2, 5, 6, 7, 8\}$ **c.** A and $B = \{5, 8\}$

f.
$$-\frac{5}{7}$$
, 0, -2, 3, 6, $7\frac{1}{4}$, -37 , 1.63, and 77 are real numbers.

52. a. 7 and 9 are positive integers.

b. 7, 0, and 9 are whole numbers.

CopyCigntyr@120095201 99 BarBearEductationa, Inc.

ISMCHEapteentaRealgebrabers

68. a. $A = \{ \otimes, P, ?, * \}$

b.
$$B = \{*, \Box, L, W, R\}$$

- **c.** A and $B = \{*\}$
- **d.** A or $B = \{ \otimes, P, ?, *, \Box, L, W, R \}$
- **69. a.** Set *B* continues beyond 4.
 - **b.** Set *A* has 4 elements.
 - c. Set *B* has an infinite number of elements.
 - **d.** Set *B* is an infinite set.
- **70. a.** There are an infinite number of decimal numbers between any 2 numbers.
 - **b.** There are an infinite number of decimal numbers between any 2 numbers.
- **71. a.** There are an infinite number of fractions between any 2 numbers.
 - **b.** There are an infinite number of fractions between any 2 numbers.
- **72.** a. \cup : {1, 2, 3, 4, 5, 6, 7, 8, 9}; \cap : {2, 3, 8}
 - **b.** \cup : {*a*, *b*, *c*, *d*, *g*, *h*, *i*, *j*, *m*, *p*}; \cap {*b*, *c*, *d*}
 - **c.** \cup : {red, blue, green, yellow, pink, orange, purple}; \cap : \emptyset

73.
$$5^{\frac{4}{2}} = \frac{5 \cdot 5 + 4}{3} = \frac{25 + 4}{2} = \frac{29}{4}$$

5 5 5 5 5
74. $\frac{16}{3} = 5^{\frac{1}{3}}$ because $16 \div 3 = 5 \text{ R } 1$
75. $\frac{7}{8} = \frac{7}{3} \cdot \frac{3}{3} = \frac{21}{24}$
 $\frac{1}{8} = \frac{1}{8} \cdot \frac{8}{3} = \frac{8}{24}$
 $\frac{7}{8} = \frac{1}{3} = \frac{21}{24} - \frac{8}{24} = \frac{21 - 8}{24} = \frac{13}{24}$
76. $\frac{3}{4} \div 6^{\frac{3}{2}} = \frac{24 + 3}{4} = \frac{27}{4}$
 $6^{\frac{3}{4}} = \frac{24 + 3}{4} = \frac{27}{4}$
 $\frac{3}{5} \div 6^{\frac{3}{2}} = \frac{3}{5} \div \frac{27}{4} = \frac{3}{5} \cdot \frac{4}{5} = \frac{1 \cdot 4}{5} = \frac{4}{5}$

Exercise Set 1.5

- 1. Regardless of the value of a, the value of a + d is <u>0</u>.
- 2. The symbol < means is <u>less</u> than.
- 3. The absolute value of the number *a* is expressed as $|\underline{a}|$.
- If we write x > 0, alternatively we could say that x is a positive number.
- (True or False) If a and b are real numbers and a < b, then b > a. <u>True</u>
- **6.** The symbol > means <u>greater</u> than.
- 7. The distance between 6 and -4 on the number line can be expressed as |6 (-4)|.
- 8. The distance the number -4 is from zero can be expressed as |-4|.
- **9.** The negative of the absolute value of a nonzero number will always be a <u>negative</u> number.
- **10.** The absolute value of a number represents its <u>distance</u> from 0 on a real number line.

11.
$$7| \neq 7$$

12. $54 = 54$
 $| \ |$
13. $|-15| = 15$
14. $|-6| = 6$
15. $|0| = 0$
16. $|0| = 0$
17. $-|-5| = -(5) = -5$
18. $-|-34| = -(34) = -34$
19. $-|26| = -(26) = -26$
20. $-|92| = -(92) = -92$

- **21.** a. 21 < 26; 21 is to the left of 26 on a number line.
 b. -21 > -26; -21 is to the right of -26 on a number line.
- **22. a.** 31 > 29; 31 is to the right of 29 on a number

CopyCiggbytr@120095209 5PbgrBearEducEduceation, Inc.

Chapitel: EleRecentration/Algesbra 5 4 5 4 5 27 $_9$ 5.9 45

ISNChapteentaRealgebrabers

line. **b.** -31 < -29; -31 is to the left of -29 on a number line.

- **23.** a. 71 > 0; 71 is to the right of 0 on a number line.
 b. -71 < 0; -71 is to the left of 0 on a number line.
- **24.** a. -71 < 0; -71 is to the left of 0 on a number line.
 b. 37 > -21; 37 is to the right of -21 on a number
 - line.
- **25.** $\frac{2}{3} < \frac{3}{4}$; $\frac{2}{3}$ is to the left of $\frac{3}{4}$ on a number line.
- **26.** $\frac{3}{4} < \frac{5}{6}$; $\frac{3}{15}$ is to the left of $\frac{5}{6}$ on a number line.
- 27. $-\frac{2}{3} > -\frac{3}{4}; -\frac{2}{3}$ is to the right of $-\frac{3}{4}$ on a number line.
- **28.** $-\frac{3}{2} > -\frac{5}{2}$; $-\frac{3}{2}$ is to the right of $-\frac{5}{2}$ on a number 4 6 4 6
- **29.** $\frac{1}{2} > -\frac{2}{3}; \frac{1}{2}$ is to the right of $-\frac{2}{3}$ on a number line
- **30.** $-\frac{1}{<}\frac{2}{;}$ $-\frac{1}{:}$ is to the left of $\frac{2}{:}$ on a number line.
- **31.** 0.1 < 0.3; 0.1 is to the left of 0.3 on a number line.
- **32.** -0.1 > -0.3; -0.1 is to the right of -0.3 on a

number line.

- **33.** -2.1 < -2; -2.1 is to the left of -2 on a number line.
- **34.** -1.83 < -1.82; -1.83 is to the left of -1.82 on a number line.
- **35.** 0.08 < 0.1; 0.08 is to the left of 0.1 on a number line.
- **36.** -0.08 > -0.1; -0.08 is to the right of -0.1 on a number line.
- **37.** 4.09 < 5.3; 4.09 is to the left of 5.3 on a number line.
- **38.** -4.09 > -5.3; -4.09 is to the right of -5.3 on a number line.

- **43.** 0.001 < 0.002; 0.001 is to the left of 0.002 on a number line.
- **44.** -0.006 > -0.007; -0.006 is to the right of -0.007 on a number line.
- **45.** $\frac{5}{8} > 0.6$ because $\frac{5}{8} = 0.625$ and 0.625 is to the right of 0.6 on a number line.
- **46.** $2.7 < \frac{10}{3}$ since $\frac{10}{3} = 3\frac{1}{3}$ and $3\frac{1}{3}$ is to the right of 2.7 on a number line.
- **47.** $-\frac{4}{3} < -\frac{2}{3}; -\frac{4}{3}$ is to the left of $-\frac{2}{3}$ on a number line. <u>19</u> <u>17</u> <u>19</u> <u>17</u>
- **48.** >; is to the right of on a number line 2 2 2 2 2 2
 - $-0.8 < -\frac{3}{5} 0.8$ is to the left of -0.6 on a number

line.

49.

- **50.** −0.7 < −0.2; −0.7 is to the left of −0.2 on a number line.
- **51.** $0.3 < \frac{1}{3}$; 0.3 is to the left of .333...

on a number line.

- **52.** $\frac{9}{20}$ > .42; .45 is to the right of .42 on a number line.
- **53.** $-\frac{17}{>} -\frac{16}{;}$ $-\frac{34}{;}$ is to the right of $-\frac{48}{;}$ 30 20 60 60 60 on a number line.

54.
$$\frac{13}{49} \le \frac{8}{0.43}$$
; $\frac{39}{0.49}$ is to the left of $\frac{40}{0}$
3 $\frac{49}{0.43}$; 0.49 is to the right of 0.43 on a
9.

25 25

CopyCigptyr@120095201/5PbgrBearEducEduceation, Inc.

Chapatler: EleRmeant Valuy Molensbra

55.

15 line. 9

45 45

on а nu m be r lin e. _ (_ 6) > _ (_ 5) ; 6 i s t 0 t h e r i g h t 0 f 5 0 n а n u m b e r

Chapiter: EleReentaluyrAdepesbra

number line.

40. -1.0 < -0.7; -1.0 is to the left of -0.7 on a number

line.

- **41.** -0.086 > -0.095; -0.086 is to the right of -0.095 on a number line.
- **42.** 0.086 < 0.95; 0.086 is to the left of 0.95 on a number line.

56.
$$-\left(\frac{-12}{13}\right) > \frac{7}{8}, \frac{96}{104}$$
 is to the right of $\frac{91}{104}$

on a number line.

57.
$$5 > |-2|$$
 since $|-2| = 2$

58.
$$|-12| < |-13|$$
 since $|-12| = 12$ and $|-13| = 13$

59.
$$\frac{3}{4} = -4 \operatorname{since} |-4| = 4$$

60. $|-4| > -3 \operatorname{since} |-4| = 4$
61. $|0| < +4 \operatorname{kince} |0| = 0 \text{ and } |-4| = 4$
62. $|-2.1| > |-1.8| \operatorname{since} |-2.1| = 2.1 \text{ and } |-1.8| = 1.8.$
63. $4 < \left| -\frac{9}{2} \right| \operatorname{since} \left| -\frac{9}{2} \right| = \frac{9}{2} \text{ or } 4\frac{1}{2}$
64. $|-5| > -|-6| \operatorname{kince} -|5| = 5 \text{ and } --6| = |-6|$
65. $\left| -\frac{4}{9} \right| < \left| +\frac{5}{4} \right| \operatorname{since} \left| -\frac{4}{9} \right| = \frac{4}{-5} = \frac{16}{-20}$
 $\left| -\frac{5}{4} \right| = \frac{5}{4} = \frac{25}{20}$
66. $\left| \frac{2}{2} \right| = |-0.40| \operatorname{since} \right| \frac{2}{5} |= \frac{2}{-5} = 0.40 \text{ and}$
 $\left| -0.40 \right| = 0.40$
67. $\left| -4.6 \right| = \left| \frac{23}{-5} \right| \operatorname{since} \left| -4.6 \right| = 4.6 \text{ and}$
 $\left| -\frac{23}{-5} \right| = \frac{23}{-5} = 4.6$
68. $\left| -\frac{8}{-3} \right| = \frac{4}{-3.5} = \frac{1}{-3.5} = \frac{2}{-3.5} = 3.5$
69. $\frac{2}{-3} + \frac{2}{-3} + \frac{2}{-3} + \frac{2}{-3} = 4 \cdot \frac{2}{-3} \operatorname{since}$
 $\frac{2}{-4} + \frac{2}{-3} + \frac{2}{-3} = 4 \cdot \frac{2}{-3} \operatorname{since}$
 $\frac{2}{-4} + \frac{2}{-3} = \frac{4}{-3} \cdot \frac{2}{-3} = \frac{8}{-3} = 3$
70. $\frac{3}{-4} + \frac{3}{-5} > \frac{3}{-5} \cdot \frac{3}{-5} \operatorname{since} \frac{3}{-4} + \frac{3}{-3} = \frac{3}{-3} = \frac{6}{-11} = 11$ and

28 28

CopyCingutur@1200952101 SteparBearSchutzdivocation., Inc.

Chapitel: EleReentitatum Adeusbra

ISNChapteentargealgebrabers

$$\begin{array}{c} 12 & 5\\ -|-5| = -5, & \frac{7}{12} = 0.58333..., & \left|\frac{-12}{5}\right| = 2.4,\\ \text{and} & \left|-9\right| = 9. \end{array}$$

79. 4 and -4 since |4| = 14 = 4**80.** 100 and -100 since $1|00 \neq -100 = 100$

For Exercises 81-88, answers will vary. One possible

answer is given.

81. There are no real numbers that are less than 4 and greater than 8.

Chapater: EleReenttalum/kolegesbra

- 82. Three numbers greater than 4 and less than 6 are $4\frac{1}{2}$, 5, 5.5.
- **83.** Three numbers less than -2 and greater than -6 are -3, -4, -5.
- **84.** Three real numbers that are greater than -5 and greater than -9 are -4, 0, and 3.
- **85.** Three numbers greater than –3 and greater than 3 are 4, 5, 6.
- **86.** Three numbers that are less than -3 and less than 3 are -4, -5, and -6.
- **87.** Three numbers greater than +2 and less than -6 | are 3, 4, 5.
- **88.** There are no real numbers that are greater than |-3| and less than 3|
- 89.a. Between does not include endpoints.
 - **b.** Three real numbers between 4 and 6 are 4.1, 5, and $5\frac{1}{2}$.
 - c. No, 4 is an endpoint.
 - d. Yes, 5 is greater than 4 and less than 6.
 - e. True
- 90.a. 1992
 - **b.** 1999
 - c. 1999-2009
- 91.a. dietary fiber and thiamin
 - b. vitamin E, niacin, and riboflavin
- **92.** Yes, 0. The absolute value of 0 is 0, which is not a positive number.
- **93.** Yes. The absolute value of any real number *a* is the positive value of that number. Any real number subtracted by itself is 0.

For example, let a = -4. So, |-4| - |-4| = 4 - 4 = 0.

94. No, this is not true.

For example, let a = -3 and b = -4. -3 > -4, so a > b is true. |-3| = 3 and |-4| = 4, so |-3| < |-4|. Therefore, |a| > |b| is not always true when a > b. 95. No, this is not true.

For example, let a = -4 and b = -3. |-3| = 3 and |-4| = 4, and |-4| > |-3|, so |a| > |b| is true. However, -4 < -3, so a > b is not true. Therefore, a > b is not always true when |a| > |b|.

- **96.** The result of multiplying any positive number by a number between 0 and 1 is smaller than the original number. Thus, when you multiply a number between 0 and 1 by itself, the result is smaller than the original number.
- **97.** The result of dividing a number by itself is 1. Thus, the result of dividing a number between 0 and 1 by itself is a number, 1, which is greater than the original number.
- **98.** 3 and -3 since 3 = -3 = 3
- **99.** No, an absolute value of a number cannot be negative.

100.a. If
$$x \cdot 0$$
, then $|x| = x$.

b. If x < 0, then |x| = -x.

c.
$$|x| = \begin{cases} x, & x \ge 0 \\ -x, & x < 0 \end{cases}$$

101.
$$-|-3|$$

 $-|3| -|2| -|\frac{1}{3}||0||-\frac{3}{5}| |-2| |\frac{16}{5}||-4|$
 $\leftarrow -3 -2 -1 0 1 2 3 4$

102.
$$2\frac{3}{5} + 3\frac{1}{3}$$

 $2\frac{3}{5} = \frac{10+3}{5} = \frac{13}{5} \cdot \frac{3}{3} = \frac{39}{15}$
 $3\frac{1}{3} = \frac{9+1}{3} = \frac{10}{3} \cdot \frac{5}{5} = \frac{50}{15}$
 $2\frac{3}{5} + 3\frac{1}{3} = \frac{39}{15} + \frac{50}{15} = \frac{39+50}{15} = \frac{89}{15} = 5\frac{14}{15}$

- **103.** The set of integer numbers is {..., -3, -2, -1, 0, 1, 2, 3, ...}.
- **104.** The set of whole numbers is $\{0, 1, 2, 3, ...\}$.
- **105. a.** 5 is a natural number.
 - **b.** 5 and 0 are whole numbers.

Chapater: EleRceantaumkolepesora

c. 5, -2, and 0 are integers.

d. 5, -2, 0,
$$\frac{1}{3}$$
, $-\frac{5}{9}$, and 2.3 are rational numbers.

e. $\sqrt{3}$ and are irrational numbers.

f. 5, -2, 0,
$$\frac{1}{3}$$
, $3\sqrt{5}$, 2.3, and are real 9

numbers.

Mid-Chapter Test: Sections 1.1-1.5

- **1.** At least two hours of study and homework for each hour of class time is generally recommended.
- 2.a. The mean is

$$\frac{78.83 + 96.57 + 62.23 + 88.79 + 101.75 + 55.62}{6} = \frac{483.78}{6} = \$80.63.$$

- **b.** To find the median place the numbers in order: 55.62, 62.23, 78.83, 88.79, 96.57, 101.75. Since there are an even amount of numbers, take the two in the middle and take their mean. $\frac{78.83+88.79}{2} = \frac{167.62}{2} = \$83.81.$
- 3. New balance = Old balance + Deposits Purchases

New balance = 652.70 + 230.75 - 3(19.62)= 652.70 + 230.75 - 58.86= 824.59

Her new balance is \$824.59.

4. a. Rental cost from Natwora's

= 7.50(each 15-minute increment)

= 120

Rental cost for Gurney's

=18(each 30-minute increment)

=18(8)

=144

Natwora's is the better deal.

b. 144–120 = 24

$$= \left(\begin{array}{c} \underline{88} \cdot \underline{2} \\ \underline{3} \cdot \underline{3} \\ \underline{3} \\ \underline{3} \cdot \underline{3} \\ \underline{$$

You will save \$24.

CopyCigghytr@120095200/ SpearBearEducEdiocration., Inc.

Chapiter: EleReenhtaumAdeuebra

ISNChapteentaRealgebrabers

5. We must find out how many 1000 gallons was used. $\frac{33,700}{1000} = 33.7$ Water Bill = 1.85(number of 1000 gallons used) = 1.85(33.7) ≈ 62.345 The water bill would be \$62.35.

		Charmaphoen kan jaangeen
	$= \underbrace{-6}_{6} \underbrace{54}_{6} \underbrace{-54}_{6} \underbrace{-54}_{3}$ He will need 54 $\frac{1}{5}$ for 3	eet of fencing.
11.	False	12. True
13.	False	14. True
15.	False	16. $-\left -\frac{7}{10}\right = -\frac{7}{10}$

- **17.** -0.005 > -0.006 because -0.005 is to the right of -0.006 on the number line.
- **18.** $\frac{7}{8} > \frac{5}{6}$ because $\frac{7}{12} = \frac{7}{12} \cdot \frac{3}{12} = \frac{2}{12}$ and $\frac{1}{12} = \frac{1}{12} = \frac{1}{12} \cdot \frac{3}{12} = \frac{2}{12} \cdot \frac{3}{12} = \frac{1}{12} \cdot \frac{3}{12} \cdot \frac{3}$
- **19.** |-9| < |-19| because |-9| = 9 and |-19| = 19.

20.
$$\left|-\frac{3}{8}\right| = +0.375$$
 because $-\left|\frac{3}{8}\right| = \frac{3}{8} = 0.375$
and $+0.375 \neq 0.375$.

Exercise Set 1.6

- 1. The sum of two negative numbers is always <u>negative</u>.
- 2. Another expression for "opposite" of a real number is additive <u>inverse</u>.
- 3. The expression *x* is read "the <u>absolute</u> value of *x*."
- 4. The sum of two positive numbers is always <u>positive</u>.
- 5. In the statement (-8) + 5 = -3, the number -3 is called the <u>sum</u> of -8 and 5.
- 6. In the statement (-8) + 5 = -3, the numbers -8 and 5 are called <u>addends</u>.
- **7.** $--8 \neq -8$.

8. -8 = 8.

- **9.** When adding two fractions with different signs, we first find the least common <u>denominator</u>.
- **10.** Two numbers that add up to zero are <u>opposites</u> of each other.
- 11. Yes, it is correct.
- 12. Yes, it is correct.
- **13.** The opposite of 19 is -19 since 19 + (-19) = 0.
- 14. The opposite of 8 is -8 since 8 + -8 = 0.

18. The opposite of
$$-3\frac{1}{2}$$
 is $3\frac{1}{2}$ since

19. The opposite of _ is
$$-$$
 _ since _ + $-$ = 0.

3 3 3
$$\begin{pmatrix} 3 \\ \end{pmatrix}$$

20. The opposite of
$$-\frac{1}{4}$$
 is $\frac{1}{4}$ since $-\frac{1}{4} + \frac{1}{4} = 0$.

21. The opposite of
$$2\frac{3}{5}$$
 is $-2\frac{3}{5}$ since
 $2\frac{3}{5} + \left(-2\frac{3}{5}\right) = 0$.

- **22.** The opposite of -1 is 1 since -1 + 1 = 0.
- **23.** The opposite of 3.72 is -3.72 since 3.72 + (-3.72) = 0.
- **24.** The opposite of -0.721 is 0.721 since -0.721 + 0.721 = 0.
- 25. Numbers have same sign, so add absolute values. |5| + |16| = 5 + 16 = 21Numbers are positive so sum is positive. 5 + 16 = 21
- 26. Numbers have same sign, so add absolute values. |17| + |13| = 17 + 13 = 30. Numbers are positive so sum is positive. 17 + 13 = 30
- 27. Numbers have different signs so find difference between larger and smaller absolute values.
- **15.** The opposite of -28 is 28 since -28 + 28 = 0.
- **16.** The opposite of 3 is -3 since 3 + (-3) = 0.
- 17. The opposite of 0 is 0 since 0 + 0 = 0.

Chapitel: EleReentaluyn/algebra

4 - -3 = 4 - 3 = 1. 4 is greater than -3 so the sum is positive. 4 + (-3) = 1

- **28.** Numbers have different signs, so take difference between larger and smaller absolute values -12 9 = 12 9 = 3. -12 greater than 9 so sum is negative. 9 + (-12) = -3
- 29. Numbers have same sign, so add absolute values. -4 + -2 = 4 + 2 = 6. Numbers are negative, so sum is negative. -4 + (-2) = -6
- 30. Numbers have same sign, so add absolute values. -3 + -5 = 3 + 5 = 8. Numbers are negative, so sum is negative. -3 + (-5) = -8

*ISNC Haptee*nta Fyeðilgisbrabers

31. Numbers have different signs, so find difference between absolute values.
|6|- |-6|= 6 - 6 = 0

6 + (-6) = 0

- **32.** Numbers have different signs, so take difference between absolute values.
 - |-8|-8|=0
 - -8 + 8 = 0
- **33.** Numbers have different signs, so find difference between absolute values.
 - |-4| |4| = 4 4 = 0-4 + 4 = 0
- 34. Numbers have different signs, so find difference between absolute values.
 |11|-|-11|=11 11 = 0 11 + (-11) = 0
- **35.** Numbers have same sign, so add absolute values. |-8|+|-2|=8+2=10. Numbers are negative, so sum is negative. -8+(-2)=-10
- **36.** Numbers have different signs, so take difference between larger and smaller absolute

values. |6| - |+5| = 6 - 5 = 1. |6| is greater than |+5| so sum is positive. 6 + (-5) = 1

- 37. Numbers have different signs, so take difference between larger and smaller absolute values. |-7| |3| = 7 3 = 4. |-7| is greater than \$\$\$ so sum is negative.
 -7 + 3 = -4
- **38.** Numbers have different signs, so take difference between larger and smaller absolute

values. |9| - |+6| = 9 - 6 = 3. |9| is greater than $+6^{-1}$ so sum is positive. -6 + 9 = 3

- **39.** Numbers have same sign, so add absolute values. |-8|+|-5|=8+5=13Numbers are negative, so sum is negative.
 - -8 + (-5) = -13
- **40.** Numbers have different signs, so take difference between larger and smaller absolute

- **41.** 0 + 0 = 0**42.** 0 + (-0) = 0
- **43.** -8 + 0 = -8
- **44.** 0 + (-3) = -3
- **45.** Numbers have same sign, so add absolute values. |-18|+|-9|=18+9=27. Numbers are negative, so sum is negative. -18+(-9)=-27
- 46. Numbers have different signs, so find difference between larger and smaller absolute values.
 |17|-+7 ⊨ 17 7 = 10

|17| is greater than +7 so sum is positive. -7 + 17 = 10

- 47. Numbers have same sign, so add absolute values. |-33|+|-31|=33+31=64Numbers are negative, so sum is negative. -33+(-31)=-64
- **48.** Numbers have same sign, so add absolute values. $|-27| + \frac{1}{9} = 27 + 9 = 36$. Numbers are negative, so sum is negative.

-27 + (-9) = -36

- **49.** Numbers have same sign, so add absolute values. |7|+b|=7+9=16. Numbers are positive, so sum is positive. 7+9=16
- 50. Numbers have same sign, so add absolute values. $|12|+\beta|=12+3=15$. Numbers are positive, so sum is positive. 12+3=15
- 51. Numbers have same sign, so add absolute values. |-8|+|-4|=8+4=12Numbers are negative, so sum is negative.

values. 13 - -9 = 13 - 9 = 4. 13 is greater than

Chapitler: EleReenhtaluynAdeuesbra

-8 + (-4) = -12

52. Numbers have same sign, so add absolute values. -25 + -36 = 25 + 36 = 61

$$-9 + 13 = 4$$

ISNCHEapteentaRealgebrabers

Numbers are negative, so sum is negative. -25 + (-36) = -61

53. Numbers have different signs, so find difference between larger and smaller absolute values. |6| - |-3| = 6 - 3 = 3. |6| is greater than |-3|so sum is positive. 6 + (-3) = 3 54. Numbers have different signs, so take difference between larger and smaller absolute values. $|52| - |-25| = 52 - 25 = 27 \cdot \frac{1}{2}2$ is greater

than |-25| so sum is positive. 52 + (-25) = 27

55. Numbers have different signs, so take difference between larger and smaller absolute values. |-19| + |13| = 19 - 13 = 6. |-19| is greater than |13| so sum is negative.

13 + (-19) = -6

- 56. Numbers have different signs, so take difference between larger and smaller absolute values. |-40| - |34| = 40 - 34 = 6. |-40| is greater than |34| so sum is negative. 34 + (-40) = -6
- **57.** Numbers have different signs, so find difference between larger and smaller absolute

values. |-220| - ||80| = 220 - 180 = 40. |-220| is greater than ||80| so sum is negative. 180 + (-220) = -40

58. Numbers have different signs, so find difference between larger and smaller absolute

values. $|-452| - \beta 12 |= 452 - 312 = 140$. |-452| is greater than |312| so sum is negative. -452 + 312 = -140

- 59. Numbers have same sign, so add absolute values. |-11| + |-20| = 11 + 20 = 31. Numbers are negative, so sum is negative. -11 + (-20) = -31
- 60. Numbers have same sign, so add absolute values. |-33|+ |-92 |= 33 + 92 = 125. Numbers are negative, so sum is negative.
 -33 + (-92) = -125
- **61.** Numbers have different signs, so find difference between larger and smaller absolute

values. |-67|-28|=67-28=39. |-67| is greater than 28 so sum is negative. -67+28=-39 **63.** Numbers have different signs, so find difference between larger and smaller absolute values. |184| - |-93| = 184 - 93 = 91. |184| is greater

than |-93| so sum is positive.

184 + (-93) = 91

64. Numbers have different signs, so take difference between larger and smaller absolute values.
|176|-|-19|= 176 - 19 = 157. |176|is greater than

|-19| so sum is positive. -19+176=157

- **65.** Numbers have different signs, so find difference between larger and smaller absolute values. |-90.4| - |80.5| = 90.4 - 80.5 = 9.9. |-90.4| is greater than |80.5| so sum is negative. 80.5 + (-90.4) = -9.9
- 66. Numbers have same sign, so add absolute values.

|-24.6| + |-13.9| = 24.6 + 13.9 = 38.5. Numbers are negative so sum is negative. -24.6 + (-13.9) = -38.5

67. Numbers have same sign, so add absolute values.

|-124.7| + |-19.3| = 124.7 + 19.3 = 144.0.Numbers are negative, so sum is negative.

-124.7 + (-19.3) = -144.0

- **68.** Numbers have different signs, so find difference between larger and smaller absolute values. |110.9| - |106.3| = 110.9 - 106.3 = 4.6. |-110.9| is greater than |106.3| so sum is negative. 106.3 + (-110.9) = -4.6
- 69. Numbers have different signs, so find difference between larger and smaller absolute values. |16.62| |-12.4| = 16.62 12.4 = 4.22.

|16.62| is greater than +12.4 so sum is positive.

```
-12.4 + 16.62 = 4.22
```

13.01 + (-5.1) = 7.91

71. Numbers have same sign, so add absolute values. |-97.35| + |-9.8| = 97.35 + 9.8 = 107.15. Numbers

Chapitler: EleReenhtaluynAdeuesbra

ISNCHEApteentaRealgebrabers

62. Numbers have different signs, so take difference between absolute values.

$$|183| - |-183| = 183 - 183 = 0$$

$$183 + (-183) = 0$$

are negative, so sum is negative. -97.35 + (-9.8) = -107.15

72. Numbers have same sign, so add absolute values. |-73.5| + |-58.68| = 73.5 + 58.68 = 132.18. Numbers are negative, so sum is negative. -73.5 + (-58.68) = -132.18

73.
$${}^{3}_{5} \pm {}^{1}_{7} = {}^{21}_{\overline{35}} \pm {}^{5}_{\overline{35}} = {}^{21+5}_{\overline{35}} = {}^{26}_{\overline{35}}$$

74. ${}^{5}_{8} \pm {}^{3}_{\overline{5}} = {}^{25}_{\overline{40}} \pm {}^{24}_{\overline{40}} = {}^{25+24}_{\overline{40}} = {}^{49}_{\overline{40}} \text{ or } 1 - {}^{9}_{\overline{40}}$
75. ${}^{5}_{+} = {}^{35}_{+} \pm {}^{72}_{-} = {}^{35}_{-} \pm {}^{72}_{-} = {}^{107}_{-} \text{ or } 1^{-23}_{-}$
12 7 84 84 84 84 84 84
76. ${}^{2}_{+} \pm {}^{3}_{-} = {}^{20}_{-} \pm {}^{27}_{-} = {}^{20+27}_{-} = {}^{47}_{-}_{-}$
9 10 90 90 90 90 90 90

77. Numbers have different signs, so find difference between larger and smaller absolute values. $-\frac{8}{4} + \frac{4}{9} = -\frac{40}{4} + \frac{44}{9} = \frac{44}{10} - \frac{40}{10} = \frac{44}{10} - \frac{40}{10} = \frac{4}{10}$ 11 5 55 55 55 55 55 55 55 55 $\left|\frac{44}{55}\right|$ is greater than $\left|-\frac{40}{55}\right|$ so sum is positive. $-\frac{8}{2} + \frac{4}{2} = \frac{4}{2}$

11 5 55

78. Numbers have different signs, so find difference between larger and smaller absolute values.

$$-\frac{4}{9} + \frac{5}{27} = \left| -\frac{12}{27} \right| - \left| \frac{5}{27} \right| = \frac{12}{27} - \frac{5}{27} = \frac{12-5}{27} = \frac{7}{27}$$
$$\left| -\frac{12}{27} \right| \text{ is greater than } \left| \frac{5}{27} \right| \text{ so sum is negative.}$$
$$\frac{4}{5} = 5 = 7$$
$$-9 + \frac{27}{27} = -\frac{27}{27}$$

79. Numbers have different signs, so find difference between larger and smaller absolute values.

$$\frac{7}{-10} + \frac{11}{90} = \left| -\frac{63}{90} \right| - \left| \frac{11}{90} \right| = \frac{63}{90} - \frac{11}{90}$$
$$= \frac{63 - 11}{90} = \frac{52}{90} = \frac{26}{45}$$

81. Numbers have same sign, so add absolute values.

$$\begin{array}{c|c} - + + & |= + 7 + - = 7 24 \\ \hline 30 5 & | - | \\ 30 & | \\ \hline 30 + 30 \\ \hline 30$$

$$-\frac{7}{30} + \begin{pmatrix} 4 \\ -5 \end{pmatrix} = -\frac{31}{30} \text{ or } -\frac{1}{130}$$

82. Numbers have same sign, so add absolute values.

$$9^{\frac{7}{2}} + (5^{\frac{1}{5}}) = 45^{\frac{35}{5}} + 45^{\frac{9}{45}} = 45^{\frac{35}{45}} + 45^{\frac{9}{45}}$$

44 45 Numbers are negative so sum is negative.

$$-\frac{7}{2} + \left(-\frac{1}{2}\right) = -\frac{44}{45}$$

83. Numbers have same sign, so add absolute values.

45

$$\begin{array}{c} -\frac{4}{5} + \left(\begin{array}{c} -5\\75 \end{array} \right) = + \begin{array}{c} 60\\75 \end{array} + \left(\begin{array}{c} -5\\75 \end{array} \right) = \begin{array}{c} 60\\75 \end{array} + \left(\begin{array}{c} -5\\75 \end{array} \right) = \begin{array}{c} 60\\75 \end{array} + \begin{array}{c} 5\\75 \end{array} + \begin{array}{c} 5\\75 \end{array} + \begin{array}{c} 75\\75 \end{array} + \begin{array}{c} 60\\75 \end{array} + \begin{array}{c} -5\\75 \end{array} + \begin{array}{c} 60\\75 \end{array} + \begin{array}{c} -5\\75 \end{array} + \begin{array}{c} 75\\75 + 15 \end{array} + \begin{array}{c} 75 + 15 + 15 + 15 + 15 + 15 + 15 +$$

84. Numbers have same sign, so add absolute values. $\frac{-1}{15} + \begin{pmatrix} -5 \\ -30 \end{pmatrix} = \begin{vmatrix} -2 \\ -30 \end{vmatrix} + \begin{vmatrix} -25 \\ -30 \end{vmatrix} = \begin{vmatrix} 2 \\ -25 \\ -30 \end{vmatrix} = \begin{vmatrix} 2 \\ -25 \\ -30 \end{vmatrix}$ = ²⁺²⁵ = ²⁷ = ⁹

30 30 10 Numbers are negative so sum is negative.

40 40

CopyCigptyr@120095201/5PbgrBearEducEdiocration., Inc.

Chapitel: EleReenhitaluym/kolegesbra

$$\begin{vmatrix} -\frac{63}{90} & \text{ is greater than } 1 \\ \frac{90}{90} & \text{ so sum is negative.} \\ -\frac{7}{10} & +\frac{11}{90} & = -\frac{26}{45} \end{vmatrix}$$

80. Numbers have different signs, so find difference

between larger and smaller absolute values.

$$\frac{\underline{8}}{9} + \left(\begin{bmatrix} \frac{1}{3} \\ 9 \end{bmatrix} \right) = \left| \frac{\underline{8}}{9} \right| - \left| -\frac{3}{9} \right| = \frac{\underline{8}}{9} - \frac{3}{9} = \frac{\underline{8}-3}{9} = \frac{5}{9}$$

 $\left|\frac{8}{9}\right|$ is greater than $\left|-\frac{3}{9}\right|$ so sum is positive.

$$\frac{8}{9} + \left(-\frac{1}{3}\right) = \frac{5}{9}$$

ISMCHEapteentaRealgebrabers

$$-\frac{1}{15} + \left(\left| -\frac{5}{6} \right| \right) = -\frac{9}{10}$$

85. Numbers have different signs, so find difference between larger and smaller absolute values

$$\frac{9}{25} + \left(-\frac{3}{50}\right) = \frac{18}{50} - \frac{3}{50} = \frac{18}{50} - \frac{3}{50} = \frac{18}{50} - \frac{3}{50} = \frac{18}{50} - \frac{3}{50} = \frac{18}{50} = \frac{3}{50} = \frac{18}{50} = \frac{3}{50} = \frac{18}{50} = \frac{3}{50} = \frac{3}{50} = \frac{18}{50} = \frac{3}{50} = \frac{3}{50$$

$$\frac{5}{10} = \frac{1}{24} + \left(\left| -\frac{15}{15} \right| \right) = \frac{15}{72} + \left| = \frac{15}{72} + \frac{15}{72} \right| = \frac{15}{72} + \frac{15}{72} = \frac{5}{72} = \frac{5}{72} = \frac{15}{72}$$

$$\underbrace{\underline{36}}_{+} + \begin{pmatrix} -\underline{24} \\ -\underline{24} \end{pmatrix} = - \underbrace{\underline{72}}_{-}$$

87. Numbers have different signs, so find difference between larger and smaller absolute values.

$$9 \quad 5 \quad 63 \quad 120 \\ -\frac{120}{24} + \frac{1}{7} = -\frac{63}{168} + \frac{120}{168} = \left| \frac{120}{168} \right| - \left| -\frac{63}{168} \right| = \frac{120}{168} - \frac{63}{168} = \frac{120 - 63}{168} = \frac{57}{168} = \frac{19}{56}$$
$$\left| \frac{120}{168} \right| \text{ is greater than } \left| -\frac{63}{168} \right| \text{ so sum is positive.}$$
$$-\frac{9}{24} + \frac{5}{7} = \frac{19}{56}$$

88. Numbers have different signs, so find difference between larger and smaller absolute values.

89. Numbers have same sign, so add absolute values. $-\frac{5}{12^{+}}\left(\left|-\frac{3}{10}\right| \pm -\frac{25}{60^{\pm}}\left(\left|-\frac{128}{60}\right|\right)\right) = \left|-\frac{2}{60^{\pm}}\right|^{5} \pm \frac{-18}{60^{\pm}}\right|^{5}$ \equiv

90. Numbers have different signs, so find difference between larger and smaller absolute values.

$$\frac{7}{4} + \frac{5}{48} = \frac{21}{48} + \frac{10}{48} = \frac{11}{48} + \frac{10}{48} = \frac{11}{48} + \frac{10}{48} = \frac{21}{48} + \frac{10}{48} = \frac{21}{48} + \frac{10}{48} = \frac{21}{48} + \frac{10}{48} = \frac{11}{48} + \frac{10}{48} + \frac{11}{48} + \frac{10}{48} + \frac{11}{48} + \frac{10}{48} + \frac{11}{48} + \frac{11}{4$$

 $\frac{1}{39} + \frac{7}{2} = \frac{39}{7} + \frac{7}{2} = \frac{46}{23} = \frac{23}{23}$ 42 42 42 42 21

Numbers are negative so sum is negative.

$$-\frac{13}{14} + \left(-\frac{7}{42} \right) = -\frac{23}{21} \text{ or } -1\frac{2}{21}$$

92. Numbers have same sign, so add absolute values.

$$-\frac{11}{27} \pm \left(-\frac{7}{18} \right) = -\frac{22}{54} + \left(-\frac{21}{54} \right) = \left| -\frac{22}{54} \right| + \left| -\frac{21}{54} \right| = \left| -\frac{22}{54} \right| = \left| -\frac$$

 $\frac{22}{54} + \frac{21}{54} = \frac{22 + 21}{54} = \frac{43}{54}$ Numbers are negative so sum is negative. 11 $\begin{pmatrix} 7 \\ 43 \end{pmatrix}$

$$27 \begin{pmatrix} -1 \\ 18 \end{pmatrix} = 54$$

_

93.a. Positive; |587| is greater than |-197| so sum will be positive.

$$\frac{25}{60} + \frac{18}{60} = \frac{43}{60}$$

Numbers are negative so sum is negative.

CopyCingthyr@1200052001 StearBearEductationcation, Inc.

Chapiter: EleReentaluy/Adgesbra

ISNChapteentargealgebrabers

b.
$$587 + (-197) = 390$$

94.a. Negative; the sum of two negative numbers is always negative.

$$-\frac{5}{12}+\left(\left|-\frac{3}{10}\right|\right)=-\frac{43}{60}$$

b.
$$-84 + (-289) = -373$$

b. -140 + (-629) = -769

96.a. Negative; |-647| is greater than |352| so sum will be negative.

b.
$$-647 + 352 = -295$$

97.a. Negative; |-947|is greater than |495| so sum will be negative.

b. -947 + 495 = -452

Chapeler: EleReentaluyn/kolegesbra

- **98.a.** Sum will be 0, since numbers have opposite signs and equal absolute values.
 - **b.** 762 + (-762) = 0
- **99.a.** Negative; the sum of 2 negative numbers is always negative.

b. -496 + (-804) = -1300

- **100.a.** Positive; 1090 is greater than |-354| so sum will be positive.
 - **b.** -354 + 1090 = 736
- **101.a.** Negative; |-375| is greater than |263| so sum will

be negative.

- **b.** -375 + 263= -112
- **102.a.** Positive; ||127 |is greater than -|84 sp sum will be positive.
 - **b.** 1127 + (-84) = 1043
- **103.a.** Negative; the sum of 2 negative numbers is always negative.
 - **b.** -1833 + (-2047) = -3880
- **104.a.** Positive; \$72 is greater than -426 so sum will be positive.
 - **b.** -426 + 572 = 146
- **105.a.** Positive; 3124 is greater than |-2013| so sum will be positive.
 - **b.** 3124 + (-2013) = 1111
- **106.a.** Negative; the sum of two negative numbers is always negative.
 - **b.** -9095 + (-647) = -9742
- **107.a.** Negative; the sum of 2 negative numbers is always negative.

b.
$$-1025 + (-1025) = -2050$$

108.a. Positive; |7513| is greater than |-4361| so sum will be positive.

- **110.** True; if the negative number has the larger absolute value, the sum will be negative number.
- **111.** True; the sum of two positive numbers is always positive.
- **112.** False; the sum has the sign of the number with the larger absolute value.
- **113.** False; the sum has the sign of the number with the larger absolute value.
- 114. True; by definition of opposites.
- **115.** David's balance was -\$94. His new balance can be found by adding. -94 + (-183) = -277 David owes \$277.
- **116.** -142 + 87|142| - |87| = 142 - 87 = 55

|-142| is greater than 8|7 sb the sum is negative. -142 + 87 = -55Mrs. Chu still owes \$55.

- **117.** Total loss can be represented as $-18 + (-3) \cdot |-18| + |+3| = 18 + 3 = 21$. The total loss in yardage is 21 yards.
- **118.** -56 + (-162) = -218Mrs. Jahn has overdrawn her account by \$218.
- **119.** The depth of the well can be found by adding -27 + (-34) = -61. The well is 61 feet deep.
- **120.a.** 11, 250 + (-18, 560) = -7310

The Frenches had a loss of \$7310 the first month.

- **b.** 17, 980 + (-12, 750) = 5230 The Frenches had a gain of \$5230 the second month.
- **c.** 19, 420 + (-16, 980) = 2440 The Frenches had a gain of \$2440 the third month.
- 121. The height of the mountain peak above sea level can be found by adding 33, 480 + (-19, 684) = 13, 796. The mountain peak is 13,796 feet above sea level.

b. 7513 + (-4361) = 3152

Chapitel: EleReentitatum Adeusbra

109. True; the sum of two negative numbers is always negative.

ISNChapteentargealgebrabers

122. -3000 + 37,400 = 34,400 The profit for the year was \$34,400.

123.a. –12,000 The deficit is \$12,000.

- **b.** 2011: 32,000; 2012: 36,000; 2013: 26,000 32 + 36 + 26 = 94From 2011 through 2013, there was a surplus of \$94,000.
- **124.** 4.2 + 5.2 + 0.2 + (-13.5) + (-3.0) = -6.9The percent change was -6.9%.

125.
$$(-8)+(-6)+(-12)=(-14)+(-12)=-26$$

126.
$$5 + (-7) + (-8) = (-2) + (-8) = -10$$

127.
$$29 + (-46) + 37 = (-17) + 37 = 20$$

128.
$$4 + (-5) + 6 + (-8) = (-1) + 6 + (-8)$$

= $5 + (-8)$
= -3

129.
$$(-12)+(-10)+25+(-3)=(-22)+25+(-3)$$

= 3 + (-3)
= 0
130. $(-4)+(-2)+(-15)+(-27)=(-6)+(-15)+(-27)$
= $(-21)+(-27)$
= -48

131.
$$+ \frac{1}{2} + \frac{1}{2} = \frac{1}{2} + \frac{1}{2} = \frac{1}{2} + \frac{1}{$$

$$() () () = \frac{1}{6} + \frac{1}{5} = \frac{5}{30} + \frac{6}{30} = \frac{11}{30}$$

132. $-\frac{3}{8} + \frac{(-2)}{9} + \frac{(-1)}{2} = (-\frac{27}{72} - \frac{16}{72}) + (-1) = (-\frac{27}{72} - \frac{16}{72}) + (-1) () () () () () () () ... = -\frac{43}{72} - \frac{1}{2} ... = -\frac{43}{72} - \frac{36}{72} = -\frac{79}{72} \text{ or } -1^{\frac{7}{7}}$

134.
$$1+2+3+\dots+20$$

 $= (1+20) + (2+19) +\dots+(10+11)$
 $= (10)(21)$
 $= 210$
135. $2\frac{3}{8} = \frac{16+3}{8} = \frac{19}{8}$
 $\left(\frac{4}{7}\right)\left(2\frac{3}{8}\right) = \frac{4}{7}\frac{19}{7}\frac{19}{8}\frac{1\cdot19}{7}\cdot2$
 $= \frac{19}{14} = 1\frac{5}{14}$
136. $3 = \frac{3}{1}\cdot\frac{16}{16} = \frac{48}{16}$
 $3 - \frac{5}{1} = \frac{48}{16} - \frac{5}{16} = \frac{48-5}{16} = \frac{43}{16} = 2\frac{11}{16}$
 $16 \quad 16 \quad 16 \quad 16 \quad 16 \quad 16 \quad 16$

137. False, -0.25 is less than zero and not an integer.

138.
$$|-3| > 2$$
 since $|-3| = 3$

139.
$$8 < -12$$
 since $-12 = 12$

Exercise Set 1.7

1. In the equation 4 - 7 = -3, 4 is called the

minuend.

- 2. In the equation 4 7 = -3, 7 is called the subtrahend.
- 3. In the equation 4 7 = -3, -3 is called the difference.
- **4.** a b could be rewritten as $\underline{a + (-b)}$.
- 5. When subtracting a number, we add its <u>opposite</u>.6. When a number is subtracted from itself, the

72 72
133.
$$1+2+3+ +10 = (1+10) + (2+9) + (5+6)$$

=
(5)(11)

CopyCigntyr@120052019 5PbarBearEducEdiocration, Inc.

Chapiter: EleReentialum/kolegesbra

number is zero.

- 7. When many numbers are being added and subtracted, we always work from <u>left</u> to right.
- 8. The opposite of the number a + b is $\underline{-a b}$.

ISMCHEapteentaRealgebrabers

- 9. -a (-b) could be rewritten as -a + b.
- **10.** a (-b) could be rewritten as $\underline{a+b}$.
- 11. Yes it is correct.
- 12. Yes it is correct.
- **13.** 9 (+3) = 9 + (-3) = 6
- **14.** 12 (+7) = 12 + (-7) = 5

15.
$$12-5=12+(-5)=7$$
43. $18-(-4)=18+4=22$ 16. $9-4=9+(-4)=5$ 44. $-25-16=-25+(-16)=-41$ 17. $8-9=8+(-9)=-1$ 45. $-9-2=-9+(-2)=-11$ 18. $-6-3=-6+(-3)=-9$ 46. $-85-(-8)=-85+8=-77$ 19. $9-(-3)=9+3=12$ 47. $-90.7-40.3=-90.7+(-40.3)=-131.0$ 20. $17-(-5)=17+5=22$ 48. $-52.6-37.9=-52.6+(-37.9)=-90.5$ 21. $-8-8=-8+(-8)=-16$ 49. $-45-39=-45+(-39)=-84$ 22. $-4-(-3)=-4+3=-1$ 50. $-500-(-400)=-500+400=-100$ 23. $0-9=0+(-9)=-9$ 51. $70-(-70)=70+70=140$ 24. $19-(-9)=19+9=28$ 52. $130-(-90)=130+90=220$ 25. $8-8=8+(-8)=0$ 53. $42.3-49.7=42.3+(-49.7)=-7.4$ 26. $10-10-10+(-10)=0$ 54. $81.3-92.5=81.3+(-92.5)=-11.2$ 27. $-3-1=-3+(-1)=-4$ 55. $-3.01-(-3.1)=-3.01+3.1=0.09$ 28. $-4-(-4)=-4+4=0$ 56. $-7.04-(-7.4)=-7.04+7.4=0.36$ 29. $-8-(-5)=-8+5=-3$ 57. $4-15=4+(-15)=-11$ 30. $4-9=4+(-9)=-5$ 58. $1-r=1+(-1)=-0$ 31. $6-(-3)=6+3=9$ 59. $21-21=21+(-21)=0$ 32. $6-10=6+(-10)=-4$ 60. $13-13=13+(-13)=0$ 33. $-9-11=-9+(-11)=-20$ 61. $13-24=13+(-24)=-11$ 34. $37-40=37+(-40)=-3$ 62. $-23-(-23)=-23+23=0$ 35. 41. $9-(-5.1)=-48+5.1=0.3$ 36. 42. $9-9=9+(-3)=0$ 39. $9-9=9+(-3)=0$

CopyCigptyr@1200952by 5PbarBearEducEduceation. Inc.

Chapitel: EleReenhildum/kolepesbra

-8 -	63.
(-12) = -8	64.
+ 12 = 4	65.
-6 -	66.
(-2) = -6	67.
+ 2 =	(0

-4

/SN Chiaptee ntaRealgebrabers

49 49 CopyCingbytr@1200952101/9795partBeartSchutestinoca, Inc.

$$69. \quad \frac{2}{3} - \frac{1}{2} = \frac{2}{3} + \begin{pmatrix} -1 \\ 2 \\ 2 \end{pmatrix}$$
$$= \frac{4}{2} + \begin{pmatrix} -1 \\ 2 \\ 2 \end{pmatrix}$$
$$= \frac{4}{2} + \begin{pmatrix} -3 \\ -3 \end{pmatrix}$$
$$= \frac{4}{6} + \begin{pmatrix} -3 \\ -6 \end{pmatrix}$$
$$= \frac{4}{6} + \begin{pmatrix} -3 \\ -6 \end{pmatrix}$$
$$= \frac{1}{6}$$
$$70. \quad \frac{3}{2} - \frac{1}{2} = \frac{3}{2} + \begin{pmatrix} -1 \\ -3 \end{pmatrix}$$
$$= \frac{12}{2} + \begin{pmatrix} -3 \\ -5 \end{pmatrix}$$
$$= \frac{12}{2} + \begin{pmatrix} -5 \\ -5 \end{pmatrix}$$
$$= \frac{12}{20} + \begin{pmatrix} -5 \\ -5 \end{pmatrix}$$
$$= \frac{4}{20} + \begin{pmatrix} -25 \\ -5 \end{pmatrix}$$
$$= \frac{4}{30} + \begin{pmatrix} -25 \\ -5 \end{pmatrix}$$
$$= \frac{4}{30} + \begin{pmatrix} -25 \\ -3 \end{pmatrix}$$
$$= -\frac{21}{30}$$
$$= -\frac{21}{30}$$
$$= -\frac{7}{10}$$
$$72. \quad \frac{5}{12} - \frac{7}{8} = \frac{5}{12} + \begin{pmatrix} -7 \\ -8 \end{pmatrix}$$
$$= \frac{10}{2} + \begin{pmatrix} 221 \\ 24 \end{pmatrix}$$
$$= \frac{10 + (-21)}{24}$$
$$= -\frac{11}{30}$$

74.
$$-\frac{1}{4} \begin{bmatrix} 2 \\ -3 \end{bmatrix} \begin{bmatrix} 1 \\ 4 \end{bmatrix} \begin{bmatrix} 2 \\ -4 \end{bmatrix} \begin{bmatrix} 2 \\ -4 \end{bmatrix} \begin{bmatrix} 2 \\ -4 \end{bmatrix} \begin{bmatrix} -3 \\ -5$$

50 50 CopyDignhtr@1200952101979519arBearEductEductationca, Inc.

ISM**ChapteentaRealgebra**bers

84.
$$-\frac{5}{12} | \begin{pmatrix} -, 3 \\ -, 1 \end{pmatrix} = -\frac{5}{4} + \frac{3}{12} = \frac{3}{8}$$

 $= -\frac{10}{24} + \frac{9}{24}$
 $= -\frac{10}{24} + \frac{9}{24}$
 $= -\frac{1}{24}$
85. $\frac{4}{2} - \frac{7}{2} = \frac{4}{2} + \begin{pmatrix} -7 \\ -7 \end{pmatrix}$
 $7 = 9 = 7 = 9 | l \rangle$
 $= \frac{36}{63} + \begin{pmatrix} -49 \\ -49 \end{pmatrix}$
 $= \frac{36}{63} + \begin{pmatrix} -49 \\ -63 \end{pmatrix}$
 $= -\frac{13}{63}$
86. $\frac{5}{8} - \frac{7}{12} = \frac{5}{8} \pm \begin{pmatrix} -\frac{7}{15} \\ 15 \end{pmatrix} \rangle$
 $= \frac{75}{120} \left[\frac{156}{120} \right] \rangle$
 $= \frac{75 + (-56)}{120}$
87. $-\frac{5}{2} - \begin{pmatrix} -3 \\ -3 \end{pmatrix} = -5 \pm 3 - \frac{3}{12} \right]$
 $12 \left(-10 \right) = 12 = 10$
 $= -\frac{25}{60} + \frac{18}{60}$
 $= -\frac{25 + 18}{60}$
 $= -\frac{7}{2}$
88. $-= -2 = -\pm -2 = -2 \pm -2$

52 52

CopyCingutur@1200952101/5PbparBearEductationcation. Inc.

Chapiter: EleReenhtaumAdeuebra

$$\begin{array}{r}
16 & 16 \\
= \frac{3 + 10}{16} \\
= \frac{13}{16}
\end{array}$$

ISNChapteentaRealgebrabers

$$\begin{vmatrix} 16 \\ -72 \\ 80 \\ -72 \\ 80 \\ -72 \\ -72 \\ -80 \\ -72 \\ -72 \\ -80 \\ -72 \\ -72 \\ -80 \\ -72 \\ -80 \\ -72 \\ -80 \\ -72 \\ -80 \\ -72 \\ -80 \\ -72 \\$$

10

89. a. Positive; 378 – 279 = 378 + (–279) |378| is greater than |–279| so the sum will be positive. **b.** 378 + (-279) = 99

- **c.** Yes; by part a) we expect a positive sum. The size of the sum is the difference between the absolute values of the 2 numbers.
- **90.** a. Negative; 483 569 = 483 + (-569)

|-569| is greater than |483| so sum will be negative.

- **b.** 483 + (-569) = -86
- **c.** Yes; by part a) we expect a negative sum. Size of sum is difference between larger and smaller absolute values.
- **91.** a. Negative; -482 137 = -482 + (-137)The sum of 2 negative numbers is always negative.
 - **b.** -482 + (-137) = -619
 - **c.** Yes; the sum of two negative numbers should be (and is) a larger negative number.
- **92.** a. Positive; 178 (-377) = 178 + 377
 - The sum of 2 positive numbers is always positive.
 - **b.** 178 + 377 = 555
 - **c.** Yes; by part a) we expect a positive answer. The size of the sum is the sum of the absolute values of the numbers.
- **93.** a. Positive; 843 (-745) = 843 + 745.

The sum of 2 positive numbers is always positive.

- **b.** 843 + 745 = 1588
- **c.** Yes; by part a) we expect a positive answer. The size of the sum is the sum of the absolute values of the numbers.
- 94. a. Positive; 864 (-762) = 864 + 762. The sum of two positive numbers is always positive.
 - **b.** 864 + 762 = 1626
 - **c.** Yes; by part a) we expect a positive answer. The size of the sum is the sum of the absolute values of the two numbers.

- **b.** -408 + 604 = 196
- **c.** Yes; by part a) we expect a positive answer. The size of the answer is the difference between the larger and smaller absolute values.
- **96.** a. Negative; -623 111 = -623 + (-111).

The sum of two negative numbers is always negative.

- **b.** -623 + (-111) = -734
- **c.** Yes; the sum of two negative numbers should be (and is) a larger negative number.
- **97.** a. Negative; -1024 (-576) = -1024 + 576.

|-1024| is greater than 576 sb the sum will be negative.

- **b.** -1024 + 576 = -448
- c. Yes; by part a) we expect a negative answer. The size of the answer is the difference between the larger and the smaller absolute values.
- **98.** a. Negative; -104.7 27.6 = -104.7 + (-27.6). The sum of two negative numbers is always negative.
 - **b.** -104.7 + (-27.6) = -132.3
 - **c.** Yes; the sum of two negative numbers should be (and is) a larger negative number.
- **99. a.** Positive;165.7 49.6 = 165.7 + (-49.6). |165.7|is greater than -49.6 sb the sum will be positive.
 - **b.** 165.7 + (-49.6) = 116.1
 - c. Yes; by part a) we expect a negative answer. The size of the answer is the difference between the larger and the smaller absolute values.
- **100.** a. Negative; -40.2 (-12.6) = -40.2 + 12.6.

|-40.2| is greater than 12.6 sb sum will be negative.

95. a. Positive; -408 - (-604) = -408 + 604

Chapiter: EleReentaluynAdeusbra

|604| is greater than -408 sp the sum will be positive.

ISNCHapteentaRealgebrabers

- **b.** -40.2 + 12.6 = -27.6
- **c.** Yes; by part a) we expect a negative answer. The size of the answer is the difference between the larger and smaller absolute values.

- **101.** a. Negative; 295 364 = 295 + (-364). Since |-364| is greater than |295| the answer will be negative.
 - **b.** 295 + (-364) = -69
 - c. Yes; by part a) we expect a negative answer. The size of the answer is the difference between the larger and the smaller absolute values.
- **102.** a. Negative; -932 (-433) = -932 + 433. |-932| is greater than 433 so the sum will be negative.
 - **b.** -932 + 433 = -499
 - c. Yes; by part a) we expect a negative answer. The size of the answer is the difference between the larger and smaller absolute values.
- **103.** a. Negative; -1023 647 = -1023 + (-647). The sum of two negative numbers is always negative.
 - **b.** -1023 + (-647) = -1670
 - **c.** Yes; the sum of two negative numbers should be (and is) a larger negative number.
- **104.** a. Negative; -4120 2432 = -4120 + (-2432). The sum of 2 negative numbers is always negative.
 - **b.** -4120 + (-2432) = -6552
 - **c.** Yes; the sum of two negative numbers should be (and is) a larger negative number.
- **105.** a. Zero; -7.62 (-7.62) = -7.62 + 7.62. The sum of two opposite numbers is always zero.
 - **b.** -7.62 + 7.62 = 0
 - c. Yes; by part a) we expect zero.
- **106.** a. Negative; -103.2 36.7 = -103.2 + (-36.7). The sum of two negative numbers is always negative.
 - **b.** -103.2 + (-36.7) = -139.9
 - **c.** Yes; the sum of two negative numbers should be (and is) a larger negative number.

108.
$$15 - (+9) - (+5) = 15 + (-9) + (-5) = 6 + (-5) = 1$$

109. $-6 + (-6) + 16 = -12 + 16 = 4$
110. $9 - 4 + (-2) = 9 + (-4) + (-2) = 5 + (-2) = 3$
111. $-13 - (+5) + 3 = -13 + (-5) + 3 = -18 + 3 = -15$
112. $7 - (+4) - (-3) = 7 + (-4) + 3 = 3 + 3 = 6$
113. $-9 - (-3) + 4 = -9 + 3 + 4 = -6 + 4 = -2$
114. $15 + (-7) - (-3) = 15 + (-7) + 3 = 8 + 3 = 11$
115. $5 - (-9) + (-1) = 5 + 9 + (-1) = 14 + (-1) = 13$
116. $12 + (-5) - (-4) = 12 + (-5) + 4 = 7 + 4 = 11$
117. $17 + (-8) - (+14) = 17 + (-8) + (-14) = -5$

118. -7 + 6 - 3 = -7 + 6 + (-3) = -1 + (-3) = -4**119.** -36-5+9=-36+(-5)+9=-41+9=-32**120.** 45-3-7=45+(-3)+(-7)=42+(-7)=35**121.** 25 - 19 + 3 = 25 + (-19) + 3 = 6 + 3 = 9**122.** -4 - 1 + 5 = -4 + (-1) + 5 = -5 + 5 = 0**123.** -4 - 6 + 5 - 7 = (-4) + (-6) + 5 + (-7)= -10 + 5 + (-7)= -5 + (-7)= -12**124.** -9 - 3 - (-4) + 5 = -9 + (-3) + 4 + 5= -12 + 4 + 5= -8 + 5= -3**125.** 17 + (-3) - 9 - (-7) = 17 + (-3) + (-9) + 7= 14 + (-9) + 7= 5 + 7= 12**126.** 32 + 5 - 7 - 12 = 32 + 5 + (-7) + (-12)= 37 + (-7) + (-12)= 30 + (-12)= 18

107. 7 + 5 - (+8) = 7 + 5 + (-8) = 12 + (-8) = 4
127.
$$-9 + (-7) + (-5) - (-3) = -9 + (-7) + (-5) + 3$$

 $= -16 + (-5) + 3$
 $= -21 + 3$
 $= -18$
128. $6 - 9 - (-3) + 12 = 6 + (-9) + 3 + 12$
 $= -3 + 3 + 12$
 $= 0 + 12$
 $= 12$

- **129.** 49.0 28.1 = 49.0 + (-28.1) = 20.9Stockton and Freeport are 20.9 miles apart.
- **130.** 47.7 22.6 = 47.7 + (-22.6) = 25.1Findlay and Tiffin are 25.1 miles apart.
- **131.** 14,505 (-282) = 14,505 + 282 = 14,787The difference is 14,787 feet.
- **132.** 10,152 (-184) = 10,152 + 184 = 10,336The difference is 10,366 feet.

133.
$$2\frac{1}{4} - \frac{3}{8} = 2\frac{1}{4} + \left(-\frac{3}{8}\right)$$
$$= \frac{9}{\frac{1}{4}} + \left(-\frac{3}{8}\right)$$
$$= \frac{18}{8} + \left(-\frac{3}{8}\right)$$
$$= \frac{18 + \left(-3\right)}{8}$$
$$= \frac{15}{8} = 1\frac{7}{8}$$
After the second day $1\frac{7}{8}$ inches of water remains.

134. 1605.7 - (-267.4) = 1605.7 + 267.4 = 1873.1The vertical distance the package traveled was 1873.1 feet.

135. 44 - (-56) = 44 + 56 = 100

Thus the temperature dropped 100°F.

136. a. 58.5 + 67.3 = 125.8In one hour they will be 125.8 miles apart.

b.
$$67.3 - 58.5 = 67.3 + (-58.5) = 8.8$$

137. a.
$$288 + (-10) = 278$$

In 2012, his score was 278.
b. $7 - (-10) = 7 + 10 = 17$
Stricker's score was 17 strokes more.
32 $\frac{1}{2} - 2\frac{3}{4} = 32\frac{1}{2} + \left(-2\frac{3}{4}\right)$
 $= \frac{65}{2} + \left(-\frac{11}{4}\right)$
 $= \frac{130}{4} + \left(-\frac{11}{4}\right)$
 $= \frac{130 + (-11)}{4}$
 $= \frac{119}{4} = 29\frac{3}{4}$
The new inseam will be $29\frac{3}{4}$ inches.

139. Let x = 3 and y = 8. x - y = 3 - 8 = -5y - x = 8 - 3 = 5

> x - (-y) = 3 - (-8) = 3 + 8 = 11Since all the answers are different, the expressions are all different.

140. A negative followed by a negative is a positive,

so subtracting a negative number is the same as adding a positive number.

$$3 - (-9) = 3 + 9$$

Add a negative number is the same as subtracting a positive number. 9 + (-4) = 9 - 4

$$3 - (-9) + (-4) = 3 + 9 - 4 = 12 - 4 = 8$$

141. 1 - 2 + 3 - 4 + 5 - 6 + 7 - 8 + 9 - 10

$$= (1 - 2) + (3 - 4) + (5 - 6) + (7 - 8) + (9 - 10)$$

$$= (-1) + (-1) + (-1) + (-1) + (-1)$$

In one hour, they will be 8.8 miles apart.

Chapater: EleRceantaumkolepesora

= -5

142.
$$1 - 2 + 3 - 4 + 5 - 6 + + 99 - 100$$

= $(1 - 2) + (3 - 4) + (5 - 6) + + (99 - 100)$
= $(-1) + (-1) + (-1) + (-1)$
= -50

143. a. 8

units

b.
$$-3 - (-11) = -3 + 11 = 8$$

ISMCHiapteentaRealgebrabers

... ...

144.
$$[50 - (0.10 \cdot 50)] + 0.10[50 - (0.10 \cdot 50)]$$

 $= [50 - 5] + 0.10[50 - 5]$
 $= 45 + 4.5$
 $= 49.50$
or
 $[50 + (0.10 \cdot 50)] - 0.10[50 + (0.10 \cdot 50)]$
 $= [50 + 5] - 0.10[50 + 5]$
 $= 55 - 5.5$
 $= 49.50$
The value is the same either way, \$49.50.

145. a. 3+2+2+1+1=9The ball travels 9 feet vertically.

b.
$$-3+2+(-2)+1+(-1)=-3$$

The net distance is -3 feet.

- 146. The counting numbers are $\{1, 2, 3, ...\}$.
- **147.** The set of rational numbers together with the set of irrational numbers forms the set of real numbers.

148.
$$|-3| > -5$$
 since $|-3| = 3$
149. $-|-9| < -|+5|$ since $-|+9| = -9$ and $--5 = |+5|$

/

$$\frac{5}{6} \cdot \frac{7}{8} \cdot \frac{5}{6} \cdot \frac{7}{8} = \frac{5}{6} \cdot \frac{7}{8} = \frac{20}{24} \cdot \frac{21}{24} = \frac{20 + (-21)}{24} = \frac{20 + (-21)}{24}$$

Exercise Set 1.8

- 1. The product of a positive real number with a negative real number is <u>negative</u>.
- 2. 16 divided by 0 is <u>undefined</u>.
- **3.** 0 divided by 8 is $\underline{\text{zero}}$.

- 7. The product of two negative numbers is a <u>positive</u> number.
- 8. If x is 9 and y is -7, then the value of x(-y) is <u>63</u>.
- **9.** When two real numbers are multiplied, the result is called the <u>product</u> of the two numbers.
- **10.** When two real numbers are divided, the result is called the <u>quotient</u>.
- **11.** The sign of the product (8)(4)(-5) is negative.
- 12. The sign of the product (-9)(-12)(20) is positive.
- 13. The sign of the product (-102)(-16)(24)(19) is positive.
- **14.** The sign of the product (1054)(-92)(-16)(-37) is negative.
- **15.** The sign of the product (-40)(-16)(30)(50)(-13) is negative.
- **16.** The sign of the product (-1)(3)(-462)(-196)(-312) is positive.
- 17. Since the numbers have like signs, the product is positive. (8)(3) = 24
- **18.** Since the numbers have like signs, the product is positive. $7 \cdot 8 = 56$
- **19.** Since the number have unlike signs, the product is negative. 5(-3) = -15
- **20.** Since the numbers have unlike signs, the product is negative. 6(-2) = -12
- 21. Since the numbers have like signs, the product is

positive. (-9)(-6) = 54

- **22.** Since the numbers have like signs, the product is positive. (-6)(-3) = 18
- **23.** Since the numbers have unlike signs, the product is negative. $-7 \cdot 3 = -21$
- 24. Since the numbers have unlike signs, the product is negative. $-9 \cdot 5 = -45$
- **25.** Since the numbers have unlike signs, the product is negative. -3.2(3) = -9.6
- **26.** Since the numbers have unlike signs, the product is negative. -7(5.4) = -37.8

- **Chapter:** Electron tator Algebra 4. The fraction $\frac{a}{-b}$ may be rewritten as $-\frac{a}{b}$.
 - 5. The fraction $-\frac{a}{-b}$ may be rewritten as $\frac{a}{b}$.
 - **6.** If x is 9 and y is -7, then the value of xy is -63.

ISMCHEapteentaRealgebrabers

- 27. Since the numbers have unlike signs, the product is negative. $-4.67 \cdot 1 = -4.67$
- 28. Since the numbers have unlike signs, the product is negative. (3.29)(-1) = -3.29
- **29.** Zero multiplied by any real number equals zero. $-6.7 \cdot 0 = 0$

Chapater: EleReentatornalgesbra

- **30.** Zero multiplied by any real number equals zero. 0(-5) = 0
- **31.** Zero multiplied by any real number equals zero. (-9(0)(-6) = 0(-6) = 0
- 32. Since there is one negative number (an odd number), the product will be negative. 5(-4)(2) = (-20)(2) = -40
- 33. Since there is one negative number (an odd

number), the product will be negative. (21)(-1)(4) = (-21)(4) = -84

- 34. Since there are two negative numbers (an even number), the product will be positive. 2(8)(-1)(-3) = 16(-1)(-3) = -16(-3) = 48
- **35.** Since there are three negative numbers (an odd number), the product will be negative.

$$-1(-3)(3)(-8) = 3(3)(-8) = 9(-8) = -72$$

36. Since there are three negative numbers (an odd

number), the product will be negative. (2)(-4)(-5)(-1) = (-8)(-5)(-1)

$$= (40)(-1)$$

= -40

37. Since there are two negative numbers (an even

number), the product will be positive.

$$(-4)(5)(-7)(10) = (-20)(-7)(10)$$

$$=(140)(10)=1400$$

38. Since there is one negative number (an odd

number), the product will be negative.
$$(-3)(2)(5)(3) = (-6)(5)(3) = (-30)(3) = -90$$

39. Zero multiplied by any real number equals zero.

$$(-1)(3)(0)(-7) = (-3)(0)(-7) = 0(-7) = 0$$

40. Since there are two negative numbers (an even number), the product will be positive. (-6)(6)(4)(-4) = (-36)(4)(-4)

$$= (-144)(-4)$$

= 576

43.
$$\binom{=5}{9}\binom{=7}{15} = \binom{-5}{15}\binom{-7}{15} = \binom{-1}{15}\binom{-7}{9} = \frac{(-1)(-7)}{9\cdot 3} = \frac{7}{27}$$

44.
$$\left(\frac{-9}{10}\right)\left(\frac{7}{-8}\right) = \frac{(-9)(7)}{(10)(-8)} = \frac{-03}{-80} = \frac{03}{80}$$

45. $\left(\frac{6}{-1}\right)\left(\frac{4}{-1}\right) = (-2)(-2) = 4$

46.
$$\binom{9}{-10}\binom{6}{-7} = \binom{9}{-10^{5}}\binom{6}{-7}$$

= $\frac{(9)(3)}{(-5)(-7)}$
= $\frac{27}{35}$

47.
$$| \begin{pmatrix} \underline{3} \\ \| \\ 4 \end{pmatrix} (\underline{15})^{-2} | \begin{pmatrix} 1 \\ -2^{1} \\ 24 \end{pmatrix} (\underline{-2^{1}})^{-2^{1}} | \\ \underline{-2^{1}} \\ \underline{-2$$

$$\begin{array}{c}
\left(4\right)\left(-3\right) \\
\left(3\right)\left(-3\right) \\
\left(-3\right) \\
\left(-$$

- **49.** Since the numbers have unlike signs, the $\frac{-42}{9}$ quotient is negative. $\frac{-42}{6} = -7$
- 50. Since the numbers have unlike signs, the $\frac{-18}{-2} = -2$

- 51. Since the numbers have like signs, the quotient is positive. $-16 \div (-4) = \frac{-16}{-4} = 4$
- **52.** Since the numbers have <u>like</u> signs, the quotient is

Chapitel: EleReentitatum Adeusbra

41.
$$\begin{pmatrix} -1 \\ 2 \end{pmatrix} \begin{pmatrix} 3 \\ 5 \end{pmatrix} = \begin{pmatrix} (-1)(3) \\ 2 \cdot 5 \end{pmatrix} = \frac{-3}{10} = -\frac{3}{10}$$

42. $\begin{pmatrix} 1 \\ 3 \end{pmatrix} \begin{pmatrix} -3 \\ 5 \end{pmatrix} = \begin{pmatrix} 1 \\ \frac{1}{3} \end{pmatrix} \begin{pmatrix} -3^{1} \\ \frac{-3}{5} \end{pmatrix} \begin{pmatrix} -3^{1} \\ \frac{-3}{5} \end{pmatrix} = \begin{pmatrix} (1)(-1) \\ \frac{-3}{1 \cdot 5} = -\frac{-1}{5} = -\frac{-1}{5}$

J

ISMChapteentaRealgebrabers

positive.
$$(-25) \div (-5) = -5 = 5$$

- 53. Since the numbers have like signs, the quotient is positive. -9 = 4
- 54. Since the numbers have like signs, the quotient is positive. $\frac{-15}{-1} = 15$

55. Since the numbers have unlike signs, the

quotient is negative. $\frac{36}{-2} = -18$

- 56. Since the numbers have unlike signs, the auotient is negative. $\frac{30}{-6} = -5$
- 57. Since the numbers have like signs, the quotient is positive. $\frac{-19.8}{-2} = 9.9$
- 58. Since the numbers have like signs, the quotient is positive. $-15.6/(-3) = \frac{-15.6}{-3} = 5.2$
- **59.** Since the numbers have unlike signs, the

quotient is negative. 40/ (-4) = -4 = -10

- 60. Since the numbers have unlike signs, the quotient is negative. $\frac{63}{-7} = -9$
- **61.** Since the numbers have unlike signs, the quotient is negative. $\frac{-66}{2} = -33$
- 62. Since the numbers have like signs, the quotient is

positive.
$$\frac{-25}{-5} = 5$$

63. Since the numbers have unlike signs, the quotient is negative. $\frac{48}{=} -4$

64. Since the numbers have unlike signs, the

quotient is negative.
$$\frac{-10}{10} = -1$$

- 65. Since the numbers have like signs, the quotient is positive. $\frac{-30}{-5} = 6$
- 66. Since the numbers have like signs, the quotient is

- 69. Since the numbers have like signs, the quotient -64.8is positive. $-64.8 \div -(4 =) = 16.2$
- 70. Since the numbers have like signs, the quotient is positive. $-86.4/(-2) = \frac{-86.4}{-2} = 43.2$
- 71. Since the numbers have unlike signs, the quotient is negative. $\frac{30.8}{-5.2} \approx -5.92$
- 72. Since the numbers have unlike signs, the quotient is negative. $\frac{-67.64}{7.3} \approx -9.27$

36

35

<u>-36</u>

CopyCigptyr@120095201/ PbarBearEducEduceation, Inc.

Chajatlar: EleReennitatum/kolegesbra 77.

		<u>2</u> <u>1</u>		
	positive. $-6 = 6$		l) 121 -15
67.	Zero divided by any nonzero number is zero. $\frac{0}{4} = 0$			$= \frac{(-1)(1)}{(1)(-1)}$ $= \frac{-1}{-1}$
68.	Zero divided by any nonzero number is zero. 0			= 1

÷

)

= <u>1</u> <u>5</u> .

$$\frac{0}{-13} = 0$$

65 65 CopyDigutyr@12009521019795barBearEdoudEditoccationa, Inc.

78.
$$\frac{-4}{2} \div \left(\frac{-6}{7}\right) = \frac{2}{4}^{2}7 - \frac{1}{2}$$
9 $\left(7\right)$
9 -6_{3}

$$= \frac{(-2)(7)}{(9)(-3)}$$

$$= \frac{-14}{-27} = \frac{14}{27}$$
79. $-12 \div \frac{5}{12} = \frac{-12}{1} \cdot \frac{12}{5}$

$$= \frac{(-12)(12)}{(1)(5)}$$

$$= \frac{-144}{5} \text{ or } -28 \frac{4}{5}$$
80. $-16 \div \frac{11}{16} = \frac{-16}{1} \frac{16}{11}$

$$= \frac{(-16)(16)}{11}$$

$$= -\frac{256}{11} \text{ or } -23 \frac{3}{11}$$

- **81.** Since the numbers have unlike signs, the product is negative. -4(8) = -32
- 82. Since the numbers have like signs, the quotient is positive. $\frac{-18}{-2} = 9$
- 83. Since the numbers have like signs, the quotient is positive. $\frac{-100}{-5} = 20$
- 84. Since the numbers have like signs, the quotient is positive. $-50 \div (-10) = \frac{-50}{-10} = 5$
- 85. Since the numbers have unlike signs, the product is negative. -7(2) = -14
- 86. Since the numbers have unlike signs, the product is negative. 6.4(-8) = -51.2

- ISNChapteentargealgebrabers
- **89.** Since the numbers have unlike signs, the -100

quotient is negative.
$$-5 = -20$$

- **90.** Since there are three negative signs (an odd number), the product is negative. 4(-2)(-1)(-5) = (-8)(-1)(-5)= (8)(-5) = -40
- **91.** Since the numbers have like signs, the quotient is positive. $\frac{-90}{-90} = 1$
- 92. Since there is one negative sign (an odd number) the product is negative.
 (6)(1)(-3)(4) = (6)(-3)(4) = (-18)(4) = -72
- **93.** Zero divided by any nonzero number is zero. $0 \div 8.6 = \frac{0}{8.6} = 0$ 8.6
- **94.** Zero divided by any nonzero number is zero. $\underline{0} =$

$$1 \quad 0$$

0

- **95.** Any nonzero number divided by zero is 5 undefined. is undefined.
- 96. <u>Apy7</u>nonzero number divided zero is undefined.
- 97. Zero divided by any nonzero number is zero. $0 \div (-7) = \frac{0}{-7} = 0$
- **98.** Any nonzero number divided by zero is undefined. $\frac{6}{0}$ is undefined.
- 99. Any nonzero number divided by zero is $\frac{\underline{8}}{0}$ undefined. is undefined.
 - 87. Since the numbers have unlike signs, the quotient is negative. $27.9 \div (-3) = \frac{27.9}{} = -9.3$

Chapitler: EleReenhtaluynAdeuesbra

88. Since the numbers have unlike signs, the quotient is negative. $\frac{130}{-10} = -13$

ISMCHEapteentaRealgebrabers

100. Zero divided by any nonzero number is zero.

$$\frac{0}{12} = 0$$

- **101. a.** Since the numbers have unlike signs, the product will be negative.
 - **b.** 92(-38) = -3496
 - **c.** Yes; as expected the product is negative.

102. a. Since the numbers have unlike signs, the quotient will be negative.

b.
$$\frac{-168}{42} = -4$$

- c. Yes; as expected the quotient is negative.
- **103. a.** Since the numbers have unlike signs, the quotient will be negative.

b.
$$-240/15 = \frac{-240}{15} = -16$$

- c. Yes; as expected the quotient is negative.
- **104. a.** Zero divided by any nonzero number is zero.

b.
$$0/12 = \frac{0}{12} = 0$$

- c. Yes; as expected, the quotient is zero.
- **105. a.** Since the numbers have unlike signs, the quotient will be negative.

b.
$$243 \div (-27) = \frac{243}{-27} = -9$$

- c. Yes; as expected the quotient is negative.
- **106. a.** Since the numbers have unlike signs, the product will be negative.
 - **b.** (323)(-115) = -37,145
 - **c.** Yes; as expected the product is negative.
- **107. a.** Since the numbers have like signs, the product will be positive.
 - **b.** (-49)(-126) = 6174
 - c. Yes; as expected the product is positive.
- **108. a.** The product will be zero; zero multiplied by any real number is zero.
 - **b.** (1530)(0)=0
 - c. Yes; as expected the product is zero.
- **109. a.** The quotient will be zero; zero divided by any nonzero number is zero.

b.
$$\frac{0}{5335} = 0$$

c. Yes; as expected the answer is zero.

b.
$$-86.4 \div (-36) = \frac{-86.4}{-36} = 2.4$$

- c. Yes; as expected the answer is positive.
- **111. a.** Undefined; any nonzero number divided by 0 is undefined.

b.
$$8.2 \div 0 = \frac{8.2}{0}$$
 is undefined

- c. Yes; as expected the quotient is undefined.
- **112. a.** The quotient will be zero; zero divided by any nonzero number is zero.

b.
$$-37.74 \div 0 = \frac{-37.74}{0}$$
 is undefined

- **c.** Yes; as expected the quotient is undefined.
- **113. a.** Since the numbers have like signs, the quotient will be positive.

b.
$$8 \div 2.5 = \frac{8}{2.5} = 3.2$$

- c. Yes; as expected the quotient is positive.
- **114. a.** Since there are no negative numbers, the product will be positive.
 - **b.** (1.1)(9.72)(6.3) = 67.3596
 - c. Yes; as expected the product is positive.
- **115. a.** Since there are two negative numbers (an even number), the product will be positive.
 - **b.** (-3.0)(4.2)(-18) = 226.8
 - c. Yes; as expected the product is positive.
- **116. a.** Since the numbers have unlike signs, the quotient will be negative.

$$=\frac{-288.86}{-288.86} = -$$

110. a. Since the numbers have like signs, the quotient will be positive.

Chapitler: EleReenhtaluynAdeuesbra

- c. Yes; as expected the quotient is negative.
- **117.** False; the product of two numbers with like signs is a positive number
- **118.** True; the product of two numbers with unlike signs is a negative number.
- **119.** False; the quotient of two numbers with unlike signs is a negative number.
- **120.** True; the quotient of two numbers with like signs is a positive number.

Chapater: EleReentation/Adependenta

- **121.** True; the product of an even number of negative numbers is a positive number.
- **122.** False; zero divided by any nonzero number is zero.
- **123.** False; the product of an odd number of negative numbers is a negative number.
- **124.** False; six divided by 0 is undefined.
- **125.** False; zero divided by 1 is zero.
- **126.** True; the product of 0 and any real number is 0.
- **127.** True; any nonzero number divided by zero is undefined.
- **128.** True: any nonzero number divided by zero is undefined.
- **129.** 3(-15) = -45The total loss was 45 yards.
- **130.** 3(-160) = -480

Its new depth is 480 feet below sea level.

131. a.
$$\frac{1}{5}(520) = \frac{520}{5} = 104$$

She paid back \$104.

- **b.** -520 + 104 = -416Her new balance is -\$416.
- **132.** 4(40) 500 = 160 + (-500) = -340He will still owe \$340.
- **133.** Find out how much is left after giving the

husbands each \$50. 775.40 - (4.50) = 775.40 - 200 = 575.40Now take the remainder and divide it by 4. $\frac{575.40}{143.85} = 143.85$

Each woman receives \$143.85.

$$1 -30 = -10$$

 $(-30) = -10 = -10$

134.
$$\overline{3}(-30) = \frac{-1}{3} = \frac{-1}{1} = -10$$

The wind chill temperature was -10° F on Tuesday.

135. a. 5(-4) = -20 Josue lost 20 points.

- **b.** 678 150 = 528The temperate of the metal was 528° at the end of ten hours.
- **137.** a. 220-50 = 170 60% of 170 = 0.6 (170) = 102 75% of 170 = 0.75 (170) = 127.5Target heart rate is 102 to 128 beats per minute.
 - **b.** Answers will vary.

138. $3_4 = 3 \cdot 3 \cdot 3 \cdot 3 = 81$

139.
$$(-5)^3 = (-5)(-5)(-5) = 25(-5) = -125$$

140. $\begin{pmatrix} 2 \\ - \\ 3 \end{pmatrix}^3 = \frac{2}{3} \cdot \frac{2}{3} \cdot \frac{2}{3} = \frac{2 \cdot 2 \cdot 2}{3 \cdot 3 \cdot 3} = \frac{8}{27}$

141. 1 = 1
142.
$$(-1)^{81} = -1$$
 since 81 is odd

- **143.** The product $(-1)(-2)(-3)(-4)\cdots(-10)$ will be positive because there are an even number (10) of negative numbers.
- **144.** The product will be negative since there are an odd number (17) of negatives.
- **145. c.** The country will start with D. Most students will select Denmark. They will most likely select kangaroo which leads to orange.

146.
$$|-3.6>-2.7$$

147. $-\frac{7}{12} + \left(\frac{1}{-10}\right) = \frac{35(6)}{60(1-6)}$

$$=\frac{-35 + (-6)}{60}$$
$$= -\frac{41}{60}$$
148. -20 - (-18) = -20 + 18 = -2

149.
$$6-3-4-2=3-4-2=-1-2=-3$$

150. $5-(-2)+3-7=5+2+3-7$
 $=7+3-7$
70 70 $=10-7$

Chapiter: EleReenhtaumAdeuebra

- **b.** 100 20 = 80His test score is 80.
- **136.** a. 10(-15) = -150-150 represents the total drop in temperature.

Exercise Set 1.9

- 1. When an expression has only additions and subtractions, it is evaluated from <u>left</u> to right.
- 2. After evaluating grouping symbols, the next

order of operation is to evaluate exponents.

3. Parentheses, brackets and braces are examples of

grouping symbols.

- **4.** In the expression 7^5 , 7 is called the <u>base</u>.
- **5.** In the expression 7^5 , 5 is called the <u>exponent</u>.
- **6.** When grouping symbols are nested, begin evaluating at the <u>innermost</u> group.

7. $2_3 = 2 \cdot 2 \cdot 2 = 8$ **8.** $3_2 = 3 \cdot 3 = 9$

9. $15 = 1 \cdot 1 \cdot 1 \cdot 1 \cdot 1 = 1$

- **10.** $1^7 = 1 \cdot 1 \cdot 1 \cdot 1 \cdot 1 \cdot 1 \cdot 1 = 1$
- **11.** $5_1 = 5$

12. 7₁ = 7

- **13.** $(-1)^2 = (-1)(-1) = 1$
- **14.** $(-1)^4 = (-1)(-1)(-1)(-1) = 1$
- **15.** $(-1)^3 = (-1)(-1)(-1) = -1$
- **16.** $(-1)^5 = (-1)(-1)(-1)(-1)(-1) = -1$

17. $-3_2 = -(3)(3) = -9$ **18.** $-4_2 = -(4)(4) = -16$

27.	$\left(\frac{3}{4}\right)^2 = \frac{3}{4} \cdot \frac{3}{4} = \frac{9}{16}$	
28.	$\left(\frac{4}{2}\right) = \frac{4}{2} \cdot \frac{4}{2} = \frac{16}{2}$	
	5 5 25	
29.	$\begin{pmatrix} \begin{vmatrix} 3 \\ -4 \end{pmatrix}^2 = \begin{pmatrix} -\frac{3}{4} \end{pmatrix} \begin{pmatrix} -\frac{3}{4} \end{pmatrix} = \frac{9}{16}$	
	(4) (4)(4) 16	
30.	$ {5} = {5} {5} \models{25}$	
	(3) $(3)(3)(3)$ 27	
31.	$\left(4 \right)^{=} \left(4 \right)^{=} \left(4 \right)^{=} 4 = 64$	
	$(4)^{3}$ $(4)(4)(4)$ 64	
32.	$\begin{bmatrix} - \\ 5 \end{bmatrix} = \begin{bmatrix} - \\ 5 \end{bmatrix} \begin{bmatrix} - \\ 5 \end{bmatrix} \begin{bmatrix} - \\ 5 \end{bmatrix} = \boxed{125}$	
	(3) (3) (3) (3) $(\overline{3})$	27
33.	$\left(-\frac{-}{4}\right) = \left(-\frac{-}{4}\right) = -\frac{-}{4}\left(-\frac{-}{4}\right) = -\frac{-}{4}$	64
	丿 八 八	
34	$\frac{\left(\frac{4}{2}\right)^{3}}{\left -\frac{4}{2}\right ^{2}} = \left -\frac{4}{2}\right \left(-\frac{4}{2}\right)\left(-\frac{4}{2}\right) = -\frac{4}{2}$	<u>64</u>
	し 5ノ し5人 5人 5ノ	125
35.	a. negative	

b.
$$-7_2 = -(7)(7) = -49$$

36. a. negative
b. $-8_2 = -(8)(8) = -64$

37. a. positive

b.
$$(-7)^2 = (-7)(-7) = 49$$

38. a. positive

CopyCigntyr@120052019 5PbarBearEducEdiocration, Inc.

Chapiter: EleReenhitatum/kolegesbra

- **19.** $(-3)^2 = (-3)(-3) = 9$
- **20.** $(-4)^2 = (-4)(-4) = 16$
- **21.** $-5_2 = -(5)(5) = -25$
- **22.** $(-5)^2 = (-5)(-5) = 25$
- **23.** $(-6)^2 = (-6)(-6) = 36$
- **24.** -62 = -(6)(6) = -36
- **25.** -24 = -(2)(2)(2)(2) = -16
- **26.** $(-2)^4 = (-2)(-2)(-2)(-2) = 16$

ISNC/FapteentaRealgebrabers

b.
$$(-8)^2 = (-8)(-8) = 64$$

- **39. a.** positive **b.** $-(-7_2) = -(-(7)(7)) = -(-49) = 49$ **40. a.** positive **b.** $-(-8_2) = -(-(8)(8)) = -(-64) = 64$ **41. a.** negative **b.** $-(-7)^2 = -(-7)(-7) = -49$ **42. a.** negative **b.** $-(-8)^2 = -(-8)(-8) = -64$
- **43.** a. negative (-1.2)(-1.2)(-1.2)(-1.2) = -1.728

44. a. negative
b.
$$(-2.1)^2 = (-2.1)(-2.1)(-2.1)(-2.1) = -9.261$$

61. $-32 - 5(7 - 10)^2 = -32 = 5(-3)^3^2$
 $32 \le 50^3$

45. a. positive
 $(-2.1)^2 = (-3)(-5)(-5) = 25$

 $(-5)^2 = 5^3 = 5^4 = -9.261$

61. $-32 - 5(7 - 10)^2 = -32 = 5(-3)^3^2$
 $= -32 - 45$

 $(-3)^2 = -40 - 3(-4)^2$
 $= -40 - 3(4-8)^2 = -40 - 3(-4)^2$
 $= -40 - 3(16)$

 $(-3)^2 = -40 - 3(-4)^2$
 $= -40 - 3(16)$

 $(-3)^2 = -40 - 3(-4)^2$
 $= -40 - 3(16)$

 $(-3)^2 = -40 - 3(-4)^2$
 $= -40 - 3(16)$

 $(-3)^2 = -40 - 3(-4)^2$
 $= -40 - 3(16)$

 $(-3)^2 = -40 - 3(-4)^2$
 $= -40 - 3(16)$

 $(-3)^2 = -40 - 3(-4)^2$
 $= -40 - 3(16)$

 $(-3)^2 = -40 - 3(-4)^2$
 $= -40 - 3(-4)^2$
 $= -40 - 3(16)$

 $(-3)^2 = -40 - 3(-4)^2$
 $= -40 - 3(16)$

 $(-3)^2 = -40 - 3(-4)^2$
 $= -40 - 3(16)$

 $(-3)^2 = -40 - 3(-4)^2$
 $= -40 - 3(16)$

 $(-3)^2 = -40 - 3(-4)^2$
 $= -40 - 3(16)$

 $(-3)^2 = -40 - 3(-4)^2$
 $= -40 - 3(16)$

 $(-3)^2 = -40 - 3(-4)^2$
 $= -40 - 3(16)$

 $(-3)^2 = -40 - 3(-4)^2$
 $= -40 - 3(16)$

 $(-3)^2 = -40 - 3(-4)^2$
 $= -40 - 3(16)$

 $(-3)^2 = -40 - 3(16)$

 $(-3)^2 = -5^2 - 3(16)$

 $(-3)^2 = -5^2 - 3(16)$

 $= -57$

 $= -7 + 72 - 8$

 $= -7 + 72 - 8$

 $= -7 + 72 - 8$

 $= -7 + 72 - 8$

 $= -7 + 72 - 8$

 $= -7 + 72 - 8$

 $= -7 + 72 - 8$

 $= -7 + 72 - 8$

 $= -7 + 72 - 8$

 $= -7 + 72 - 8$

 $= -7 + 72 - 8$

 $= -7 + 72 - 8$

 $= -7 + 72 - 8$

 $= -7 + 72 - 8$

 $= -7 + 72 - 8$

 $= -7 + 3(-1) - 4$

 $= -7 + 3(-1) - 4(-1) - 4(-1)^2 - 1(-1) - 4(-1)^2 - 1(-1) - 4(-1)^2 - 1($

CopyCingutur@1200952101 SteparBearEductationca, Inc.

Chalatler. EleReentitalum/kleuebra

59.
$$4_2 - 3 \cdot 4 - 6 = 16 - 3 \cdot 4 - 6$$
$$= 16 - 12 - 6$$
$$= 4 - 6$$
$$= -2$$
$$5 - 2(7 + 5) = 5 - 2(12) = 5 - 24 = -19$$

60.
$$8+3(6+4)=8+3(10)=8+30=38$$

ISNCHiapteentaRyealgebrabers3 + $(48 \cdot 4^2)$] = 2 + 4 [3 + (48 \cdot 16)

$$\begin{bmatrix} -3 + (48 \div 4^2) \end{bmatrix} = -2 + 4 \begin{bmatrix} -3 + (48 \div 16) \\ = -2 + 4 \begin{bmatrix} -3 + 3 \end{bmatrix} \\ = -2 + 4 \begin{bmatrix} 0 \end{bmatrix} \\ = -2 + 0 \\ = -2 \end{bmatrix}$$

67. (6 ÷ 3) ³ + 4² ÷ 8 = (2)³ + 4₂ ÷ 8
= 8 + 16 ÷ 8

= 8 + 2 = 10

68.
$$4 + (4^2 - 13)^4 - 3 = 4 + (16 - 13)^4 - 3$$

 $= 4 + 34 - 3$
 $= 4 + 31 - 3$
 $= 85 - 3$
 $= 82$
69. $-7 - 48 + 6 \cdot 22 + 5 = -7 - 48 + 6 \cdot 4 + 5$
 $= -7 - 8 \cdot 4 + 5$
 $= -7 - 32 + 5$
 $= -39 + 5$
 $= -34$
70. $-7 - 56 + 7 \cdot 22 + 4 = -7 - 56 + 7 \cdot 4 + 4$
 $= -7 - 8 \cdot 4 + 4$
 $= -7 - 8 \cdot 4 + 4$
 $= -7 - 8 \cdot 4 + 4$
 $= -35$
71. $(9 + 3) + 4(7 - 2)^2 = (9 + 3) + 4(5)^2$
 $= (9 + 3) + 4(25)$
 $= 3 + 100$
 $= 103$
72. $(12 + 4) + 5(6 - 4)^2 = (12 + 4) + 5(2)^2$
 $= (12 + 4) + 5(4)$
 $= 3 + 20$
 $= 23$
 2
 $\begin{bmatrix} 2 & 2 \end{bmatrix} = \begin{bmatrix} 4 + (3)^2 + 3 \end{bmatrix}^2 \end{bmatrix}$
73. $\|4 + ((5 - 2) + 3)\| = \| ()$
 $= \begin{bmatrix} 4 + (9 + 3)^2 \\ = \begin{bmatrix} 4 + (3)^2 \end{bmatrix}^2$

75.
$$(-3)^3 + 8 \div 2 = -27 + 8 \div 2$$

 $= -27 + 4$
 $= -23$
76. $-3_2 + 8 \div 2 = -27 + 8 \div 2$
 $= -27 + 4$
 $= -23$
77. $2[1.55 + 5(3.7)] - 3.35 = 2[1.55 + 18.5] - 3.35$
 $= 2(20.05) - 3.35$
 $= 40.1 - 3.35$
 $= 36.75$
78. $(2^2 () (2^2 ())$
 $8.4 + 3.1) - 3.64 - 1.2 = 11.5) - 2.44$
 $= 132.25 - 2.44$
 $= 132.25 - 2.44$
 $= 132.25 - 2.44$
 $= 132.25 - 2.44$
 $= 129.81$
79. $(2 - 3) - 3 = (16 + 15) - 3 - 20$
 $(-) - (-) - 20$
 $(-) - (-) - 20$
 $(-) - 20$
 $(-) - 20$
 $(-) - 20$
 $(-) - 20$
 $(-) - 20$
 $(-) - 20$
 $(-) - 20$
 $(-) - 20$
 $(-) - 20$
 $(-) - 20$
 $(-) - 20$
 $(-) - 20$
 $(-) - 20$
 $(-) - 20$
 $(-) - 20$
 $(-) - 20$
 $(-) - 20$
 $(-) - 20$
 $(-) - 20$
 $(-) - 20$
 $(-) - 20$
 $(-) - 20$
 $(-) - 20$
 $(-) - 20$
 $(-) - 20$
 $(-) - 20$
 $(-) - 20$
 $(-) - 20$
 $(-) - 20$
 $(-) - 20$
 $(-) - 20$
 $(-) - 20$
 $(-) - 20$
 $(-) - 20$
 $(-) - 20$
 $(-) - 20$
 $(-) - 20$
 $(-) - 20$
 $(-) - 20$
 $(-) - 20$
 $(-) - 20$
 $(-) - 20$
 $(-) - 20$
 $(-) - 20$
 $(-) - 20$
 $(-) - 20$
 $(-) - 20$
 $(-) - 20$
 $(-) - 20$
 $(-) - 20$
 $(-) - 20$
 $(-) - 20$
 $(-) - 20$
 $(-) - 20$
 $(-) - 20$
 $(-) - 20$
 $(-) - 20$
 $(-) - 20$
 $(-) - 20$
 $(-) - 20$
 $(-) - 20$
 $(-) - 20$
 $(-) - 20$
 $(-) - 20$
 $(-) - 20$
 $(-) - 20$
 $(-) - 20$
 $(-) - 20$
 $(-) - 20$
 $(-) - 20$
 $(-) - 20$
 $(-) - 20$
 $(-) - 20$
 $(-) - 20$
 $(-) - 20$
 $(-) - 20$
 $(-) - 20$
 $(-) - 20$
 $(-) - 20$
 $(-) - 20$
 $(-) - 20$
 $(-) - 20$
 $(-) - 20$
 $(-) - 20$
 $(-) - 20$
 $(-) - 20$
 $(-) - 20$
 $(-) - 20$
 $(-) - 20$
 $(-) - 20$
 $(-) - 20$
 $(-) - 20$
 $(-) - 20$
 $(-) - 20$
 $(-) - 20$
 $(-) - 20$
 $(-) - 20$
 $(-) - 20$
 $(-) - 20$
 $(-) - 20$
 $(-) - 20$
 $(-) - 20$
 $(-) - 20$
 $(-) - 20$
 $(-) - 20$
 $(-) - 20$
 $(-) - 20$
 $(-) - 20$
 $(-) - 20$
 $(-) - 20$
 $(-) - 20$
 $(-) - 20$
 $(-) - 20$
 $(-) - 20$
 $(-) - 20$
 $(-) - 20$
 $(-) - 20$
 $(-) - 20$
 $(-) - 20$
 $(-) - 20$
 $(-) - 20$
 $(-) - 20$
 $(-) - 20$
 $(-) - 20$
 $(-) - 20$
 $(-) - 20$
 $(-) - 20$
 $(-) - 20$
 $(-) - 20$
 $(-) - 20$
 $(-) - 20$
 $(-) - 20$
 $(-) - 20$

76 76

CopyCingutur@1200952101 SteparBearEductationca, Inc.

ISNCHapteentaRealgebrabers

Chapitel: EleReenhildum/kolepesbra

$$= [4 + 9]_{2}$$

$$= (13)_{2}$$

$$= 169$$
74. $(20 \div 5 \cdot 5 \div 5 - 5)^{2} = (4 \cdot 5 \div 5 - 5)^{2}$

$$= (20 \div 5 - 5)_{2}$$

$$= (4 - 5)_{2}$$

$$= (-1)_{2}$$

$$= 1$$

$$81.\frac{3}{4} - 4.\frac{5}{40} = \frac{3}{4} - \frac{4}{1}.\frac{5}{40} = \frac{3}{4} - \frac{4}{8} = \frac{3}{4} - \frac{2}{4} = \frac{1}{4}$$

$$82.\frac{1}{4} - \frac{1}{4}.\frac{3}{4} + \frac{3}{4} = \frac{1}{4} - \frac{3}{4} + \frac{3}{4}$$

$$82.\frac{1}{4} - \frac{1}{4}.\frac{3}{4} + \frac{3}{4} = \frac{1}{4} - \frac{3}{4} + \frac{3}{4}$$

$$= -\frac{2}{4} + \frac{3}{8}$$

$$= -\frac{2}{4} + \frac{3}{40}$$

$$= -\frac{10}{40} + \frac{24}{40}$$

$$= \frac{14}{40} = \frac{7}{40}$$

83.
$$\frac{4}{5} + \frac{3}{4} + \frac{1}{2} - \frac{2}{3} = \frac{4}{5} + \frac{3}{4} \cdot \frac{2}{1} - \frac{2}{3}$$

$$= \frac{4}{5} + \frac{3}{2} - \frac{2}{3}$$

$$= \frac{24}{30} + \frac{45}{30} - \frac{20}{30}$$

$$= \frac{49}{30} \text{ or } \frac{119}{30}$$
84. $\frac{12 - (4 - 6)^2}{30} = \frac{12 - (-2)^2}{4}$

$$+ 4 \div 2 = 6 + 4 \div 2$$

$$6 = \frac{2 - 2}{3} = \frac{2 - 2}{3}$$

$$= \frac{\frac{12 - 4}{6 + 4}}{\frac{6 + 16}{5} \div 4}$$

$$= \frac{8}{10}$$

$$= \frac{-4 - [2(9 \div 3) - 5]}{36 - 63} = -4 - [2(3) - 5]$$

$$= \frac{-4 - [6 - 5]}{36 - 63}$$

$$= \frac{-4 - 1}{-\frac{27}{36} - \frac{5}{27}} = \frac{5}{27}$$
86. $\frac{1(7 - 3)2 - 412}{9 - 16 \div 8 - 4} = \frac{116 - 412}{9 - 2 - 4}$

$$= \frac{(12)2}{7 - 4}$$

=<u>144</u>

88.
$$\frac{[5-(3-7)-2]_{2}}{2[(16 \div 2^{2})-(8 \cdot 4)]} = \frac{[5-(-4)-2]_{2}}{2[(16 \div 4)-32]}$$
$$= 2[(4-32)]$$
$$= 2[4-32]$$
$$= \frac{(7)_{2}}{2(-28)}$$
$$= \frac{49}{-56} = -\frac{7}{8}$$

89.
$$\left\{5-2[4-(6 \div 2)]^{2}\right\}^{2} = 5-2[4-3]^{2}$$
$$\left\{5-2[4-(6 \div 2)]^{2}\right\}^{2} = \left\{5-2(1)^{2}\right\}^{2}$$
$$= \left\{5-2(1)\right\}^{2}$$
$$= \left\{5-2(1)\right\}^{2}$$
$$= \left\{5-2\right\}^{2}$$
$$= (3)^{2}$$

$$=9$$
90. $\left\{-6 - \left\lceil 3\left(16 \div 4^{2}\right)^{2} \right\rceil\right\}^{2} = \left\{-6 - \left\lceil 3\left(16 \div 16\right)^{2} \right\rceil\right\}^{2}$

$$= \left\{-6 - \left\lfloor 3(1)^{2} \right\rfloor\right\}^{2}$$

91.
$$-\left\{4 - \left[-3 - (2 - 5)^{2}\right] = -\left\{4 - \left[-3 - (-3)\right]^{2}\right\}_{3} = 48$$

= 81

CopyCingutur@1200952101 SteparBearEductationca, Inc.

Chapits: EldRowthtsloyr/klopsbra $\begin{bmatrix} -\{4-[-3+3]^2\} \\ = -\{4-[0]^2\} \\ 87.-[4-(6-12)_2] \\ = \frac{-[4-(-6)_2]}{2} \\ [(9 \div 3) + 4] + 2^2 \quad (3+4) + 4 \\ = \frac{-[4-36]}{7_2 + 4} \\ = \frac{-(-32)}{49 + 4} \\ = \frac{32}{53} \end{bmatrix}$

ISNChapteentargealgebrabers

$$= -\{4 - 0\}$$

 $= -(4)$
 $= -4$

92.
$$3\left\{4\left\lfloor(3-4\right)^2-3\int^3-1\right\}=3\left\{4\left\lfloor(-1\right)^2-3\int^3-1\right\}\right\}$$

 $=3\left\{4\left\lfloor1-3\right\rfloor^3-1\right\}$
 $=3\left\{4\left\lfloor-2\right\rfloor^3-1\right\}$
 $=3\left\{4(-8)-1\right\}$
 $=3\left\{4(-8)-1\right\}$
 $=3\left\{-32-1\right\}$
 $=3\left\{-33\right\}$
 $=-99$
93. $\left\{4-3\left\lfloor2-(9\div3\right)\right\rfloor^2\right\}^2=\left\{4-3\left[2-3\right]_2\right\}^2$
 $=\left\{4-3\left\lfloor-1\right\rfloor^2\right\}^2$
 $=\left\{4-3\left\lfloor-1\right\rfloor^2\right\}^2$
 $=\left\{4-3\left\lfloor1\right\rfloor\right\}^2$
 $=\left\{4-3\right\}^2$
 $=12$
 $=1$
94. $2\left\{5\left\lfloor(4-6\right)^3-1\right\rfloor^2-3\right\}=2\left\{5\left\lfloor(-2\right)^3-1\right\rfloor^2-3\right\}$
 $=2\left\{5\left\lfloor-8-1\right\rfloor^2-3\right\}$
 $=2\left\{5\left\lfloor-9\right\rfloor^2-3\right\}$
 $=2\left\{5\left\lfloor81\right\rfloor-3\right\}$
 $=2\left\{405-3\right\}$
 $=2\left\{402\right\}$
 $=$
804
95. Substitute 5 for x

a. $x_2 = 5_2 = 5 \cdot 5 = 25$

b.
$$-x^2 = -(-2) = -(-2)(-2) = -(4) = -4$$

c. $(-x)^2 = 2^2 = 2 \cdot 2 = 4$

98. Substitute -5 for x

a.
$$x^2 = (-5)^2 = (-5)(-5) = 25$$

b.
$$-x^2 = -(-5)^2 = -(-5)(-5) = -25$$

c. $(-x)^2 = 5^2 = 5 \cdot 5 = 25$

- *99.* Substitute 6 for x
- a. $x_2 = 6_2 = 6 \cdot 6 = 36$ b. $-x_2 = -6_2 = -(6 \cdot 6) = -36$ c. $(-x)^2 = (-6)^2 = (-6)(-6) = 36$ 100. Substitute 7 for x a. $x_2 = 7_2 = 7 \cdot 7 = 49$
 - **b.** $-x_2 = -7_2 = -(7)(7) = -49$

c.
$$(-x)^2 = (-7)^2 = (-7)(-7) = 49$$

101. Substitute $-\frac{1}{3}$ for x.

a.
$$x^{2} = \begin{vmatrix} 1 \\ - \end{vmatrix} = \begin{vmatrix} 3 \\ - \end{vmatrix} = \begin{vmatrix} 3$$

CopyCigptyr@1200952by 5PbarBearEducEdiocation, Inc.

Chapiter: EleReenhitatum/kolegesbra

- **b.** $-x_2 = -5_2 = -(5)(5) = -25$ **c.** $(-x)^2 = (-5)^2 = (-5)^2 = (-5)(-5) = 25$
- 96. Substitute 8 for x
 - **a.** $x_2 = 8_2 = 8 \cdot 8 = 64$
 - **b.** $-x_2 = -8_2 = -(8)(8) = -64$
 - **c.** $(-x)^2 = (-8)^2 = (-8)(-8) = 64$
- **97.** Substitute -2 for x

a.
$$x^2 = (-2)^2 = (-2)(-2) = 4$$
 103.

ISACIFicipateerita Fyeiklightbrabers(3) (3)(3) 9102. Substitute ${}^{3} for x.$ 4 a. $x_{2} = \left(\frac{3}{1}\right) = \left(\frac{3}{1}\right) \left(\frac{3}{2}\right) = \frac{9}{4}$ (4) (4)(4) 16 b. $-x_{2} = -\left(\frac{3}{1}\right)^{2} = -\left(\frac{3}{1}\right) \left(\frac{3}{2}\right) = -\frac{9}{4}$ (4) (4)(4) 16 2 (3) (3)(3) 9 c. $(-x) = \left(-\frac{3}{4}\right) = \left(-\frac{3}{4}\right) \left(-\frac{3}{4}\right) = \frac{9}{16}$

Substitute -2 for x in the expression. x + 6 = -2 + 6 = 4 **104.** Substitute 3 for each *x* in the expression. 2x - 4x + 5 = 2(3) - 4(3) + 5

$$= \frac{-12+5}{6+5}$$

- **105.** Substitute 6 = 6rk in the expression. -7z - 3 = -7(6) - 3 = -42 - 3 = -45
- **106.** Substitute 5 for x in the expression. 3(x-2) = 3(5-2) = 3(3) = 9
- **107.** Substitute -3 for *a* in the expression. $a^2 - 6 = (-3)^2 - 6 = 9 - 6 = 3$
- **108.** Substitute 5 for *b* in the expression. $b^2 - 8 = (5)^2 - 8 = 25 - 8 = 17$
- **109.** Substitute 2 for each *p* in the expression. $3 p_2 - 6 p - 4 = 3(2)_2 - 6(2) - 4$ = 3(4) - 12 - 4 = 12 - 12 - 4 = 0 - 4= -4
- **110.** Substitute 1 for each *r* in the expression. $2r_2 - 5r + 3 = 2(1)_2 - 5(1) + 3$ = 2(1) - 5 + 3

$$= 2 - 5 + 3$$

= -3 + 3 1
= 0 15.

- 111. Substitute -1 for each x in the expression. $-4x_2 - 2x + 1 = -4(-1)_2 - 2(-1) + 1$ = -4(1) - 2(-1) + 1 = -4 + 2 + 1 = -2 + 1 = -1
- **112.** Substitute -4 for *t* in the expression.

$$-t^{2} - 4t + 5 = -(-4)^{2} - 4(-4) + 5$$
$$= -16 + 16 + 5$$
$$= 0 + 5$$
$$= 5$$

113. Substitute $\frac{1}{2}$ for each x in the expression.

$$-x_{2} - 2x + 5 = + \begin{pmatrix} 1 \\ 2 \end{pmatrix}^{2} - 2 \begin{pmatrix} 1 \\ 1 \\ 2 \end{pmatrix} + 5$$
$$= -\frac{1}{4} - 1 + 5$$
$$= -\frac{1}{4} - \frac{4}{4} + \frac{20}{4}$$
$$= -\frac{5}{4} + \frac{20}{4}$$
$$= \frac{15}{4} \text{ or } 3\frac{3}{4}$$

114. Substitute $\frac{3}{4}$ for each x in the expression. $2x_2 - 4x - 10 = 2 \begin{bmatrix} 4 \\ 4 \end{bmatrix}^{-4} \begin{pmatrix} 3 \\ 4 \end{bmatrix}^{-10} = 2 \begin{pmatrix} 9 \\ 16 \end{pmatrix}^{-3-10} = 2 \begin{pmatrix} 9 \\ 16 \end{pmatrix}^{-3-10} = \frac{18}{16} - 3 - 10 = \frac{18}{16} - 3 - 10 = \frac{9}{8} - \frac{24}{8} - \frac{80}{8} = \frac{15}{8} - \frac{11}{8} = \frac{10}{8} - \frac{10}{8} \frac{10}{8} -$

Substitute 5 for each *x* in the expression. $4(3x + 1)_2 - 6x = 4(3(5) + 1)_2 - 6(5)$

$$= 4(15 + 1)2 - 30$$
$$= 4(16)2 - 30$$
$$= 4(256) - 30$$
$$= 1024 - 30$$
$$= 994$$

116. Substitute -4 for each *n* in the expression. $3n_2(2n-1) + 5 = 3(-4)_2(2(-4)-1) + 5$

$$= 3(-4)_2 (-8 - 1) + 5$$

= 3(16)(-9) + 5
= (48)(-9) + 5
= -432 + 5
= -427

CopyCigptyr@1200952101/5PbgrBearEducEdiocration., Inc.

- 117. Substitute -2 for r and -3 for s in the expression. $r^2 - s^2 = (-2)^2 - (-3)^2 = 4 - 9 = -5$
- **118.** Substitute 5 for p and -3 for q in the expression. $p^2 - p^2 = (5)^2 - (-3)^2 = 25 - 9 = 16$
- **119.** Substitute 1 for x and -5 for y in the expression. 5(x-6y)+3x-7y=5(1-6(-5))+3(1)-7(-5)

$$= 5(1 - (-30)) + 3 + 35$$

= 5(31) + 3 + 35
= 155 + 3 + 35
= 158 + 35
= 193

120. Substitute 2 for *x* and 4 for *y* in the expression.

$$4(x + y)_{2} + 2(x + y) + 3$$

= 4(2 + 4)_{2} + 2(2 + 4) + 3
= 4(6)_{2} + 2(6) + 3
= 4(36) + 2(6) + 3
= 144 + 12 + 3
= 156 + 3
= 159

121. Substitute -1 for x and -2 for y in the expression. $3(x-4)^2 - (3y-4)^2 = 3(-1-4)^2 - [3(-2)-4]^2$

$$= 3(-5)_2 - (-6 - 4)_2$$
$$= 3(-5)_2 - (-10)_2$$
$$= 3(25) - 100$$
$$= 75 - 100$$

= -25

122. Substitute 2 for x and -3 for y in the expression. $6x_2 + 3xy - y_2 = 6(2)_2 + 3(2)(-3) - (-3)_2$ = 6(4) + 3(2)(-3) - 9= 24 + (-18) - 9

$$= 24 + (-18) - 9$$

= 6 - 9

124.	9+4	Add 4 to 9	
	$(9+4) \div 2$	Divide by 2	
	$\left\lceil \left(9+4\right) \div 2 \right\rceil + 10$	Add 10 to the quotient	
	Evaluate:		
	$[(9+4) \div 2] + 10 = [13 \div 2] + 10$ $= \frac{13}{2} + 10$		
	$=\frac{13}{2}$ -	$+\frac{20}{2}$	
	= 33	1 or 16	
	2	2	
125.	$10 \cdot 4$	Multiply 10 by 4	
	$(10 \cdot 4) + 9$	Add 9 to the product	
	$\left[\left(10\cdot4\right)+9\right]-6$	Subtract 6 from the sum	
	$\{[(10\cdot4)+9]-6\}\div7$	Divide the difference	
	Evaluate:	by 7	
	$\left\{ [(10 \cdot 4) + 9] - 6 \right\} \div 7 = \left\{ [40 + 9] - 6 \right\} \div 7$ $= \left\{ 49 - 6 \right\} \div 7$		
	$= 43 \div 7$ $= 43 \text{ or } 6^{1}$		
		7 7	
126.	6·3	Multiply 6 by 3	

 $(6 \cdot 3) + 27$ Add 27

 $[(6 \cdot 3) + 27] \div 8$ Divide by 8

 $10\{[(6 \cdot 3) + 27] \div 8\}$ Multiply quotient by 10

 Evaluate:
 Evaluate:

$$10\{[(6 \cdot 3) + 27] \div 8\} = 10\{[18 + 27] \div 8\}$$
$$= 10[45 \div 8]$$
$$= 10\left(\frac{45}{8}\right)$$
$$10 \ 45$$
$$= \frac{1}{1} \cdot \frac{1}{8}$$
$$= -3$$

CopyCigntyr@120052015PbgrBearEducEdiocation., Inc.

Chapitel: EleReenhitslaymkolegesbra

123. 6 · 3 Multiply 6 by 3

 $(6 \cdot 3) - 4$ Subtract 4 from the product $[(6 \cdot 3) - 4] - 2$ Subtract 2 from the difference Evaluate:

$$[(6\cdot3)-4]-2=[18-4]-2=14-2=12$$

ISMCHEapteentaRealgebrabers

$$= \frac{5}{1} \cdot \frac{45}{4}$$

= $\frac{225}{4}$ or $56\frac{1}{4}$

$$\begin{array}{r} 127. \frac{4}{3} + \frac{3}{5} & \text{Add}^{4} \text{ to}^{3} \\ \overline{5} & \overline{7} & \overline{5} & 7 \\ \left(\frac{4}{5}, \frac{3}{7}\right) \cdot \frac{2}{3} & \text{Multiply the sum by}^{2} \\ \overline{5} & \overline{7} & \overline{3} & 3 \\ \end{array}$$
Evaluate:
$$\begin{array}{r} \left(\frac{4}{3}, \frac{3}{5}\right) \cdot \frac{2}{3} & \left(\frac{1}{2}\frac{3}{5}\right) \cdot \frac{3}{5} \\ (-) & (-) & (-) \\ (-) & (-) & (-) \\ (-) & (-) & (-) \\ (-) & (-) & (-) \\ (-) & (-) & (-) \\ \end{array}$$
128.
$$\begin{array}{r} \frac{3}{2} \cdot \frac{4}{5} & \text{Multiply} & \frac{3}{2} \text{ by}^{\frac{4}{2}} \\ 8 & 5 & 8 & 5 \\ \left(\frac{3}{8}, \frac{4}{5}\right) + \frac{7}{7} & \text{Add}^{\frac{7}{2}} \\ \frac{1}{7} \left(3 \cdot \frac{4}{7}\right)^{-\frac{7}{7}} 1 & \frac{120}{1} \\ \frac{1}{9} \left(\frac{3}{4}\right)^{-\frac{7}{7}} 1 & \frac{120}{1} \\ \frac{1}{9} \left(\frac{3}{4}\right)^{-\frac{7}{7}} 1 & \frac{120}{1} \\ \frac{1}{9} \left(\frac{3}{8}, \frac{4}{5}\right) + \frac{7}{120} \right)^{-\frac{1}{7}} 60 \\ \text{Evaluate:} \\
 \begin{array}{r} \left|\left(\frac{3}{8}, \frac{4}{5}\right) + \frac{7}{120}\right|^{-\frac{1}{1}} \\ \frac{1}{120} \left(\frac{3}{2}, \frac{1}{5}\right)^{-\frac{1}{7}} + \frac{7}{120} \\ \frac{1}{10} \left(\frac{3}{120}\right)^{-\frac{1}{60}} \\ \frac{1}{8} \left(\frac{3}{20}, \frac{1}{-1}\right)^{-\frac{1}{1}} \\ \frac{120}{120} \left(\frac{120}{60}\right) \\ \frac{1}{60} \\ \frac{43}{120} \cdot \frac{1}{60} \\ \frac{43}{120} \cdot \frac{1}{20} \\ \frac{43}{120} - \frac{2}{1} \\ \frac{41}{120} \\ \end{array}$$

129. $-(x_2) = -x_2$ is true for all real numbers.

130. When x = 0 or 1, $x = x_2$.

133. When
$$t = 1$$
,
 $-16t^2 + 57t + 6 = -16(1)^2 + 57(1) + 6$
 $= -16 + 57 + 6$
 $= 41 + 6$
 $= 47$

After 1 second the height will be 47 feet.

134. When
$$t = 2$$
,
 $2 - 16t + 48t + 70 = -16(2)^{2} + 48(2) + 70$
 $= -16(4) + 48(2) + 70$
 $= -64 + 96 + 70$
 $= 32 + 70$
After 2 seconds t = 102 ht will be 102 feet.
he heig

135. When c = 21,000, c + 0.07c = 21,000 + 0.07(21,000)

= 21,000 + 1470

= 22, 470 The total cost is \$22,470.

136. When c = 13,000c + 0.06c = 13,000 + 0.06(13,000)= 13,000 + 780= 13,780The total cost is \$13,780. **137.** When R = 2 and T = 70,

$$0.2R_{2} + 0.003RT + 0.0001T_{2}$$

= 0.02(2)²+0.003(2)(70)+0.0001(70)²
= 0.2(4)+0.003(2)(70)+0.0001(4900)
= 0.8 + 0.42 + 0.49 = 1.71
The growth is 1.71 inches.
138. 12 - (4 - 6) + 10 = 24

139. $(14+6) \div 2 \times 4 = 40$

Chapiter: EleReentaluynAdeusbra

- **131.** When t = 2.5, 65t = 65(2.5) = 162.5The car travels 162.5 miles.
- **132.** When d = 19.99, $0.08d = 0.08(19.99) \cdot 1.60$. The sales tax is \$1.60.

ISNChapteentaRealgebrabers

- **140.** a. $2^2 \cdot 2^3 = 2 \cdot 2 \cdot 2 \cdot 2 \cdot 2 = 2^5$ b. $3^2 \cdot 3^3 = 3 \cdot 3 \cdot 3 \cdot 3 \cdot 3 = 3^5$ c. $2^3 \cdot 2^4 = 2 \cdot 2 \cdot 2 \cdot 2 \cdot 2 \cdot 2 \cdot 2 = 2^7$
 - $\mathbf{d.} \quad x^m \cdot x^n = x^{m+n}$

141. a.
$$\frac{2^{3}}{2^{2}} = \frac{\cancel{2} \cdot \cancel{2}^{\prime} \cdot 2}{\cancel{2} \cdot \cancel{2}^{\prime}} = 2_{1} = 2$$

b. $\frac{3^{4}}{3^{2}} = \frac{\cancel{2} \cdot \cancel{2}^{\prime} \cdot 3 \cdot 3}{\cancel{2}^{\prime} \cdot \cancel{2}^{\prime}} = 3^{2}$
c. $\frac{4^{5}}{4^{3}} = \frac{\cancel{4} \cdot \cancel{4} \cdot \cancel{4}^{\prime} \cdot 4 \cdot 4}{\cancel{4} \cdot \cancel{4}^{\prime} \cdot \cancel{4}^{\prime}} = 4_{2}$
d. $\frac{x^{m}}{x^{n}} = x^{2}$
142. a. $(2_{3})^{2} = 2^{3} \cdot 2^{3} = 2 \cdot 2 \cdot 2 \cdot 2 \cdot 2 \cdot 2 = 2^{6}$

b.
$$(3^3)^2 = 3^3 \cdot 3^3 = 3 \cdot 3 \cdot 3 \cdot 3 \cdot 3 \cdot 3 = 3^6$$

c. $(4^2)^2 = 4^2 \cdot 4^2 = 4 \cdot 4 \cdot 4 = 4^4$
d. $(x^m)^n = x^{mn}$

143. a.
$$(2x)^2 = (2x) \cdot (2x) = 2 \cdot 2 \cdot x \cdot x = 2^2 x^2$$

b.
$$(3x)^2 = (3x) \cdot (3x) = 3 \cdot 3 \cdot x \cdot x = 3^2 x^2$$

c.
$$(4x)^3 = (4x) \cdot (4x) \cdot (4x)$$

= $4 \cdot 4 \cdot 4 \cdot x \cdot x \cdot x$
= $4_3 x_3$

d. $(ax)^m = a^m x^m$

144. a. There are 3 houses with 2 dogs.

b.	Dogs	Number of Houses
	0	4
	1	5
	2	3
	3	1
	4	1

c. 4(1) + 3(1) + 2(3) + 1(5) + 0(4)

d. Number of dogs = 18 $mean = \frac{number of dogs}{number of houses} = \frac{18}{14} \approx 1.29$ There is a mean of 1.29 dogs per house. 145. $3 = \frac{6}{6} = \frac{1}{4} + \frac{5}{2} = \frac{1}{4} + \frac{20}{2}$ $2 \quad 2 \quad 2 \quad 2 \quad 8$ $Cost = \$2.40 + 20 \ (0.20) = \$2.40 + \$4.00 = \6.40 $-\frac{7}{4} + \frac{4}{2} - \frac{-21}{4} + \frac{16}{2} - \frac{-21 + 16}{2} = -\frac{5}{-1}$ 146. $12 \quad 9 \quad 36 \quad 36 \quad 36 \quad 36$ $147. | (7|\frac{1}{7}|(14) = |(17)|| \cdot |-\frac{3}{2}|)|$ $= \frac{-5}{1} \cdot \frac{2}{1}$ $= \frac{(-5)(2)}{(1)(-3)}$

Exercise Set 1.10

1. (5+4) + 6 = 5 + (4+6) illustrates the <u>associative</u> property of addition.

 $=\frac{10}{3}$ or $3\frac{1}{3}$

- **2.** (14)(-3) = -3(14) illustrates the <u>commutative</u> property of multiplication.
- 3. The number $\underline{0}$ does not have a multiplicative inverse.
- **4.** $4 \cdot (25 \cdot 3) = (4 \cdot 25) \cdot 3$ illustrates the associative property of <u>multiplication</u>.
- **5.** 5 is the additive inverse of -5.

6.
$$\frac{1}{5}$$
 is the multiplicative inverse of 5.

= 4 + 3 + 6 + 5 + 0= 7 + 6 + 5 = 13 + 5 = 18 There are 18 dogs in all.

Chapitler: EleReenhtaluynAdeuesbra

- 7. -5(x-3) = -5x + 15 illustrates the <u>distributive</u> property of multiplication over addition.
- 8. x + y = y + x illustrates the commutative property of <u>addition</u>.
- **9.** When any real number is multiplied by the number 1, the real number is unchanged. For this reason we call 1 the multiplicative <u>identity</u>.
- **10.** When any real number is added to the number 0, the real number is unchanged. For this reason we call 0 the <u>additive</u> identity.

Chapter.	EleRneantalu	y <i>mk</i> olegesbra
----------	--------------	-----------------------

12. a. -5 b. 5		
	40. inverse property of multiplication	
13. a. 3 b. –	41. $(-6 \cdot 4) \cdot 2$	
14. a. 7 b. $-\frac{3}{1}$	42. $-\frac{1}{3}b$	
_ <u>1</u>	43. $y \cdot x$	
15. a. $-x$ b. $\frac{-x}{x}$	44. $4x + 12$	
1	45. $3y + 4x$	
16. a. $-z$ b. z	46. (-9 · 3) · 8	
17. a. 0 b. d	47. 1	
18. a. -1 b. 1 es not exist	48. 3(<i>x</i> + 2)	
	49. $3x + (4 + 6)$	
19. a. $-\frac{1}{2}$ b. 5	50. $3(y + x)$	
5	51. –5 <i>x</i>	
20. a. $-\frac{1}{2}$ b. 8	52. (-5 + 6) + 8	
8	53. $4x + 4y + 12$	
21. a. $\frac{5}{6}$ b. $-\frac{6}{5}$	54. 0	
2 9	55. 0	
aa h		
22. a. $\frac{-}{9}$ b. $-\frac{-}{2}$	56. 2 <i>x</i>	
23. distributive property	38. associative, multiplication	
24. commutative property of addition	39. identity property of addition	
25. associative property of addition		
26. distributive property		
27. commutative property of multiplication		
28. inverse property for addition		
29. associative property of multiplication		
30. identity property of multiplication		
31. inverse property of addition		
32. associative property of addition		
33. identity property for multiplication		
34 identity property for addition		
on identity property for addition		

- **35.** inverse property for multiplication
- 36. commutative property of multiplication
- 37. commutative, addition

89 89

Chapiter: EleReenhtaloym/algesbra

57. $\frac{5}{\frac{n}{2}}$

ISN**ChiapteentaRealgebra**bers

- **58.** 1
- **59.** Yes; the order does not affect the outcome so the process is commutative.
- **60.** No; the order affects the outcome, so the process is not commutative.
- **61.** Yes; the order does not affect the outcome so the process is commutative.
- **62.** No; the order affects the outcome, so the process is not commutative.
- **63.** No; the order affects the outcome, so the process is not commutative.
- **64.** No; the order affects the outcome, so the process is not commutative.
- **65.** Yes; the outcome is not affected by whether you do the first two items first or the last two first, so the process is associative.
- **66.** Yes; the outcome is not affected by whether you do the first two items first or the last two first, so the process is associative.

- **67.** No; the outcome is affected by whether you do the first two items first or the last two first, so the process is not associative.
- **68.** No; the outcome is affected by whether you do the first two items first or the last two first, so the process is not associative.
- **69.** No; the outcome is affected by whether you do the first two items first or the last two first, so the process is not associative.
- **70.** Yes; the outcome is not affected by whether you do the first two items first or the last two first, so the process is associative.
- **71.** In (3 + 4) + x = x + (3 + 4) the (3 + 4) is treated as one value.
- **72.** In $(3+4) \cdot x = x \cdot (3+4)$, the (3+4) is treated as one value.
- **73.** This illustrates the commutative property of addition because the change is 3 + 5 = 5 + 3.
- 74. This illustrates the commutative property of addition. The (3 + 5) is treated as one value and x is the other value.
- **75.** No; it illustrates the associative property of addition since the grouping is changed.
- **76.** In $(3+4) \cdot (5+6) = (5+6) \cdot (3+4)$, the (3+4)

is treated as one value and the (5+6) is treated as one value.

77.
$$2\frac{3}{5} + \frac{2}{3}$$

 $2\frac{3}{5} = \frac{13}{5} = \frac{3}{3} \cdot \frac{13}{5} = \frac{39}{15}$
 $\frac{2}{3} = \frac{2}{3} \cdot \frac{5}{5} = \frac{10}{15}$
 $2\frac{3}{5} + \frac{2}{3} = \frac{39}{15} + \frac{10}{15} = \frac{49}{15} \text{ or } 3\frac{4}{15}$

78.
$$3\frac{5}{8} - 2\frac{3}{16}$$

 $3\frac{5}{2} = \frac{29}{2} = \frac{2}{2} \cdot \frac{29}{29} = \frac{58}{29}$

79. 3

80. - ⁷₈

Review Exercises

$$1.8(30) - (24 + 31 + 17 + 49 + 53) = 240 - 174$$
$$= 66$$

66 hot dogs are left.

- 2. 1.07[1.07(500.00)] = 1.07[535] = 572.45In 2 years tuition for a course will cost \$572.45.
- **3. a.** 899.99 (.0825) = 74.25

The sales tax is \$74.25.

total cost = cost of laptop + sales tax total cost = 899.99 + 74.25

= 974.24The total cost of the laptop is \$974.24.

4.
$$[400+12(225)] - 3000 = [400+2700] - 3000$$

= 3100 - 3000

= 100

Dan can save \$100.

5. a. mean =
$$\frac{75 + 79 + 86 + 88 + 64}{5}$$

= $\frac{392}{5}$
= 78.4
The mean grade is 78.4.

b. 64, 75, 79, 86, 88 The middle number is 79. The median grade is 79.

6. a. mean =
$$\frac{21 + 3 + 17 + 10 + 9 + 6}{6} = \frac{66}{6} = 11$$

The mean is 11.

b. 3, 6, 9, 10, 17, 21 The middle numbers are 9 and 10. Their

average is
$$\frac{9+10}{2} = \frac{19}{2} = 9.5$$
. The median is 9.5.

CopyCigptr@120095201 5PbarBearEducEdiocation, Inc.

Chapiter: EleReentaumikieusbra

•		, ,
8	7.a.	29 minutes
16		
16	b	
16	_	
16	•	
16	3	
	4	
102.7	m	
Ŧ	1	
(-113)	n	
(11	
.9) =	u	
11.0	t	
-11.2	e	
	S	
	8. a.	900(0.25) = 225
		In 2006, there were 225
		Information
		mormanon

Technology majors.

- **b.** 1100(0.15) = 165In 2009, there were 165 Sports Administration majors. 9. $\frac{3}{5} \cdot \frac{5}{5} = \frac{3}{7} \cdot \frac{5}{7} = \frac{1 \cdot 1}{12} = \frac{1}{2}$ **10.** $3\frac{5}{7} + 2\frac{1}{3} = \frac{26}{7} + \frac{7}{2}$ $=\frac{26}{7}\cdot\frac{3}{3}+\frac{7}{3}\cdot\frac{7}{7}$ $=\frac{78}{21}+\frac{49}{21}$ $=\frac{78+49}{21}$ $=\frac{127}{21}$ or $6\frac{1}{21}$ 11. $\underline{\underline{=}}^{5} \div \quad \underline{5}_{.} \underbrace{5}_{-} \underbrace{5 \cdot 5}_{-} \underbrace{25}_{-} \underbrace{25}_{-}$ 12 5 12 3 12.3 36 12. $\frac{5}{1} + \frac{1}{2} = \frac{5}{1} + \frac{1}{2} = \frac{5}{1} + \frac{2}{2} = \frac{7}{1}$ or 1^{1} $6\quad 3\quad 6\quad 3\quad 2\quad 6\quad 6\quad 6$ 6 6 4 6 4 $=\frac{19}{6}\cdot\frac{2}{2}-\frac{5}{4}\cdot\frac{3}{3}$ $=\frac{38}{12}-\frac{15}{12}$ <u>38 – 15</u> 12 $=\frac{23}{12}$ or $1\frac{11}{12}$ **14.** $7\frac{3}{8} \div \frac{5}{12} = 7\frac{3}{8} \cdot \frac{12}{5}$ $\frac{59}{\cancel{2}} \frac{\cancel{2}}{\cancel{2}} \frac{\cancel{2}}{\cancel{2}}$ $=\frac{59\cdot 3}{2\cdot 5}$
- **18.** The set of rational numbers is the set of all numbers which can be expressed as the quotient of two integers, denominator not zero.
- 19. a. 3 and 426 are positive integers.
 - **b.** 3, 0, and 426 are whole numbers.
 - **c.** 3, -5, -12, 0, and 426 are integers.

d. 3, -5, -12, 0, $\frac{1}{2}$, -0.62, 426, and -3 $\frac{1}{4}$ are rational numbers.

e. $\sqrt{7}$ is an irrational number.

f. 3, -5, -12, 0,
$$\frac{1}{2}$$
, -0.62, $\sqrt{7}$, 426, and -3 $\frac{1}{4}$

- are real numbers.
- 20. a. 1 is a natural number.
 - **b.** 1 is a whole number.
 - c. -8 and -9 are negative numbers.
 - **d.** -8, -9, and 1 are integers.

e. -2.3, -8, -9,
$$1^{1}_{\frac{2}{2}}$$
 1, and $-^{3}_{\frac{1}{2}}$ rational

numbers.

f. $\sqrt{2}, -\sqrt{2}$ are irrational numbers.

g. -2.3, -8, -9,
$$1\frac{1}{2}$$
, $\sqrt{2}$, -2,-1, and - $\frac{3}{17}$ are 17 real numbers.

- **21.** -7 < -5; -7 is to the left of -5 on a number line.
- **22.** -2.6 > -3.6; -2.6 is to the right of -3.6 on a number line.
- **23.** 0.50 < 0.509; 0.50 is to the left 0.509 on a number line.

24. $-5 \le -\frac{11}{...} - \frac{5}{...}$ is to the left of $-\frac{11}{...}$ on a = $\frac{177}{...}$ or $17\frac{...}{...}$

93 93

CopyCigntyr@1200952001 PbgrBearsdacEdiocationa, Inc.
Chapiter: EleReentitatum/kalegesbra

- **15.** The natural numbers are {1, 2, 3, ...}.
- **16.** The whole numbers are $\{0, 1, 2, 3, ...\}$.
- **17.** The integers are {..., -3, -2, -1, 0, 1, 2, 3, ...}.

15

6 15 6 number line.

- **25.** -6.3 < -6.03; -6.3 is to the left of -6.03 on a number line.
- **26.** 5 > |-3| since -3 equals 3.

27.
$$-\begin{vmatrix} 9 \\ = \\ 2 \end{vmatrix} - 4.5$$
 since $-9 = \frac{4.5}{2} = 4.5 = 4.5$.

- **28.** -|-3| < -(-3) since -|+3| equals -3 and -(-3)equals 3. **29.** -9 + (5) = -14**30.** -6 + 6 = 0**31.** 0 + (-3) = -3**32.** -10 + 4 = -6**33.** -8-(-2) = -8+2 = -6**34.** -2 - (-4) = -2 + 4 = 2**35.** 4 - (-4) = 4 + 4 = 8**36.** 12 - 12 = 12 + (-12) = 0**37.** 2-7=2+(-7)=-5**38.** 7 - (-7) = 7 + 7 = 14**39.** 0 - (-4) = 0 + 4 = 4**40.** -7-5 = -7 + (-5) = -12**41.** ${}^4 _ {}^3 _ {}^{16} _ {}^9 _ {}^16 _ {}^9 _ {}^16 _ {}^9 _ {}^7$ 3 4 12 12 12 12 **42.** $\frac{1}{2} + \frac{3}{5} = \frac{5}{10} + \frac{6}{10} = \frac{5+6}{10} = \frac{11}{10} \text{ or } \frac{1}{10}$ 10 **43.** $\frac{5}{9} - \frac{3}{4} = \frac{20}{36} - \frac{27}{36} = \frac{20 - 27}{36} = -\frac{7}{36}$ **44.** $-\frac{5}{7} + \frac{3}{8} = -\frac{40}{56} + \frac{21}{56} = \frac{-40 + 21}{56} = -\frac{19}{56}$ **45.** $-\frac{5}{12} - \frac{5}{6} - \frac{5}{12} - \frac{10}{12} - \frac{5}{12} - \frac{10}{12}$ $=-\frac{15}{12}=-\frac{5}{4}$ or $-1\frac{1}{4}$ **46.** $-\frac{6}{7} + \frac{5}{12} = -\frac{72}{84} + \frac{35}{84} = \frac{-72 + 35}{84} = -\frac{37}{84}$ **47.** $\frac{2}{2}$ $\frac{-3}{20}$ $\frac{20}{27}$ $\frac{20}{20}$ $\frac{-27}{20}$ $\frac{-7}{20}$
- **52.** -2 + (-3) 2 = -5 2 = -7

53.
$$17 - (+4) - (-3) = 17 - 4 + 3 = 13 + 3 = 16$$

- 54. 6 (-2) + 3 = 6 + 2 + 3 = 8 + 3 = 11
- 55. Since the numbers have unlike signs, the product is negative; 7(-9) = -63
- 56. Since the numbers have like signs, the product is positive; (-8.2)(-3.1) = 25.42
- 57. Since there are an odd number (3) of negatives the product is negative; (-4)(-5)(-6) = (20)(-6) = -120

58.
$$(3)(-2) = 3(-2) = -6 = -6$$

- **60.** $\left(\frac{-5}{8}\right)\left(\frac{-3}{7}\right) = \frac{(-5)(-3)}{8 \cdot 7} = \frac{15}{56}$
- 61. Zero multiplied by any real number is zero. $0 \cdot \frac{4}{2} = 0$
 - g
- 62. Since there are four negative numbers (an even number), the product is positive. (-4)(-6)(-2)(-3) = (24)(-2)(-3)
 - =(-48)(-3)=144
- 63. Since the numbers have unlike signs, the quotient is negative. $45 \div (-3) = \frac{45}{2} = -15$
- 64. Since the numbers have unlike signs, the quotient is negative. $12 \div (-2) = \frac{12}{-2} = -6$
- 65. Since the numbers have unlike signs, the quotient is negative; -14.72 \div 4.6 = $\frac{-14.72}{-14.72}$ = -3.2

4.6

66. Since the numbers have like signs, the quotient is

1

CopyCiophtr@120095261/PearBearEducEdiocation. Inc.

Chapitel: EleRmeantaluymkologuesora

49. 9 – 4 + 9 = 5 + 9 = 14											

positive: $-37.41 \div (-8.7) = 4.3$

67. Since the numbers have like signs, the quotient is positive: $-88 \div (-11) = 8$

68.
$$-4 \div \left(\frac{-4}{9}\right) = \frac{-4}{1} \cdot \frac{9}{-4} = \frac{-1}{1} \cdot \frac{9}{-4} = \frac{-9}{-4} = 9$$

69.
$$\frac{28}{-3} \cdot \left(\frac{9}{-2}\right) = \frac{28}{-3} \cdot \left(\frac{12}{-3}\right) + \frac{-56}{9} = \frac{56}{-56} \text{ or } 2^2 - \frac{14}{-3} - \frac{14}{9} + \frac{5}{-27} + \frac{14}{27} + \frac{5}{27} + \frac{14}{-6} + \frac{5}{-6} + \frac{5}{-6$$

71. Zero divided by any nonzero number is zero; $0 \div 5 = \frac{0}{2} = 0$

- 72. Zero divided by any nonzero number is zero; $0 \div (-6) = \frac{0}{-6} = 0$ -6
- 73. Any real number divided by zero is undefined; $-12 \div 0 = \frac{-12}{0}$ is undefined.
- 74. Any real number divided by zero is undefined;

$$-4 \div 0 = \frac{-4}{1}$$
 is undefined.

0

- **75.** Any real number divided by zero is undefined; $\frac{8.3}{0}$ is undefined
- 76. Zero divided by any nonzero number is zero;

$$\frac{0}{-9.8} = 0$$

77. -5(3-8) = -5(-5) = 25**78.** 2(4-8) = 2(-4) = -8

84.
$$9[3+(-4)]+5=9(-1)+5=-9+5=-4$$

85. $-4(-3)+[4\div(-2)]=(12)+(-2)=10$
86. $(-3\cdot4)\div(-2\cdot6)=-12\div(-12)=1$
87. $(-3)(-4)+6-3=12+6-3=18-3=15$

88.
$$[-2(3)+6]-4=[-6+6]-4=0-4=-4$$

89. $-6_2 = -(6)(6) = -36$

90.
$$(-6)^2 = (-6)(-6) = 36$$

91.
$$2_4 = (2)(2)(2)(2) = 16$$

92.
$$(-3)^3 = (-3)(-3)(-3) = -27$$

93.
$$(-1)_9 = (-1)(-1)(-1)(-1)(-1)(-1)(-1)(-1)(-1)$$

= -1

94.
$$(-2)^5 = (-2)(-2)(-2)(-2)(-2) = -32$$

95.
$$\left(\frac{-4}{2}\right)^{2} = \left(\frac{-4}{2}\right)\left(\frac{-4}{2}\right) = 16$$

 $\left(5\right) \left(5\right) \left(5\right) = 25$
 $\left(2\right)^{3} \left(2\right)\left(2\right)\left(2\right) = 8$
96. $\left(5\right)^{2} = \left(\frac{5}{2}\right)\left|\frac{1}{2}5\right| = \frac{125}{125}$
97. $5^{3} \cdot (-2)^{2} = (5)(5)(5)(-2)(-2) = 500$
98. $\left(-2\right)^{4} \left(\frac{1}{2}\right)^{2} = (-2)(-2)(-2)(-2)\left(\frac{1}{2}\right)\left|\frac{1}{2}\right| = 4$
 $\left(1\right) \left(1\right)$
99. $\left(\frac{2}{1-2}\right)^{2} \cdot 3_{3} = \left(-\frac{2}{1-2}\right)\left(-\frac{2}{1-2}\right)\left(3\right)(3)(3) = 12$
 $\left(3\right) \left(3\right) \left(3\right)$
100. $\left(-4\right)^{3} \left(-2\right)^{2} = (-4)(-4)(-4)(-2)(-2) = -256$

97 97

CopyCingstytr@1200952101/ 5PbparBearEducEdiocration., Inc.

Chapitel: EleReenhildum/kolepesbra

ISNCHapteentaRealgebrabers

79.
$$(3-6) + 4 = -3 + 4 = 1$$

80. $(-4+3) - (2-6) = (-1) - (-4) = -1 + 4 = 3$
81. $[6+3(-2)] - 6 = [6+(-6)] - 6 = 0 - 6 = -6$

82.
$$(-5-3)(4) = (-5+(-3))(4) = (-8)(4) = -32$$

83. [12+(-4)]+(6-8)=8+(-2)=6

101.
$$45 \div 15 \cdot 3 = 3 \cdot 3 = 9$$

102. $-5 + 7 \cdot 3 = -5 + 21 = 16$
103. $(3.7 - 4.1)^2 + 6.2 = (-0.4)^2 + 6.2$
 $= 0.16 + 6.2$
 $= 6.36$

104.
$$10 - 36 \div 4 \cdot 3 = 10 - 9 \cdot 3 = 10 - 27 = -17$$

105. $6 - 3_2 \cdot 5 = 6 - 9 \cdot 5 = 6 - 45 = -39$
106. $[6.9 - (3 \cdot 5)] + 5.8 = [6.9 - 15] + 5.8$
 $= -8.1 + 5.8$
 $= -2.3$
107. $\frac{6_2 - 4 \cdot 3_2}{-[6 - (3 - 4)]} = \frac{36 - 4 \cdot 9}{-[6 - (-1)]}$
 $= \frac{36 - 36}{-7}$
 $= \frac{-7}{-7}$
 $= 0$

108.
$$\frac{4+5_2\div 5}{6-(-3+2)} = \frac{4+25\div 5}{6-(-1)} = \frac{4+5}{7} = \frac{9}{7} \text{ or } \frac{2}{7}$$

109.
$$3[9(4_2 + 3)] \cdot 2 = 3[9 - (16 + 3)] \cdot 2$$

= $3[9 - 19] \cdot 2$
= $3 \cdot (-10) \cdot 2$
= $-30 \cdot 2$
= -60

110.
$$(-32 + 42) + (32 \div 3) = (-9 + 16) + (9 \div 3)$$

= (7) + (3)
= 10

111.
$$2_3 \div 4 + 6 \cdot 3 = 8 \div 4 + 6 \cdot 3 = 2 + 18 = 20$$

112. $(4 \div 2)_4 + 4_2 \div 2_2 = (2)_4 + 16 \div 4$
 $= 16 + 16 \div 4$

$$= 16 + 4$$

 $= 20$

113.
$$(8-2^2)^2 - 4 \cdot 3 + 10 = (8-4)^2 - 4 \cdot 3 + 10$$

= $(4)_2 - 4 \cdot 3 + 10$
= $16 - 4 \cdot 3 + 10$
= $16 - 12 + 10$
= $4 + 10$
= 14

114.
$$4_3 \div 4_2 - 5(2 - 7) \div 5 = 64 \div 16 - 5(-5) \div 5$$

 $= 4 - (-25) \div 5$
 $= 4 - (-5)$
 $= 4 + 5$
 $= 9$
115. $-\left\{-4\left[27 \div 3^2 - 2(4 - 2)\right]\right\}$
 $= -\left\{-4\left[27 \div 9 - 2(2)\right]\right\}$
 $= -\left\{-4\left[3 - 4\right]\right\}$
 $= -\left\{-4\left[-1\right]\right\}$
 $= -\left\{4\right\}$
116. $2\left\{4^3 - 6\left[4 - (2 - 4)\right] - 3\right\}$
 $= 2\left\{64 - 6\left[4 - (2 - 4)\right] - 3\right\}$
 $= 2\left\{64 - 6\left[4 - (2 - 4)\right] - 3\right\}$
 $= 2\left\{64 - 6\left[4 - (2 - 2)\right] - 3\right\}$
 $= 2\left\{64 - 6\left[6\right] - 3\right\}$
 $= 2\left\{64 - 6\left[6\right] - 3\right\}$
 $= 2\left\{25\right\}$
 $= 50$
117. Substitute 4 for x;
 $3x - 7 = 3(4) - 7 = 12 - 7 = 5$
118. Substitute -5 for x;
 $6 - 4x = 6 - 4(-5) = 6 - (-20) = 6 + 20 = 26$
119. Substitute 6 for x;
 $2x_2 - 5x + 3 = 2(6)_2 - 5(6) + 3$
 $= 2(36) - 30 + 3$
 $= 72 - 30 + 3$
 $= 42 + 3$
 $= 45$

120. Substitute -1 for *y*; $5 y_2 + 3y - 2 = 5(-1)_2 + 3(-1) - 2$ = 5(1) - 3 - 2= 5 - 3 - 2= 2 - 2= 0**121.** Substitute -2 for *x*; $-x_2 + 2x - 3 = -(-2)_2 + 2(-2) - 3$ = -4 + (-4) - 3= -8 - 3= -11**122.** Substitute 2 for *x*; $-x_2 + 2x - 3 = -22 + 2(2) - 3$ = -4 + 4 - 3= 0 - 3= -3**123.** Substitute 1 for *x*: $-3x_2 - 5x + 5 = -3(1)_2 - 5(1) + 5$ =-3(1)-5+5= -3 - 5 + 5= -8 + 5= -3124 Substitute 2 for word 2 for

124. Substitute -3 for x and -2 for y;

$$-x_2 - 8x - 12y = -(-3)_2 - 8(-3) - 12(-2)$$

$$= -9 - (-24) + 24$$

$$= -9 + 24 + 24$$

$$= 15 + 24$$

$$= 39$$

125. a. 278 + (-493) = -215

- **b.** |-493| is greater than |278| so the sum should be (and is) negative.
- **126.a.** 324 (-29.6) = 324 + 29.6 = 353.6
 - **b.** The sum of two positive numbers is always positive. As expected, the answer is positive. a = -2.88

127. a.
$$6 = -2.8$$

b. Since the numbers have unlike signs, the quotient is negative, as expected.

128. a. (-62)(-1.9) = 117.8

b. Since the numbers have like signs, the product is positive, as expected.

129.a.
$$(-4)^8 = 65,536$$

b. A negative number raised to an even power is positive. As expected, the answer is positive.

130.a.
$$-(4.2)^3 = -74.088$$

- **b.** Since $(4.2)^3$ is positive, $-(4.2)^3$ should be (and is) negative.
- 131. associative property of addition
- 132. distributive property
- 133. commutative property of addition
- 134. commutative property of multiplication
- 135. associative property of multiplication
- 136. inverse property of multiplication
- 137. identity property of multiplication
- 138. inverse property of addition
- 139. identity property of addition
- 140. associative property of addition

Practice Test

- 1. a. 2(1.30) + 4.75 + 3(1.10)= 2.60 + 4.75 + 3.30 = 7.35 + 3.30 = 10.65 The bill is \$10.65 before tax.
 - **b.** 0.07(3.30) 0.23 The tax on the soda is \$0.23.
 - c. 10.65 + 0.23 = 10.88The total bill is \$10.88.
 - **d.** 50 10.88 = 39.12 Her change will be \$39.12.
- **2.** $\frac{1,600,000}{643,500} \approx 2.49$

The price was about 2.49 times greater in the twelfth year compared to the first year.

- **3.a.** About 13 thousand people listened to WRAB at this time.
 - **b.** During this specific time, half the time KFUN had more than 8.8 thousand listeners and half the time KFUN had less than 8.8 thousand listeners.
- **4. a.** 42 is a natural number.
 - **b.** 42 and 0 are whole numbers.
 - **c.** -6, 42, 0, -7, and -1 are integers. **d.** -6, 42, $-3^{\frac{1}{2}}$, 0, 6.52, $\frac{5}{2}$, -7, and -1 are rational 2 9

numbers.

e. $\sqrt{5}$ is an irrational number.

f. -6, 42, -3 $\stackrel{1}{-}$, 0, 6.52, $\sqrt{5}$, $\stackrel{5}{-}$, -7, and -1 are 2 9 real numbers.

- **5.** -9.9 < -9.09; -9.9 is to the left of -9.09 on a number line.
- 6. $-\beta > -2$ since $-3 \models 3$ and $-2 \neq 2 \mid$ 7. -7 + (-8) = -158. -6 - 5 = -6 + (-5) = -119. 15 - 12 - 17 = 3 - 17 = -1410. (-4 + 6) - 3(-2) = (2) - (-6) = 2 + 6 = 811. (-4)(-3)(2)(-1) = (12)(2)(-1) = (24)(-1) = -2412. $\left(\frac{-2}{9}\right) \div \left(\frac{-7}{8}\right) = \frac{-2}{9} \cdot \frac{8}{-7} = \frac{-16}{-63} \cdot \frac{16}{63}$ 13. $\left(-18 \cdot \frac{21}{24} \ddagger 3 = \mid -\frac{1}{-4} \cdot \frac{1}{\sqrt{2}} \mid \frac{1}{2} \Rightarrow 3$ $= \left(\frac{-9 \cdot 1}{1}\right) \div 3$ $= -9 \div 3$

15.
$$-6(-2-3) \div 5 \cdot 2 = -6(-5) \div 5 \cdot 2$$

 $= 30 \div 5 \cdot 2$
 $= 6 \cdot 2$
 $= 12$
5
16. $(-3)^{2} = (-3)^{2} (-3)^{$

- 18. Because x_2 will be positive for any real nonzero number, $-(x_2)$ or $-x_2$ will be negative.
- **19.** Substitute -3 for *x*; $5x^2 - 8 = 5(-3)^2 - 8 = 5(9) - 8 = 45 - 8 = 37$
- 20. Substitute -2 for each x; $-x_2 - 6x + 3 = -(-2)_2 - 6(-2) + 3$ = -4 - (-12) + 3 = -4 + 12 + 3 = 8 + 3= 11

Substitute 3 for x and -2 for y; $6x - 3y_2 + 4 = 6(3) - 3(-2)_2 + 4$ = 6(3) - 3(4) + 4= 18 - 12 + 4

= -3

CopyCiophyr@12005200/5PbarBearEducEducation, Inc.

Chapiter: EleReentitatum/kalegesbra

ISNChapteentaRealgebrabers

$$= 6 + 4$$

= 10
14. $-\frac{3}{8} - \frac{4}{7} = -\frac{21}{56} - \frac{32}{56} = \frac{-21 - 32}{56} = -\frac{53}{56}$

22. Substitute 1 for x and -2 for y; $-x_2 + xy + y_2 = -(1)_2 + (1)(-2) + (-2)_2$

$$= -1 + (-2) + 4$$

 $= -3 + 4$
 $= 1$

23. commutative property of addition

Chapitel: EleReenhildum/kolepesbra

- 24. distributive property
- **25.** associative property of addition

Chapter 2

Exercise Set 2.1

- **1.** In the expression 5x 3y + 17 2x, 17 is called a <u>constant</u> term.
- 2. When we apply the distributive property to -2(2x 3y 9), we obtain -4x + 6y + 18.
- 3. In the expression 5x 3y + 17 2x, 5x and -2x are called <u>like</u> terms.
- 4. In the expression 5x 3y + 17 2x, -3 is called the <u>coefficient</u> of the second term.
- 5. In the expression 5x 3y + 17 2x, 5x and -3y are called <u>unlike</u> terms.
- 6. In the expression 12x + 17, 12 and x are <u>factors</u> of the first term.
- 7. In the expression $4x^2 + 17x 90$, the parts $-4x^2$, 17x, and -90 are called terms.
- 8. In the expression 17x, x is called a <u>variable</u>.

9. 6x + 8x = 14x

- **10.** 4x 5x = -x
- **11.** There are no like terms. 3x + 6
- 12. There are no like terms. 4x + 3y

13.
$$y + 3 + 4 y = y + 4 y + 3$$

= 5 y + 3

14.
$$4x - 7x + 4 = -3x + 4$$

15. $\frac{3}{4} - \frac{6}{11} = \frac{33}{4} - \frac{24}{4} = \frac{9}{4}$
 $\frac{3}{4}a = \frac{6}{11}a = \frac{9}{44}a$

16.
$$\begin{array}{l} 3 - 2 = 21 - 8 = 13 \\ 4 - 7 = 28 - 28 = 28 \\ 3 \\ 4 - 7 = 28 \end{array}$$

17.
$$2t - 6x + 5t = -6x + 2t + 5t$$

20.
$$-8 y - 4 y - 7 = -12 y - 7$$

21. $-x + 2 - x - 2 = -x - x + 2 - 2$
 $= -2x$
22. $-3a + 4 + 3a - 13 = -3a + 3a + 4 - 13$
 $= -9$
23. $3 + 6x - 3 - 6x = 6x - 6x + 3 - 3 = 0$
24. $-5y + 7 - 7 + 5y = -5y + 5y + 7 - 7$
 $= 0$
25. $5 + 2t - 4t + 16 = 2t - 4t + 5 + 16$
 $= -2t + 21$
26. $7 + d - 13 - 5d = d - 5d + 7 - 13$
 $= -4d - 6$
27. $4p - 6 - 16p - 2 = 4p - 16p - 6 - 2$
 $= -12p - 8$
28. $-6t + 5 + 2t - 9 = -6t + 2t + 5 - 9$
 $= -4t - 4$
29. $3x_2 - 9y_2 + 7x_2 - 5 - y_2 - 2$
 $= 3x_2 + 7x_2 - 9y_2 - y_2 - 5 - 2$
 $= 10 y_2 - 10 y_2 - 7$
30. $-4x_2 - 6y - 3x_2 + 6 - y - 1$
 $= -4x_2 - 3x_2 - 6y - y + 6 - 1$
 $= -7x_2 - 7y + 5$

31.
$$-2x + 4x - 8 = 2x - 8$$

32. $4 - x + 4x - 8 = -x + 4x + 4 - 8$
 $= 3x - 4$
33. $b + 4 + \frac{3}{5} = b + \frac{20}{5} + \frac{3}{5}$

$$= b + \frac{3}{5}$$
34.
$$\frac{3}{4}y + 2 + y = \frac{3}{5}y + y + 2$$

$$= \frac{4}{5}y + \frac{4}{5}y + 2$$

59 59

CopyCiggbytr@1200952101/5PbgrrBearEducEdioccation., Inc.

=-6x+7t

Chapter 2: Solving Linear Equations and Inequalities

35. 5.1n + 6.42 - 4.3n = 5.1n - 4.3n + 6.42= 0.8n + 6.42

36.
$$-2.53c + 8.1 - 9.1c = -2.53c - 9.1c + 8.1$$

= $-11.63c + 8.1$

37. There are no like terms. $-\frac{2}{3}x + \frac{5}{9}y + \frac{1}{9}$

38. There are no like terms.

 $\frac{3}{4}p + \frac{1}{7}q + \frac{1}{4}$

- **39.** 13.4x + 1.2x + 8.3 = 14.6x + 8.3
- **40.** $-4x_2 3.1 5.2 = -4x_2 8.3$
- **41.** $-x_2 + 2x_2 + y = x_2 + y$
- **42.** $1 + x_2 + 6 3x_2 = x_2 3x_2 + 1 + 6$

$$= -2x^{2} + 7$$
43. $2x - 7y - 5x + 2y = 2x - 5x - 7y + 2y$
 $= -3x - 5y$
44. $3x - 7 - 9 + 4x = 3x + 4x - 7 - 9$

$$=7x - 16$$

- **45.** $4 3n^2 + 9 2n = -3n^2 2n + 4 + 9$ = $-3n^2 - 2n + 13$
- **46.** $-5x_2 + 1 3x_2 + x = -5x_2 3x_2 + x + 1$ = $-8x_2 + x + 1$
- **47.** -19.36 + 40.02x + 12.25 18.3x= 40.02x - 18.3x - 19.36 + 12.25= 21.72x - 7.11

48.
$$-3.4k + 13.01 - 1.09k - 17.3$$

= $-3.4k - 1.09k + 13.01 - 17.3$
= $-4.49k - 4.29$
49. $\frac{3}{5}x - 3 - \frac{7}{4}x - 2 = \frac{-3}{5}x - \frac{7}{4}x - 3 - 2$
= $\frac{12}{20}x - \frac{35}{20}x - 5$
= $-\frac{23}{20}x - 5$

ISM: Elementary Algebra

50.
$$\frac{1}{2}y - 4 + \frac{3}{4}x - \frac{1}{5}y = \frac{3}{4}x + \frac{1}{2}y - \frac{1}{5}y - 4$$

$$= \frac{3}{4}x + \frac{5}{10}y - \frac{2}{10}y - 4$$
$$= \frac{3}{4}x + \frac{3}{10}y - 4$$

51. There are no like terms. $5w_3 + 2w_2 + w + 3$

52. There are no like terms.

 $3m_3 - 7m_2 + 7m - 2$

- **53.** $2z 5z_3 2z_3 z_2 = -5z_3 2z_3 z_2 + 2z$ = $-7z_3 - z_2 + 2z$
- 54. $c_3 7 + 4c_2 2c_2 5c_3 = c_3 5c_3 + 4c_2 2c_2 7$ = $-4c_3 + 2c_2 - 7$

55.
$$2x_2 + 2x - 5x - 5 = 2x_2 - 3x - 5$$

56.
$$x^2 - 3xy - 2xy + 6 = x^2 - 5xy + 6$$

57.
$$2a_3 - 6a_2 + 2a + a_2 - 3a + 1$$

= $2a_3 - 6a_2 + a_2 + 2a - 3a + 1$
= $2a_3 - 5a_2 - a + 1$

58.
$$3b_3 - 3b_2 + 6b + 2b_2 - 2b + 4$$

= $3b_3 - 3b_2 + 2b_2 + 6b - 2b + 4$
= $3b_3 - b_2 + 4b + 4$

59.
$$5(x+2) = 5x + 5(2)$$

= $5x + 10$

60. 2(-y+5) = 2(-y) + 2(5)= -2y + 10

61.
$$5(x+4) = 5x + 5(4)$$

= $5x + 20$

62.
$$-2(y+8) = -2 y + (-2)(8)$$

= $-2 y + (-16)$
= $-2 y - 16$

63.
$$3(x-6) = 3x + 3(-6) = 3x - 18$$

64. $-2(x-4) = -2[x+(-4)]$

ISM: Elementary Algebra

Chapter 2: Solving Linear Equations and Inequalities = -2x + (-2)(-4)= -2x + 8 ISM: Elementary Algebra

65.
$$-\frac{1}{2}(2x-4) = -\frac{1}{2}[2x+(-4)] = -\frac{1}{2}(2x)+(-1)(-4)$$

$$= -\frac{1}{2}(2x)+(-1)(-4)$$

$$= -x+2$$

$$\frac{1}{2}(-1)$$
66.
$$-\frac{1}{3}(-6x+9) = -(-6x)+|-|(9)$$

$$= 2x+(-3)$$

$$= 2x+(-3)$$

$$= 2x+(-3)$$

$$= 2x+(-3)$$

$$= 2x+(-3)$$

$$= -4+x$$

$$= x-4$$
68.
$$-1(5-x) = -1[5+(-x)]$$

$$= -1(5)+(-1)(-x)$$

$$= -5+x$$
69.
$$\frac{4}{5}(s-5) = -\frac{4}{5}s - \frac{4}{5}(5)$$

$$= -\frac{4}{5}s - 4$$
70.
$$-\frac{2}{3}(x-6) = -\frac{2}{2}[x+(-6)]$$

$$= -\frac{2}{3}(x-6) = -\frac{2}{2}[x+(-6)]$$

$$= -\frac{3}{2}(-3)$$
71.
$$-0.3(3x2+5) = -0.3(3x2) + (-0.3)(5)$$

$$= -0.9x2 + (-1.5)$$

$$= -1.2x + 0.8$$
73. $-(3r-12) = -(3r) + |-|(-12)|$

$$= -r + 4$$

$$= 74.$$

Chapter 2: Solving Linear Equations and Inequalities

75.
$$0.7 (2x + 0.5) = 0.7 (2 x) + 0.7 (0.5)$$

 $= 1.4x + 0.35$
76. $-0.3(5x-0.9) = -0.3[5x + (-0.9)]$
 $= -1.5x + (-0.3)(-0.9)$
 $= -1.5x + 2.7$
77. $-(-x + y) = -1(-x + y)$
 $= -1(-x) + (-1)(y)$
 $= x + (-y)$
 $= x - y$
78. $-(-p-q) = -1[(-p) + (-q)]$
 $= -1(-p) + (-1)(-q)$
 $= p + q$
79. $-(2x + 4y - 8) = -1[2x + 4y + (-8)]$
 $= -1(2x) + (-1)(4y) + (-1)(-8)$
 $= -2x - 4y + 8$
 $= -2x - 4y + 8$
80. $-3(2a + 3b - 7) = -3[(2a) + (3b) + (-7)]$
 $= -3(2a) + (-3) (3b) + (-3) (-7)$
81. $1.1(3.1x - 5.2y + 2.8)$
 $= 1.1[3.1x + (-5.2y) + 2.8]$
 $= (1.1)(3.1x) + (1.1)(-5.2y) + (1.1)(2.8)$
 $= 3.41x + (-5.72y) + 3.08$
82. $-4(-2m - 3n + 8) = -4[(-2m) + (-3n) + 8]$
 $= -4(2m) + (-4) (-3n) + (-4)(8)$
 $= 8m + 12n - 32$
83. $(2x - 9y)5 = (2x)5 + (-9y)5$
 $= 10x - 45y$

84. (8b - 1)7 = (8b)7 + (-1)7 $-\frac{5}{5}$

63 63

CopyCiggbytr@12000521byt 5Pbgr/Bear/Eductationcation., Inc.

 $\left(\begin{array}{c} 2x\\ \hline 18 \end{array}\right)$

 $\begin{bmatrix} 12x + (-18) \end{bmatrix} 6^{=56b - 7}$

$$= -\frac{5}{(12x)} + \left(-\frac{5}{(-18)}\right)$$

$$\frac{6}{6} - \left(\frac{6}{6}\right)$$

= -10x + 15

85.
$$(r+3s-19) = 1[r+3s+(-19)] = 1(r) + 1(3s) + (1)(-19)$$

$$= r + 3s + (-19) = r + 3s - 19$$

86. There are no like terms.
$$-p + 2q - 3$$