

Test Bank for Chemistry The Molecular Nature of Matter and
Change 7th Edition by Silberberg ISBN 007351117X
9780073511177

Full link download:

Test Bank:

<https://testbankpack.com/p/test-bank-for-chemistry-the-molecular-nature-of-matter-and-change-7th-edition-by-silberberg-isbn-007351117x-9780073511177/>

Solution Manual:

<https://testbankpack.com/p/solution-manual-for-chemistry-the-molecular-nature-of-matter-and-change-7th-edition-by-silberberg-isbn-007351117x-9780073511177/>

Chapter 2: The Components of Matter

1. Kaolinite, a clay mineral with the formula $\text{Al}_4\text{Si}_4\text{O}_{10}(\text{OH})_8$, is used as a filler in slick-paper for magazines and as a raw material for ceramics. Analysis shows that 14.35 g of kaolinite contains 8.009 g of oxygen. Calculate the mass percent of oxygen in kaolinite.
- A) 1.792 mass % D) 34.12 mass %
B) 24.80 mass % E) 55.81 mass %
C) 30.81 mass %

Ans: E Difficulty: M

2. Compound 1 has a composition of 46.7 mass % of element A and 53.3 mass % of element B. A and B also form a second binary compound (compound 2). If the compositions of the two compounds are consistent with the law of multiple proportions, which of the following compositions could be that of compound 2?

A) 23.4 mass % A 76.6 mass % B D) 53.3 mass % A 46.7 mass % B
B) 30.4 mass % A 69.6 mass % B E) 73.3 mass % A 26.7 mass % B
C) 33.3 mass % A 66.7 mass % B

Ans: B Difficulty: M

3. What are the approximate carbon:hydrogen mass ratios in methane (CH_4) and ethyne (C_2H_2)?

A) 1:4 and 1:1 D) 3:2 and 12:1
B) 3:2 and 6:1 E) 3:1 and 6:1
C) 3:1 and 12:1

Ans: C Difficulty: M

4. J. J. Thomson studied cathode ray particles (electrons) and was able to measure the mass/charge ratio. His results showed that

A) the mass/charge ratio varied with as the cathode material was changed.
B) the charge was always a whole-number multiple of some minimum charge.

- C) matter included particles much smaller than the atom.
- D) atoms contained dense areas of positive charge.
- E) atoms are largely empty space.

Ans: C Difficulty: E

5. Who is credited with measuring the mass/charge ratio of the electron?

A) Dalton B) Gay-Lussac C) Thomson D) Millikan E) Rutherford

Ans: C Difficulty: E

6. Who is credited with first measuring the charge of the electron?

A) Dalton B) Gay-Lussac C) Thomson D) Millikan E) Rutherford

Ans: D Difficulty: E

7. Millikan's oil-drop experiment
- A) established the charge on an electron.
 - B) showed that all oil drops carried the same charge.
 - C) provided support for the nuclear model of the atom.
 - D) suggested that some oil drops carried fractional numbers of electrons.
 - E) suggested the presence of a neutral particle in the atom.
- Ans: A Difficulty: E
8. In a Millikan oil-drop experiment, the charges on several different oil drops were as follows: -5.92 ; -4.44 ; -2.96 ; -8.88 . The units are arbitrary. What is the likely value of the electronic charge in these arbitrary units?
- A) -1.11
 - B) -1.48
 - C) -2.22
 - D) -2.96
 - E) -5.55
- Ans: B Difficulty: M
9. Who is credited with discovering the atomic nucleus?
- A) Dalton
 - B) Gay-Lussac
 - C) Thomson
 - D) Millikan
 - E) Rutherford
- Ans: E Difficulty: E
10. Rutherford bombarded gold foil with alpha (α) particles and found that a small percentage of the particles were deflected. Which of the following was not accounted for by the model he proposed for the structure of atoms?
- A) the small size of the nucleus
 - B) the charge on the nucleus
 - C) the total mass of the atom
 - D) the existence of protons
 - E) the presence of electrons outside the nucleus
- Ans: C Difficulty: M
11. Which one of the following statements about atoms and subatomic particles is correct?
- A) Rutherford discovered the atomic nucleus by bombarding gold foil with electrons.
 - B) The proton and the neutron have identical masses.
 - C) The neutron's mass is equal to that of a proton plus an electron.
 - D) A neutral atom contains equal numbers of protons and electrons.
 - E) An atomic nucleus contains equal numbers of protons and neutrons.
- Ans: D Difficulty: M
12. The chemical symbol for potassium is
- A) P.
 - B) Po.
 - C) Pt.
 - D) Pm.
 - E) K.
- Ans: E Difficulty: E
13. Which of the following symbols does not represent an element?
- A) O_2
 - B) Co
 - C) HF
 - D) Cs
 - E) Xe
- Ans: C Difficulty: E

14. When an atom is represented by the symbol ${}^A_Z X$, the value of A is the
- number of neutrons in the atom.
 - number of protons in the atom.
 - atomic mass of the element.
 - total number of electrons and neutrons in the atom.
 - total number of protons and neutrons in the atom.
- Ans: E Difficulty: E
15. An isotope of which of the following elements is chosen as a standard in measuring atomic mass?
- carbon
 - oxygen
 - hydrogen
 - neon
 - helium
- Ans: A Difficulty: E
16. One amu is defined as
- the mass of a proton.
 - 1/12 the mass of an atom of ${}^{12}\text{C}$.
 - the mass of an atom of ${}^1\text{H}$.
 - 1/20 the mass of an atom of ${}^{20}\text{Ne}$.
 - 1/16 the mass of an atom of ${}^{16}\text{O}$.
- Ans: B Difficulty: E
17. Bromine is the only nonmetal that is a liquid at room temperature. Consider the isotope bromine-81, ${}^{81}_{35}\text{Br}$. Select the combination which lists the correct atomic number, neutron number, and mass number, respectively.
- 35, 46, 81
 - 35, 81, 46
 - 81, 46, 35
 - 46, 81, 35
 - 35, 81, 116
- Ans: A Difficulty: E
18. Atoms X, Y, Z, and R have the following nuclear compositions:
- $${}^{410}_{186}\text{X} \quad {}^{410}_{183}\text{Y} \quad {}^{412}_{186}\text{Z} \quad {}^{412}_{185}\text{R}$$
- Which two are isotopes?
- X & Y
 - X & R
 - Y & R
 - Z & R
 - X & Z
- Ans: E Difficulty: E
19. Lithium forms compounds which are used in dry cells and storage batteries and in high-temperature lubricants. It has two naturally occurring isotopes, ${}^6\text{Li}$ (isotopic mass = 6.015121 amu) and ${}^7\text{Li}$ (isotopic mass = 7.016003 amu). Lithium has an atomic mass of 6.9409 amu. What is the percent abundance of lithium-6?
- 92.50%
 - 86.66%
 - 46.16%
 - 7.503%
 - 6.080%
- Ans: D Difficulty: H

20. Silicon, which makes up about 25% of Earth's crust by mass, is used widely in the modern electronics industry. It has three naturally occurring isotopes, ^{28}Si , ^{29}Si , and ^{30}Si . Calculate the atomic mass of silicon.

<u>Isotope</u>	<u>Isotopic Mass (amu)</u>	<u>Abundance %</u>
^{28}Si	27.976927	92.23
^{29}Si	28.976495	4.67
^{30}Si	29.973770	3.10

A) 29.2252 amu D) 28.0855 amu
B) 28.9757 amu E) 27.9801 amu
C) 28.7260 amu

Ans: D Difficulty: M

21. Bromine has two naturally-occurring isotopes. ^{79}Br has a mass of 78.9 amu and accounts for 50.3% of bromine atoms. If the atomic mass of bromine is 79.9 amu, what is the mass of an atom of the second bromine isotope?

A) 77.9 amu B) 80.0 amu C) 80.1 amu D) 80.9 amu E) 88.9 amu

Ans: D Difficulty: M

22. In the modern periodic table, the order in which the elements are placed is based on

A) atomic mass. D) atomic size.
B) mass number. E) chemical reactivity.
C) atomic number.

Ans: C Difficulty: E

23. Which of the following elements are the least reactive?

A) alkali metals D) alkaline earth metals
B) noble gases E) metalloids
C) halogens

Ans: B Difficulty: E

24. Which of the following is a non-metal?

A) lithium, Li, $Z = 3$ D) bismuth, Bi, $Z = 83$
B) bromine, Br, $Z = 35$ E) sodium, Na, $Z = 11$
C) mercury, Hg, $Z = 80$

Ans: B Difficulty: E

25. Which of the following is a metal?

A) nitrogen, N, $Z = 7$ D) thallium, Tl, $Z = 81$
B) phosphorus, P, $Z = 15$ E) silicon, Si, $Z = 14$
C) arsenic, $Z = 33$

Ans: D Difficulty: M

26. Which of the following is a metalloid?
- A) carbon, C, $Z = 6$ D) iridium, $Z = 77$
 B) sulfur, S, $Z = 16$ E) bromine, Br, $Z = 35$
 C) germanium, Ge, $Z = 32$
- Ans: C Difficulty: M
27. Which one of the following groups does not contain any metals?
- A) C, S, As, H D) Xe, Hg, Ge, O
 B) Cu, P, Se, Kr E) Cl, Al, Si, Ar
 C) N, Ne, Nd, Np
- Ans: A Difficulty: M
28. A column of the periodic table is called a
- A) group. B) period. C) isotopic mixture. D) pillar. E) shell.
- Ans: A Difficulty: E
29. A row of the periodic table is called a
- A) group. B) period. C) isotopic mixture. D) family. E) subshell.
- Ans: B Difficulty: E
30. What is the chemical symbol for the group 6A (16) element that lies in period 4?
- A) Cr B) Hf C) W D) Ti E) Se
- Ans: E Difficulty: M
31. Which of the following compounds is ionic?
- A) PF_3 B) CS_2 C) HCl D) SO_2 E) MgCl_2
- Ans: E Difficulty: M
32. After an atom has lost an electron it becomes a/an _____ and has a _____ charge.
- A) anion, positive D) cation, positive
 B) isotope, negative E) nucleus, positive
 C) anion, negative
- Ans: D Difficulty: E
33. Which of the following ions occurs commonly?
- A) N^{3+} B) S^{6+} C) O^{2-} D) Ca^+ E) Cl^+
- Ans: C Difficulty: E
34. Which of the following ions occurs commonly?
- A) P^{3+} B) Br^{7+} C) O^{6+} D) Ca^{2+} E) K^-
- Ans: D Difficulty: E
35. Which of the following compounds is covalent?
- A) CaCl_2 B) MgO C) Al_2O_3 D) Cs_2S E) PCl_3
- Ans: E Difficulty: M

36. Select the incorrect statement about elements and compounds.
- A) All ionic compounds are neutral.
 - B) Some elements exist as molecules.
 - C) The bonding in compounds may be covalent or ionic.
 - D) The molecular formula of a compound provides more information than the structural formula.
 - E) Among the elements, there are more metals than non-metals.
- Ans: D Difficulty: M
37. Which, if any, of the following elements do not occur in the major classes of organic compounds?
- A) H
 - B) C
 - C) N
 - D) O
 - E) All the above elements occur in the major classes of organic compounds.
- Ans: E Difficulty: M
38. Which of the following is the empirical formula for hexane, C_6H_{14} ?
- A) $C_{12}H_{28}$
 - B) C_6H_{14}
 - C) C_3H_7
 - D) $CH_{2.3}$
 - E) $C_{0.43}H$
- Ans: C Difficulty: E
39. Sodium oxide combines violently with water. Which of the following gives the formula and the bonding for sodium oxide?
- A) NaO , ionic compound
 - B) NaO , covalent compound
 - C) Na_2O , ionic compound
 - D) Na_2O , covalent compound
 - E) Na_2O_2 , ionic compound
- Ans: C Difficulty: E
40. Barium fluoride is used in embalming and in glass manufacturing. Which of the following gives the formula and bonding for barium fluoride?
- A) BaF_2 , ionic compound
 - B) BaF_2 , covalent compound
 - C) BaF , ionic compound
 - D) BaF , covalent compound
 - E) Ba_2F , ionic compound
- Ans: A Difficulty: E
41. The colorless substance, MgF_2 , is used in the ceramics and glass industry. What is its name?
- A) magnesium difluoride
 - B) magnesium fluoride
 - C) magnesium(II) fluoride
 - D) monomagnesium difluoride
 - E) none of the above, since they are all misspelled
- Ans: B Difficulty: M

42. The compound, BaO, absorbs water and carbon dioxide readily and is used to dry gases and organic solvents. What is its name?
A) barium oxide
B) barium(II) oxide
C) barium monoxide
D) baric oxide
E) barium peroxide
Ans: A Difficulty: M
43. What is the name of Na₂O?
A) disodium monoxide
B) sodium monoxide
C) sodium dioxide
D) sodium(I) oxide
E) sodium oxide
Ans: E Difficulty: M
44. The substance, CaSe, is used in materials which are electron emitters. What is its name?
A) calcium monoselenide
B) calcium(II) selenide
C) calcium selenide
D) calcium(I) selenide
E) calcium(II) selenium
Ans: C Difficulty: M
45. The substance, CoCl₂, is useful as a humidity indicator because it changes from pale blue to pink as it gains water from moist air. What is its name?
A) cobalt dichloride
B) cobalt(II) chloride
C) cobalt chloride
D) cobaltic chloride
E) copper(II) chloride
Ans: B Difficulty: M
46. In the ionic compound with the general formula M₂X₃, the likely charge on X is
A) +1. B) +3. C) -1. D) -2. E) -3.
Ans: D Difficulty: M
47. Which one of the following combinations of names and formulas of ions is incorrect?
A) O₂⁻ oxide
B) Al³⁺ aluminum
C) NO₃⁻ nitrate
D) PO₄³⁻ phosphate
E) CrO₄²⁻ chromate
Ans: A Difficulty: H
48. Which one of the following is a polyatomic cation?
A) nitrate
B) chromate
C) permanganate
D) hydronium
E) potassium
Ans: D Difficulty: M

49. Which one of the following combinations of names and formulas of ions is incorrect?
 A) O^{2-} oxide D) HCO_3^- hydrogen carbonate
 B) Cd^{2+} cadmium E) NO_2^- nitrate
 C) ClO_3^- chlorate
 Ans: E Difficulty: H
50. Which one of the following combinations of names and formulas of ions is incorrect?
 A) Ba^{2+} barium D) ClO_4^- perchlorate
 B) S^{2-} sulfate E) HCO_3^- bicarbonate
 C) CN^- cyanide
 Ans: B Difficulty: M
51. Which one of the following combinations of names and formulas of ions is incorrect?
 A) NH_4^+ ammonium D) $S_2O_3^{2-}$ thiosulfate
 B) S^{2-} sulfide E) ClO_3^- perchlorate
 C) CN^- cyanide
 Ans: E Difficulty: H
52. A red glaze on porcelain can be produced by using $MnSO_4$. What is its name?
 A) manganese disulfate D) manganese sulfate
 B) manganese(II) sulfate E) manganese(I) sulfate
 C) manganese(IV) sulfate
 Ans: B Difficulty: M
53. The compound, $(NH_4)_2S$, can be used in analysis for trace amounts of metals present in a sample. What is its name?
 A) ammonium sulfide D) ammonia(I) sulfite
 B) diammonium sulfide E) ammonium(I) sulfide
 C) ammonium sulfite
 Ans: A Difficulty: M
54. The substance, $KClO_3$, is a strong oxidizer used in explosives, fireworks, and matches. What is its name?
 A) potassium chlorite D) potassium(I) chlorate
 B) potassium chloride E) potassium chlorate
 C) potassium(I) chlorite
 Ans: E Difficulty: M
55. The compound, NaH_2PO_4 , is present in many baking powders. What is its name?
 A) sodium biphosphate D) sodium hydrophosphate
 B) sodium hydrogen phosphate E) sodium dihydride phosphate
 C) sodium dihydrogen phosphate
 Ans: C Difficulty: M

56. Zinc acetate is used in preserving wood and in manufacturing glazes for porcelain. What is its formula?
 A) ZnAc_2 D) $\text{Zn}_2\text{CH}_3\text{COO}$
 B) ZnCH_3COO E) $\text{ZnCH}_3\text{COCH}_3$
 C) $\text{Zn}(\text{CH}_3\text{COO})_2$
 Ans: C Difficulty: M
57. Silver chloride is used in photographic emulsions. What is its formula?
 A) Ag_2Cl_3 B) Ag_2Cl C) AgCl_3 D) AgCl_2 E) AgCl
 Ans: E Difficulty: E
58. Barium sulfate is used in manufacturing photographic paper. What is its formula?
 A) BaSO_4 B) $\text{Ba}(\text{SO}_4)_2$ C) Ba_2SO_4 D) $\text{Ba}_2(\text{SO}_4)_3$ E) BaSO_3
 Ans: A Difficulty: M
59. Sodium peroxide is an oxidizer used to bleach animal and vegetable fibers. What is its formula?
 A) NaO B) NaO_2 C) Na_2O_2 D) Na_2O E) NaH_2O_2
 Ans: C Difficulty: M
60. What is the formula for magnesium sulfide?
 A) MgS B) MgS_2 C) Mg_2S D) Mg_2S_3 E) MgSO_4
 Ans: A Difficulty: E
61. Ferric oxide is used as a pigment in metal polishing. Which of the following is its formula?
 A) FeO B) Fe_2O C) FeO_3 D) Fe_2O_5 E) Fe_2O_3
 Ans: E Difficulty: E
62. What is the formula for lead (II) oxide?
 A) PbO B) PbO_2 C) Pb_2O D) PbO_4 E) Pb_2O_3
 Ans: A Difficulty: E
63. Potassium permanganate is a strong oxidizer that reacts explosively with easily oxidized materials. What is its formula?
 A) KMnO_3 B) KMnO_4 C) K_2MnO_4 D) $\text{K}(\text{MnO}_4)_2$ E) $\text{K}_2\text{Mn}_2\text{O}_7$
 Ans: B Difficulty: M
64. Calcium hydroxide is used in mortar, plaster, and cement. What is its formula?
 A) CaOH B) CaOH_2 C) Ca_2OH D) $\text{Ca}(\text{OH})_2$ E) CaHO_2
 Ans: D Difficulty: E
65. What is the formula for lithium nitrite?
 A) LiNO_2 B) Li_2NO_2 C) LiNO_3 D) Li_2NO_3 E) LiNO_4
 Ans: A Difficulty: E

66. Iron (III) chloride hexahydrate is used as a coagulant for sewage and industrial wastes. What is its formula?
- | | |
|--|---|
| A) $\text{Fe}(\text{Cl}\cdot 6\text{H}_2\text{O})_3$ | D) $\text{Fe}_3\text{Cl}(\text{H}_2\text{O})_6$ |
| B) $\text{Fe}_3\text{Cl}\cdot 6\text{H}_2\text{O}$ | E) $\text{FeCl}_3\cdot 6\text{H}_2\text{O}$ |
| C) $\text{FeCl}_3(\text{H}_2\text{O})_6$ | |
- Ans: E Difficulty: M
67. Which one of the following formulas of ionic compounds is the least likely to be correct?
- A) NH_4Cl B) $\text{Ba}(\text{OH})_2$ C) Na_2SO_4 D) Ca_2NO_3 E) $\text{Cu}(\text{CN})_2$
- Ans: D Difficulty: M
68. Which one of the following formulas of ionic compounds is the least likely to be correct?
- A) CaCl_2 B) NaSO_4 C) MgCO_3 D) KF E) $\text{Cu}(\text{NO}_3)_2$
- Ans: B Difficulty: M
69. What is the name of the acid formed when H_2S gas is dissolved in water?
- | | |
|-----------------------|------------------------|
| A) sulfuric acid | D) hydrosulfurous acid |
| B) sulfurous acid | E) sulfidic acid |
| C) hydrosulfuric acid | |
- Ans: C Difficulty: H
70. What is the name of the acid formed when HBr gas is dissolved in water?
- | | |
|---------------------|-----------------------|
| A) bromic acid | D) hydrobromous acid |
| B) bromous acid | E) hydrobromidic acid |
| C) hydrobromic acid | |
- Ans: C Difficulty: M
71. What is the name of the acid formed when HClO_4 liquid is dissolved in water?
- | | |
|----------------------|-----------------------|
| A) hydrochloric acid | D) chlorous acid |
| B) perchloric acid | E) hydrochlorate acid |
| C) chloric acid | |
- Ans: B Difficulty: M
72. What is the name of the acid formed when HCN gas is dissolved in water?
- | | |
|---------------------|----------------------|
| A) cyanic acid | D) hydrocyanous acid |
| B) hydrocyanic acid | E) hydrogen cyanide |
| C) cyanous acid | |
- Ans: B Difficulty: M

73. The name for HF(g) is
A) hydrofluoric acid. D) hydrogen fluorine.
B) hydrogen(I) fluoride. E) fluoric acid.
C) hydrogen fluoride.
Ans: C Difficulty: M
74. Which one of the following combinations of names and formulas is incorrect?
A) H₃PO₄ phosphoric acid D) H₂CO₃ carbonic acid
B) HNO₃ nitric acid E) KOH potassium hydroxide
C) NaHCO₃ sodium carbonate
Ans: C Difficulty: M
75. What is the name of PCl₃?
A) phosphorus chloride D) trichlorophosphide
B) phosphoric chloride E) phosphorus trichloride
C) phosphorus trichlorate
Ans: E Difficulty: E
76. The compound, P₄S₁₀, is used in the manufacture of safety matches. What is its name?
A) phosphorus sulfide D) tetraphosphorus decasulfide
B) phosphoric sulfide E) phosphorus pentasulfide
C) phosphorus decasulfide
Ans: D Difficulty: M
77. What is the name of BBr₃?
A) boron bromide D) tribromoboride
B) boric bromide E) bromine triboride
C) boron tribromide
Ans: C Difficulty: M
78. What is the name of IF₇?
A) iodine fluoride D) heptafluoroiodide
B) iodic fluoride E) heptafluorine iodide
C) iodine heptafluoride
Ans: C Difficulty: M
79. What is the name of P₄Se₃?
A) phosphorus selenide D) phosphoric selenide
B) phosphorus triselenide E) tetraphosphorus triselenide
C) tetraphosphorus selenide
Ans: E Difficulty: M

80. Diiodine pentaoxide is used as an oxidizing agent that converts carbon monoxide to carbon dioxide. What is its chemical formula?
 A) I_2O_5 B) IO_5 C) $2IO_5$ D) I_5O_2 E) $(IO_5)_2$
 Ans: A Difficulty: E
81. Tetrasulfur dinitride decomposes explosively when heated. What is its formula?
 A) S_2N_4 B) S_4N_2 C) $4SN_2$ D) S_4N E) S_2N
 Ans: B Difficulty: E
82. Chlorine dioxide is a strong oxidizer that is used for bleaching flour and textiles and for purification of water. What is its formula?
 A) $(ClO)_2$ B) Cl_2O C) Cl_2O_2 D) Cl_2O_4 E) ClO_2
 Ans: E Difficulty: E
83. The formula of heptane is
 A) C_6H_{12} . B) C_6H_{14} . C) C_7H_{14} . D) C_7H_{16} . E) C_8H_{16} .
 Ans: D Difficulty: M
84. Ammonium sulfate, $(NH_4)_2SO_4$, is a fertilizer widely used as a source of nitrogen. Calculate its molecular mass.
 A) 63.07 amu D) 128.11 amu
 B) 114.10 amu E) 132.13 amu
 C) 118.13 amu
 Ans: E Difficulty: E
85. Sodium chromate is used to protect iron from corrosion and rusting. Determine its molecular mass.
 A) 261.97 amu D) 138.98 amu
 B) 238.98 amu E) 74.99 amu
 C) 161.97 amu
 Ans: C Difficulty: M
86. Iodine pentafluoride reacts slowly with glass and violently with water. Determine its molecular mass.
 A) 653.52 amu D) 202.90 amu
 B) 259.89 amu E) 145.90 amu
 C) 221.90 amu
 Ans: C Difficulty: E
87. Determine the molecular mass of iron (III) bromide hexahydrate, a substance used as a catalyst in organic reactions.
 A) 403.65 amu D) 313.57 amu
 B) 355.54 amu E) 295.56 amu
 C) 317.61 amu
 Ans: A Difficulty: M

88. Name the three important “laws” that were accounted for by Dalton's atomic theory.

Ans: laws of conservation of mass; definite composition; multiple proportions

Difficulty: M

89. Dalton's atomic theory has required some modifications in the light of subsequent discoveries. For any three appropriate postulates of Dalton's atomic theory

a. state the postulate in its original form.

b. in one sentence, describe why the postulate has needed modification.

Ans: 1. Matter consists of atoms which are indivisible, cannot be created or destroyed.

But, atoms are divisible, as the existence of subatomic particles shows.

2. Atoms of one element cannot be converted into atoms of another element. They can be converted in various nuclear reactions, including radioactive decay.

3. Atoms of an element are identical in mass and other properties. Isotopes of an element differ in their masses and other properties.

Difficulty: M

90. Fill in the blank spaces and write out all the symbols in the left hand column in full, in the form A_ZX (i.e., include the appropriate values of Z and A as well as the correct symbol X).

<u>Symbol</u>	<u># protons</u>	<u># neutrons</u>	<u># electrons</u>
...	17	18	...
Au	...	118	...
...	...	20	20

Ans:

<u>Symbol</u>	<u># protons</u>	<u># neutrons</u>	<u># electrons</u>
---------------	------------------	-------------------	--------------------

${}^{35}_{17}\text{Cl}$	17	18	17
${}^{197}_{79}\text{Au}$	79	118	79
${}^{20}_{20}\text{Ca}$	20	20	20

Difficulty: M

91. The following charges on individual oil droplets were obtained during an experiment similar to Millikan's. Use them to determine a charge for the electron in coulombs (C), showing all your working.

Charges (C): -3.184×10^{-19} ; -4.776×10^{-19} ; -7.960×10^{-19}

Ans: -1.59×10^{-19} C

Difficulty: M

92. State the two important experimental results (and the names of the responsible scientists) which enabled the mass of the electron to be determined.

Ans: Thomson measured m/e , the mass-to-charge ratio. Millikan measured e , the charge. Thus, the mass m could be calculated.

Difficulty: M

93. For each of the following elements, indicate whether it is a metal, a non-metal, or a metalloid:

- a. S
- b. Ge
- c. g
- d. H
- e. I
- f. Si

Ans: a. nonmetal
b. metalloid
c. metal
d. nonmetal
e. nonmetal
f. metalloid

Difficulty: E

94. Give the common name of the group in the periodic table to which each of the following elements belongs:

- a. Rb
- b. Br
- c. Ba
- d. Ar

Ans: a. alkali metals
b. halogens
c. alkaline earth metals
d. noble gases

Difficulty: E

95. a. Give the names of the following ions:

- (i) NH_4^+
- (ii) SO_3^{2-}

b. Write down the formulas of the following ions:

- (i) aluminum
- (ii) carbonate

Ans: a. (i) ammonium
(ii) sulfite
b. (i) Al^{3+}
(ii) CO_3^{2-}

Difficulty: M

96. a. Give the names of the following ions:
(i) O_2^{2-}
(ii) SO_4^{2-}
b. Write down the formulas of the following ions:
(i) ammonium
(ii) nitrate
Ans: a. (i) peroxide
(ii) sulfate
b. (i) NH_4^+
(ii) NO_3^-
Difficulty: M
97. For each of the following names, write down the corresponding formula, including charge where appropriate (atomic numbers and mass numbers are not required):
a. zinc ion
b. nitrite ion
c. carbonic acid
d. cyanide ion
Ans: a. Zn^{2+}
b. NO_2^-
c. H_2CO_3
d. CN^-
Difficulty: M
98. Calculate the molecular masses of the following:
a. Cl_2
b. H_2O_2
c. $(\text{NH}_4)_2\text{SO}_4$
d. $\text{Ba}(\text{NO}_3)_2$
Ans: a. 70.90 amu
b. 34.02 amu
c. 132.2 amu
d. 261.3 amu
Difficulty: E
99. In nature, some elements exist as molecules, while others do not.
Ans: True Difficulty: E
100. Modern studies have shown that the Law of Multiple Proportions is not valid.
Ans: False Difficulty: M
101. Atoms of one element cannot be converted to another element by any known method.
Ans: False Difficulty: E

102. The mass of a neutron is equal to the mass of a proton plus the mass of an electron.
Ans: False Difficulty: E
103. All neutral atoms of tin have 50 protons and 50 electrons.
Ans: True Difficulty: E
104. Copper (Cu) is a transition metal.
Ans: True Difficulty: E
105. Lead (Pb) is a main-group element.
Ans: True Difficulty: E
106. Ionic compounds may carry a net positive or negative charge.
Ans: False Difficulty: E
107. When an alkali metal combines with a non-metal, a covalent bond is normally formed.
Ans: False Difficulty: E
108. The molecular formula of a compound provides more information than its structural formula.
Ans: False Difficulty: E
109. The formula C_9H_{20} is an empirical formula.
Ans: True Difficulty: E