Test Bank for Contemporary Business Mathematics Canadian 11th Edition by Hummelbrunner Halliday Hassanlou Coombs ISBN 0134141083 9780134141084

Full link download: Test

Rank:

https://testbankpack.com/p/test-bank-for-contemporary-business-mathematics-canadian-11th-edition-by-hummelbrunner-halliday-hassanlou-coombs-isbn-0134141083-9780134141084/

Solution Manual:

https://testbankpack.com/p/solution-manual-for-contemporary-business-mathematics-canadian-11th-edition-by-hummelbrunner-halliday-hassanlou-coombs-isbn-0134141083-9780134141084/

Contemporary Business Math w/ Canadian Apps., 11e (Hummelbrunner/Coombs) Chapter 2 Review of Basic Algebra

1) Simplify: 7*m* - 2*m* - 3*m*

Answer: 2m

Diff: 1 Type: SA Page Ref: 44-49

Topic: 2.1 Simplification of Algebraic Expressions

Objective: 2-1: Simplify algebraic expressions using fundamental operations and substitution.

2) Simplify: 4x - 3y - 4x - 2y

Answer: -5y

Diff: 1 Type: SA Page Ref: 44-49

Topic: 2.1 Simplification of Algebraic Expressions

Objective: 2-1: Simplify algebraic expressions using fundamental operations and substitution.

3) Simplify: 4x - 6y - 4x - 2y

Answer: -8v

Diff: 1 Type: SA Page Ref: 44-49

Topic: 2.1 Simplification of Algebraic Expressions

Objective: 2-1: Simplify algebraic expressions using fundamental operations and substitution.

4) Simplify: x + 0.16x

Answer: 1.16x

Diff: 1 Type: SA Page Ref: 44-49

Topic: 2.1 Simplification of Algebraic Expressions

Objective: 2-1: Simplify algebraic expressions using fundamental operations and substitution.

5) Simplify: *x* - 0.32*x*

Answer: 0.68x

Diff: 1 Type: SA Page Ref: 44-49

Topic: 2.1 Simplification of Algebraic Expressions

Objective: 2-1: Simplify algebraic expressions using fundamental operations and substitution.

6) Simplify: *x* - 0.62*x*

Answer: 0.38x

Diff: 1 Type: SA Page Ref: 44-49

Topic: 2.1 Simplification of Algebraic Expressions

Objective: 2-1: Simplify algebraic expressions using fundamental operations and substitution.

7) Simplify: 3ax - 4x + 1 - 7 + 3x - 4ax

Answer: -ax - x - 6

Diff: 1 Type: SA Page Ref: 44-49

Topic: 2.1 Simplification of Algebraic Expressions

Objective: 2-1: Simplify algebraic expressions using fundamental operations and substitution.

8) Simplify: -(4 - 6a) - (-4 + 3a)

Answer: -4 + 6a + 4 - 3a = 3a

Diff: 2 Type: SA Page Ref: 44-49

Topic: 2.1 Simplification of Algebraic Expressions

Objective: 2-1: Simplify algebraic expressions using fundamental operations and substitution.

9) Simplify: -(4 - 6a) - (-8 + 6a)

Answer: -4 + 6a + 8 - 6a = 4

Diff: 2 Type: SA Page Ref: 44-49

Topic: 2.1 Simplification of Algebraic Expressions

Objective: 2-1: Simplify algebraic expressions using fundamental operations and substitution.

10) Simplify: -(3m - 6m - 5) - (4 - 7m - 2m)

Answer: -3m + 6m + 5 - 4 + 7m + 2m = 12m + 1

Diff: 2 Type: SA Page Ref: 44-49

Topic: 2.1 Simplification of Algebraic Expressions

Objective: 2-1: Simplify algebraic expressions using fundamental operations and substitution.

11) Simplify: (7a - 7b) - (-3a + 9b) - 11b

Answer: 7a - 7b + 3a - 9b - 11b = 10a - 27b

Diff: 2 Type: SA Page Ref: 44-49

Topic: 2.1 Simplification of Algebraic Expressions

Objective: 2-1: Simplify algebraic expressions using fundamental operations and substitution.

12) Simplify: (8a - 7b) - (-3a + 7b) - 11b

Answer: 8a - 7b + 3a - 7b - 11b = 11a - 25b

Diff: 2 Type: SA Page Ref: 44-49

Topic: 2.1 Simplification of Algebraic Expressions

Objective: 2-1: Simplify algebraic expressions using fundamental operations and substitution.

13) Simplify: -7(9*a*)

Answer: -63a

Diff: 1 Type: SA Page Ref: 44-49

Topic: 2.1 Simplification of Algebraic Expressions

Objective: 2-1: Simplify algebraic expressions using fundamental operations and substitution.

14) Simplify: -9*a*(-5*b*)

Answer: 45ab

Diff: 1 Type: SA Page Ref: 44-49

Topic: 2.1 Simplification of Algebraic Expressions

Objective: 2-1: Simplify algebraic expressions using fundamental operations and substitution.

15) Simplify: -5*a*(-5*b*)

Answer: 25ab

Diff: 1 Type: SA Page Ref: 44-49

Topic: 2.1 Simplification of Algebraic Expressions

Objective: 2-1: Simplify algebraic expressions using fundamental operations and substitution.

16) Simplify: -6m(-3m)

Answer: 18m2

Diff: 1 Type: SA Page Ref: 44-49

Topic: 2.1 Simplification of Algebraic Expressions

Objective: 2-1: Simplify algebraic expressions using fundamental operations and substitution.

17) Simplify: 3a(-3b)(-4c)(-1)

Answer: -36abc

Diff: 1 Type: SA Page Ref: 44-49

Topic: 2.1 Simplification of Algebraic Expressions

Objective: 2-1: Simplify algebraic expressions using fundamental operations and substitution.

18) Simplify: -2a(-3b)(-4c)(-5)

Answer: 120abc

Diff: 1 Type: SA Page Ref: 44-49

Topic: 2.1 Simplification of Algebraic Expressions

Objective: 2-1: Simplify algebraic expressions using fundamental operations and substitution.

19) Simplify: 5(4x - 2)

Answer: 20x - 10

Diff: 2 Type: SA Page Ref: 44-49

Topic: 2.1 Simplification of Algebraic Expressions

Objective: 2-1: Simplify algebraic expressions using fundamental operations and substitution.

20) Simplify: -3x(4 - 2b - b)

Answer: -12x + 6bx + 3bx = -12x + 9bx

Diff: 2 Type: SA Page Ref: 44-49

Topic: 2.1 Simplification of Algebraic Expressions

Objective: 2-1: Simplify algebraic expressions using fundamental operations and substitution.

21) Simplify: -3x(4 - 2b - 2b)

Answer: -12x + 6bx + 6bx = -12x + 12bx

Diff: 2 Type: SA Page Ref: 44-49

Topic: 2.1 Simplification of Algebraic Expressions

Objective: 2-1: Simplify algebraic expressions using fundamental operations and substitution.

22) Simplify: -5(8a - b) - 2(-6a + 9b)

Answer: -40a + 5b + 12a - 18b = -28a - 13b

Diff: 2 Type: SA Page Ref: 44-49

Topic: 2.1 Simplification of Algebraic Expressions

Objective: 2-1: Simplify algebraic expressions using fundamental operations and substitution.

23) Simplify: 8(9y - 4) - 2(y - 1) - (1 - 3y)

Answer: 72y - 32 - 2y + 2 - 1 + 3y = 73y - 31

Diff: 2 Type: SA Page Ref: 44-49

Topic: 2.1 Simplification of Algebraic Expressions

Objective: 2-1: Simplify algebraic expressions using fundamental operations and substitution.

24) Simplify: 4(9y - 4) - 2(y - 1) - (1 - 3y)

Answer: 36y - 16 - 2y + 2 - 1 + 3y = 37y - 15

Diff: 2 Type: SA Page Ref: 44-49

Topic: 2.1 Simplification of Algebraic Expressions

Objective: 2-1: Simplify algebraic expressions using fundamental operations and substitution.

25) Simplify: (5m - 2n)(m - 12n)

Answer: 5m2 - 60mn - 2mn + 24n2 = 5m2 - 62mn + 24n2

Diff: 2 Type: SA Page Ref: 44-49

Topic: 2.1 Simplification of Algebraic Expressions

Objective: 2-1: Simplify algebraic expressions using fundamental operations and substitution.

26) Simplify: (3a - 1)(a - 3a + 1)

Answer: $3a^2 - 9a^2 + 3a - a + 3a - 1 = -6a^2 + 5a - 1$

Diff: 2 Type: SA Page Ref: 44-49

Topic: 2.1 Simplification of Algebraic Expressions

Objective: 2-1: Simplify algebraic expressions using fundamental operations and substitution.

27) Simplify: (4a - 1)(a - 3a + 1)

Answer: 4a2 - 12a2 + 4a - a + 3a - 1 = -8a2 + 6a - 1

Diff: 2 Type: SA Page Ref: 44-49

Topic: 2.1 Simplification of Algebraic Expressions

Objective: 2-1: Simplify algebraic expressions using fundamental operations and substitution.

28) Simplify: 2(a-1)(7a-3) - 3(6a-2)(2a+1)

Answer: 2(7a2 - 3a - 7a + 3) - 3(12a2 + 6a - 4a - 2)

= 14a2 - 6a - 14a + 6 - 36a2 - 18a + 12a + 6

= -22a2 - 26a + 12

Diff: 2 Type: SA Page Ref: 44-49

Topic: 2.1 Simplification of Algebraic Expressions

Objective: 2-1: Simplify algebraic expressions using fundamental operations and substitution.

29) Simplify: $50xy \div (-5x)$

Answer: -10y

Diff: 1 Type: SA Page Ref: 44-49

Topic: 2.1 Simplification of Algebraic Expressions

Objective: 2-1: Simplify algebraic expressions using fundamental operations and substitution.

30) Simplify: $60xy \div (-5xy)$

Answer: -12

Diff: 1 Type: SA Page Ref: 44-49

Topic: 2.1 Simplification of Algebraic Expressions

Objective: 2-1: Simplify algebraic expressions using fundamental operations and substitution.

31) Simplify: $(-45a3b) \div 15a2$

Answer: -3ab

Diff: 1 Type: SA Page Ref: 44-49

Topic: 2.1 Simplification of Algebraic Expressions

Objective: 2-1: Simplify algebraic expressions using fundamental operations and substitution.

32) Simplify: $(-64ab) \div (8ab)$

Answer: -8

Diff: 1 Type: SA Page Ref: 44-49

Topic: 2.1 Simplification of Algebraic Expressions

Objective: 2-1: Simplify algebraic expressions using fundamental operations and substitution.

33) Simplify: $(-8ab) \div (8a)$

Answer: -b

Diff: 1 Type: SA Page Ref: 44-49

Topic: 2.1 Simplification of Algebraic Expressions

Objective: 2-1: Simplify algebraic expressions using fundamental operations and substitution.

34) Simplify: $(21x - 36) \div (-3)$

Answer: -7x + 12

Diff: 2 Type: SA Page Ref: 44-49

Topic: 2.1 Simplification of Algebraic Expressions

Objective: 2-1: Simplify algebraic expressions using fundamental operations and substitution.

35) Simplify: $(-a3 - 11a2 - 3a) \div (-a)$

Answer: $a^2 + 11a + 3$

Diff: 2 Type: SA Page Ref: 44-49

Topic: 2.1 Simplification of Algebraic Expressions

Objective: 2-1: Simplify algebraic expressions using fundamental operations and substitution.

36) Simplify: $(-a3 - 10a2 - 3a) \div (a)$

Answer: -a2 - 10a - 3

Diff: 2 Type: SA Page Ref: 44-49

Topic: 2.1 Simplification of Algebraic Expressions

Objective: 2-1: Simplify algebraic expressions using fundamental operations and substitution.

37) Evaluate: $4x^2 - 10xy - 8y^2$ for x = -3, y = 5

Answer: $4x^2 - 10xy - 8y^2$

=4(-3)2 - 10(-3)(5) - 8(5)2

=4(9)+150-8(25)

=36+150-200

= -14

Diff: 2 Type: SA Page Ref: 44-49

Topic: 2.1 Simplification of Algebraic Expressions

Objective: 2-1: Simplify algebraic expressions using fundamental operations and substitution.

38) Evaluate y:
$$y = \frac{1}{3}x^2 - x - 1 - \frac{1}{4}(5 - 2x - x^2)$$
 for $x = -3$

Answer: $\frac{1}{2}x^2 - x - 1 - (5\frac{1}{4}2x - x^2)$

$$= \frac{1}{2}(-3)2 - (-3) - 1] - \left[5\frac{1}{4}2(-3) - (-3)2\right]$$

$$=\frac{1}{2}7+3-1$$
) - $(5\frac{1}{4}+6-9)$

$$=\frac{1}{2}$$
9) - $(2\frac{1}{4}$

$$= 14.5 - 0.5$$

= 14.0

Diff: 2 Type: SA Page Ref: 44-49

Topic: 2.1 Simplification of Algebraic Expressions

Objective: 2-1: Simplify algebraic expressions using fundamental operations and substitution.

Answer:

39) Evaluate R:
$$R = \frac{I}{PT}$$
 for $I = 83$, $P = 845$, $T =$

$$\frac{I}{PT} = \frac{83}{845 * \frac{216}{360}} = \frac{83}{845 * 6} = \frac{83}{507}$$

= .163708

Type: SA Page Ref: 44-49 Diff: 3

Topic: 2.1 Simplification of Algebraic Expressions

Objective: 2-1: Simplify algebraic expressions using fundamental operations and substitution.

40)
$$\frac{I}{PT}$$
, where I = 116, P = 1760, $t = \frac{150}{365}$ Evaluate r: r =

40)
$$\frac{I}{PT}, \text{ where } I = 116, P = 1760, t = \frac{150}{365} \text{ Evaluate r: } r = 116$$
Answer:
$$r = \frac{116}{1760 * \frac{160}{365}} = \frac{116}{1760 * .4109589} = \frac{116}{723.28767} = 1603788$$

Diff: 3 Type: SA Page Ref: 44-49

Topic: 2.1 Simplification of Algebraic Expressions

Objective: using

 $\frac{200}{800 * \frac{160}{265}} = \frac{200}{800 * .4109589} = \frac{200}{32876712}$ substitution. 41) Evaluate r: r =

2-1: Simplify algebraic expressions

fundamental operations and

= = .6083333Answer: r

Diff: 3 Type: SA Page Ref: 44-49

Topic: 2.1 Simplification of Algebraic Expressions

Objective: 2-1: Simplify algebraic expressions using fundamental operations and substitution.

42) Evaluate K:
$$K = \frac{2NC}{P(n+1)}$$
 for $N = 32$, $C = 20$, $P = 1859$, $n = 26$

$$\frac{2NC}{P(n+1)} = \frac{2*32*20}{1859(26+1)} = \frac{1280}{1859(27)} = \frac{1280}{50193}$$

= .0255

Answer:

Type: SA Page Ref: 44-49 Diff: 3

Topic: 2.1 Simplification of Algebraic Expressions

Objective: 2-1: Simplify algebraic expressions using fundamental operations and substitution.

43) Evaluate P: P = A(1 - RT) for A = 1400, R = 0.185, T =
$$\frac{252}{360}$$

Answer: A(1 - RT) = $1400 \left[1 - 0.185 * \frac{252}{360} \right] = 1400 \left[1 - .185 * 7 \right]$

Answer: A(1 - RT) =
$$1400$$
 $\left[1 - 0.185 * \frac{252}{360} \right]$ = $1400 [1 - .185 * 7]$ = $1400[1 - .1295]$ = $1400[.8705]$ = 1218.7

Type: SA Page Ref: 44-49 Diff: 2

Topic: 2.1 Simplification of Algebraic Expressions

Objective: 2-1: Simplify algebraic expressions using fundamental operations and substitution.

44) Evaluate P: P = A(1 - RT) for A = 700, R = 0.185, T =
$$\frac{180}{360}$$

Answer: A(1 - RT) =
$$700^{\left[1 - 0.185 * \frac{180}{360}\right]}$$
 = $1400 [1 - .185 * 7]$
= $700[1 - .0925] = 700[.9075] = 635.25$

Type: SA Page Ref: 44-49

Topic: 2.1 Simplification of Algebraic Expressions

Objective: 2-1: Simplify algebraic expressions using fundamental operations and substitution.

45) Evaluate
$$p$$
: $\left[1 - r * \frac{t}{360}\right] p = s$, where $s = 3120$, $r = 0.123$, $t = 295$
Answer: $p = \left[1 - .123 \left(\frac{295}{360}\right)\right] 3120 = 3120[1 - .123 * .8194444]$

= 3120[1 - .1007917] = 3120[.8992083] = 2805.53

Type: SA Page Ref: 44-49

Topic: 2.1 Simplification of Algebraic Expressions

Objective: 2-1: Simplify algebraic expressions using fundamental operations and substitution.

46) Evaluate P:
$$P = \frac{A}{1 + RT}$$
 for A = 752, R = 0.145, T = $\frac{225}{360}$

$$\frac{A}{1 + RT} = \frac{752}{1 + .145 * .625} = \frac{752}{1 + .090625} = \frac{752}{1.090625} = 689.5129$$

Answer:

Diff: 3 Type: SA Page Ref: 44-49

Topic: 2.1 Simplification of Algebraic Expressions

Objective: 2-1: Simplify algebraic expressions using fundamental operations and substitution.

$$= \frac{p}{\left(1 + r * \frac{t}{360}\right)}, \text{ where } p = 3411.50, r = 0.0925, t = 75 \quad 47) \qquad \text{Evaluate } s: s$$

$$= \frac{3411.50}{1 + .0925 * .0208333} = \frac{3411.50}{1 + .00192708} = \frac{3411.50}{1.0192708}$$

$$= = 3347.001$$

Type: SA Page Ref: 44-49 Diff: 3

Topic: 2.1 Simplification of Algebraic Expressions

Objective: 2-1: Simplify algebraic expressions using fundamental operations and substitution.

48) Evaluate the value of FV, if FV = PMT $\left[\frac{(1+i)^n-1}{i}\right]$, PMT = \$750, i = 0.025, and n = 10.

Answer: $FV = 750 \left[\frac{(1 + 0.025)^{10} - 1}{0.025} \right] = \8402.54

Diff: 3 Type: SA Page Ref: 44-49

Topic: 2.1 Simplification of Algebraic Expressions

Objective: 2-1: Simplify algebraic expressions using fundamental operations and substitution.

49) Evaluate: 16

Answer: 1

Diff: 1 Type: SA Page Ref: 51-58

Topic: 2.2 Integral Exponents

Objective: 2-2: Simplify and evaluate powers with positive exponents, negative exponents, and

exponent zero.

50) Evaluate: (-1)14

Answer: 1

Diff: 1 Type: SA Page Ref: 51-58

Topic: 2.2 Integral Exponents

Objective: 2-2: Simplify and evaluate powers with positive exponents, negative exponents, and

exponent zero.

51) Evaluate: (-1)13

Answer: -1

Diff: 1 Type: SA Page Ref: 51-58

Topic: 2.2 Integral Exponents

Objective: 2-2: Simplify and evaluate powers with positive exponents, negative exponents, and

exponent zero. $\frac{1}{5}$ 52) Evaluate

Answer: $\frac{1}{32768}$

Diff: 1 Type: SA Page Ref: 51-58

Topic: 2.2 Integral Exponents

Objective: 2-2: Simplify and evaluate powers with positive exponents, negative exponents, and

exponent zero.

53) Evaluate: (-0.1)7 Answer: -0.0000001

Diff: 1 Type: SA Page Ref: 51-58

Topic: 2.2 Integral Exponents

Objective: 2-2: Simplify and evaluate powers with positive exponents, negative exponents, and exponent zero.

54) Evaluate: (-0.1)4 Answer: 0.0001

Diff: 1 Type: SA Page Ref: 51-58

Topic: 2.2 Integral Exponents

Objective: 2-2: Simplify and evaluate powers with positive exponents, negative exponents, and

exponent zero.

55) Evaluate: *m*0

Answer: 1

Diff: 1 Type: SA Page Ref: 51-58

Topic: 2.2 Integral Exponents

Objective: 2-2: Simplify and evaluate powers with positive exponents, negative exponents, and

exponent zero.

56) Evaluate: (-5)-2 Answer: $\frac{1}{25}$ or .04

Diff: 2 Type: SA Page Ref: 51-58

Topic: 2.2 Integral Exponents

Objective: 2-2: Simplify and evaluate powers with positive exponents, negative exponents, and

exponent zero.

57) Evaluate: (-5)-3

Answer: $-\frac{1}{125}$ or -.008

Diff: 2 Type: SA Page Ref: 51-58

Topic: 2.2 Integral Exponents

Objective: 2-2: Simplify and evaluate powers with positive exponents, negative exponents, and

 $\left[\frac{2}{3}\right]^{-3}$ exponent zero. 58) Evaluate:

 $\frac{27}{8}$ or 3.375

Answer:

Diff: 2 Type: SA Page Ref: 51-58

Topic: 2.2 Integral Exponents

Objective: 2-2: Simplify and evaluate powers with positive exponents, negative exponents, and

exponent zero.

59) Evaluate: (1.05)0

Answer: 1

Diff: 1 Type: SA Page Ref: 51-58

Topic: 2.2 Integral Exponents

Objective: 2-2: Simplify and evaluate powers with positive exponents, negative exponents, and

exponent zero.

60) Evaluate: -(288888)0

Answer: -1

Diff: 1 Type: SA Page Ref: 51-58

Topic: 2.2 Integral Exponents

Objective: 2-2: Simplify and evaluate powers with positive exponents, negative exponents, and

exponent zero.

61) Evaluate: (3)2(3)4

Answer: (3)2(3)4 = 36 = 729

Diff: 2 Type: SA Page Ref: 51-58

Topic: 2.2 Integral Exponents

Objective: 2-2: Simplify and evaluate powers with positive exponents, negative exponents, and

exponent zero.

62) Simplify: (-4)4*(-4)

Answer: (-4)4 + 1 = (-4)5 = -1024

Diff: 2 Type: SA Page Ref: 51-58

Topic: 2.2 Integral Exponents

Objective: 2-2: Simplify and evaluate powers with positive exponents, negative exponents, and

exponent zero.

63) Simplify: (-4)3*(-4)

Answer: (-4)3 + 1 = (-4)4 = 256

Diff: 2 Type: SA Page Ref: 51-58

Topic: 2.2 Integral Exponents

Objective: 2-2: Simplify and evaluate powers with positive exponents, negative exponents, and

exponent zero.

64) Simplify: $(-3)7 \div (-3)4$

Answer: (-3)7-4 = (-3)3 = -27

Diff: 2 Type: SA Page Ref: 51-58

Topic: 2.2 Integral Exponents

Objective: 2-2: Simplify and evaluate powers with positive exponents, negative exponents, and

exponent zero.

65) Simplify: (*m*4)5

Answer: $(m4)5 = m4 \times 5 = m20$

Diff: 1 Type: SA Page Ref: 51-58

Topic: 2.2 Integral Exponents

Objective: 2-2: Simplify and evaluate powers with positive exponents, negative exponents, and

exponent zero.

66) Simplify: (*m*5)5

Answer: $(m5)5 = m5 \times 5 = m25$

Diff: 1 Type: SA Page Ref: 51-58

Topic: 2.2 Integral Exponents

Objective: 2-2: Simplify and evaluate powers with positive exponents, negative exponents, and

exponent zero.

67) Simplify: [(-4)4]3

Answer: $(-4)4 \times 3 = (-4)12 = 16777216$ Diff: 2 Type: SA Page Ref: 51-58

Topic: 2.2 Integral Exponents

Objective: 2-2: Simplify and evaluate powers with positive exponents, negative exponents, and

exponent zero.

68) Simplify: *m*13 ÷ *m*6

Answer: m13-6 = m7

Diff: 1 Type: SA Page Ref: 51-58

Topic: 2.2 Integral Exponents

Objective: 2-2: Simplify and evaluate powers with positive exponents, negative exponents, and

exponent zero.

69) Simplify: (-1)4(-1)2(-1)5

Answer: (-1)4 + 2 + 5 = (-1)11 = -1Diff: 1 Type: SA Page Ref: 51-58

Topic: 2.2 Integral Exponents

Objective: 2-2: Simplify and evaluate powers with positive exponents, negative exponents, and

exponent zero.

 $\frac{(x^3)(x^5)}{x^4}$

70) Simplify:

Answer: $x^3 + 5 - 4 = x^4$

Diff: 2 Type: SA Page Ref: 51-58

Topic: 2.2 Integral Exponents

Objective: 2-2: Simplify and evaluate powers with positive exponents, negative exponents, and

exponent zero.

 $\frac{(x^{16})(x^4)}{x^2}$

71) Simplify:

Answer: x16 + 4 - 2 = x18

Diff: 2 Type: SA Page Ref: 51-58

Topic: 2.2 Integral Exponents

Objective: 2-2: Simplify and evaluate powers with positive exponents, negative exponents, and

exponent zero.

72) Simplify:
$$\left[\frac{1}{9}\right]^8 \div \left[\frac{1}{9}\right]^3$$

Answer: [1/9]8-3 = [1/9]5 = 1/59049Diff: 2 Type: SA Page Ref: 51-58

Topic: 2.2 Integral Exponents

Objective: 2-2: Simplify and evaluate powers with positive exponents, negative exponents, and exponent zero.

73) Simplify:
$$\left[\frac{-3}{5}\right]^9 \div \left[\frac{-3}{5}\right]^4$$

Answer: [-3/5]9 - 4 = [-3/5]5 = -243/3125 = -.07776

Diff: 2 Type: SA Page Ref: 51-58

Topic: 2.2 Integral Exponents

Objective: 2-2: Simplify and evaluate powers with positive exponents, negative exponents, and exponent zero.

74) Simplify: 1.005240 ÷ 1.005160

Answer: 1.005240 - 160 = 1.00580 = 1.4903386

Diff: 2 Type: SA Page Ref: 51-58

Topic: 2.2 Integral Exponents

Objective: 2-2: Simplify and evaluate powers with positive exponents, negative exponents, and exponent zero.

75) Simplify:
$$\left[\left(\frac{-3}{8} \right)^6 \right]^3$$

Answer: $[-3/8]6 \times 3 = [-3/8]18 = (-3)18/818$ or .0000000215062

Diff: 2 Type: SA Page Ref: 51-58

Topic: 2.2 Integral Exponents

Objective: 2-2: Simplify and evaluate powers with positive exponents, negative exponents, and exponent zero.

76) Simplify: (1 - *r*)2(1 - *r*)3(1 - *r*)

Answer: (1 - r)6

Diff: 2 Type: SA Page Ref: 51-58

Topic: 2.2 Integral Exponents

Objective: 2-2: Simplify and evaluate powers with positive exponents, negative exponents, and exponent zero.

77) Simplify: (1 - r)3(1 - r)4(1 - r)

Answer: (1 - r)8

Diff: 2 Type: SA Page Ref: 51-58

Topic: 2.2 Integral Exponents

Objective: 2-2: Simplify and evaluate powers with positive exponents, negative exponents, and

exponent zero.

78) Simplify: [(1 - *r*)51]2

Answer: $(1 - r)51 \times 2 = (1 - r)102$ Diff: 2 Type: SA Page Ref: 51-58

Topic: 2.2 Integral Exponents

Objective: 2-2: Simplify and evaluate powers with positive exponents, negative exponents, and

exponent zero.

79) Simplify: (2*xy*)5

Answer: 25x5y5 = 32x5y5

Diff: 2 Type: SA Page Ref: 51-58

Topic: 2.2 Integral Exponents

Objective: 2-2: Simplify and evaluate powers with positive exponents, negative exponents, and

exponent zero.

$$\left[\frac{a^5b^6}{x}\right]^3$$
 80) Simplify:
$$\frac{a^5 \times 3b^6 \times 3}{x^1 \times 3} = \frac{a^{15}b^{18}}{x^3}$$

Answer:

Diff: 2 Type: SA Page Ref: 51-58

Topic: 2.2 Integral Exponents

Objective: 2-2: Simplify and evaluate powers with positive exponents, negative exponents, and

 $\left[\frac{a^6b^8}{x}\right]^2$ exponent zero. 81) Simplify: $\frac{a^6 \times 2b^8 \times 2}{x^1 \times 2} = \frac{a^{12}b^{16}}{x^2}$

Answer:

Diff: 2 Type: SA Page Ref: 51-58

Topic: 2.2 Integral Exponents

Objective: 2-2: Simplify and evaluate powers with positive exponents, negative exponents, and exponent zero.

82) Simplify: 57 ÷ 5-3

Answer: 57 - (-3) = 510

Diff: 3 Type: SA Page Ref: 51-58

Topic: 2.2 Integral Exponents

Objective: 2-2: Simplify and evaluate powers with positive exponents, negative exponents, and

exponent zero.

$$\left[\frac{1+i}{i}\right]^n \quad 83) \qquad \text{Simplify:}$$

$$\frac{(1+i)^n}{i^n}$$

Answer:

Diff: 3 Type: SA Page Ref: 51-58

Topic: 2.2 Integral Exponents

Objective: 2-2: Simplify and evaluate powers with positive exponents, negative exponents, and

exponent zero.

$$\sqrt{205.9225}$$
 84) Compute: $\sqrt{205.9225} = 14.35$

Answer:

Diff: 1 Type: SA Page Ref: 59-62

Topic: 2.3 Fractional Exponents

Objective: 2-3: Use an electronic calculator to compute the numerical value of arithmetic

expressions involving fractional exponents.

85) Compute: $\sqrt[12]{1.126825}$

Answer: 1.01

Diff: 2 Type: SA Page Ref: 59-62

Topic: 2.3 Fractional Exponents

Objective: 2-3: Use an electronic calculator to compute the numerical value of arithmetic expressions involving fractional exponents.

86) Compute: $\sqrt[3]{1.092727}$

Answer: 1.03

Diff: 2 Type: SA Page Ref: 59-62

Topic: 2.3 Fractional Exponents

Objective: 2-3: Use an electronic calculator to compute the numerical value of arithmetic

expressions involving fractional exponents.

87) Compute: $\sqrt{.000488281}$

Answer: .5

Diff: 2 Type: SA Page Ref: 59-62

Topic: 2.3 Fractional Exponents

Objective: 2-3: Use an electronic calculator to compute the numerical value of arithmetic expressions involving fractional exponents.

88) Compute: $\sqrt[14]{1.159}$ Answer: 1.010595566

Diff: 2 Type: SA Page Ref: 59-62

Topic: 2.3 Fractional Exponents

Objective: 2-3: Use an electronic calculator to compute the numerical value of arithmetic expressions involving fractional exponents.

89) Compute: $\sqrt[6]{1.418519112}$

Answer: 1.06

Diff: 2 Type: SA Page Ref: 59-62

Topic: 2.3 Fractional Exponents

Objective: 2-3: Use an electronic calculator to compute the numerical value of arithmetic expressions involving fractional exponents.

90) Compute: 19562/5 Answer: 20.727529

Diff: 2 Type: SA Page Ref: 59-62

Topic: 2.3 Fractional Exponents

Objective: 2-3: Use an electronic calculator to compute the numerical value of arithmetic expressions involving fractional exponents.

91) Compute: 32.53/4 Answer: 13.611705

Diff: 2 Type: SA Page Ref: 59-62

Topic: 2.3 Fractional Exponents

Objective: 2-3: Use an electronic calculator to compute the numerical value of arithmetic expressions involving fractional exponents.

92) Compute: 323/4 Answer: 13.45434264

Diff: 2 Type: SA Page Ref: 59-62

Topic: 2.3 Fractional Exponents

Objective: 2-3: Use an electronic calculator to compute the numerical value of arithmetic expressions involving fractional exponents.

93) Compute: $\sqrt[7]{4.5689}$ Answer: 1.2423925

Diff: 2 Type: SA Page Ref: 59-62

Topic: 2.3 Fractional Exponents

Objective: 2-3: Use an electronic calculator to compute the numerical value of arithmetic expressions involving fractional exponents.

94) Compute: 1.28-5/14

Answer: .9156104

Diff: 3 Type: SA Page Ref: 59-62

Topic: 2.3 Fractional Exponents

Objective: 2-3: Use an electronic calculator to compute the numerical value of arithmetic

expressions involving fractional exponents.

$$\frac{1-1.15-41}{0.05}$$
 95) Compute:
 $\frac{1-.0032463}{.05} = \frac{.9967537}{.05}$ Answer: = 19.935074

Diff: 3 Type: SA Page Ref: 59-62

Topic: 2.3 Fractional Exponents

Objective: 2-3: Use an electronic calculator to compute the numerical value of arithmetic expressions involving fractional exponents.

96) Compute the value of
$$\frac{1 - 1.025 - 25}{0.0295}$$

$$\frac{1 - .5393906}{.0295} = \frac{.4606094}{.0295}$$
= 15.61388

Answer:

Diff: 3 Type: SA Page Ref: 59-62

Topic: 2.3 Fractional Exponents

Objective: 2-3: Use an electronic calculator to compute the numerical value of arithmetic expressions involving fractional exponents.

97) Compute the value of
$$\frac{1 - 1.02 - 10}{0.02}$$

$$\frac{1 - .8203482999}{.02} = \frac{.1796517001}{.02}$$
= 8.982585006

Answer:

Diff: 3 Type: SA Page Ref: 59-62

Topic: 2.3 Fractional Exponents

Objective: 2-3: Use an electronic calculator to compute the numerical value of arithmetic expressions involving fractional exponents.

Answer:
$$\frac{\left(1 + .02\right)^{40} - 1}{0.02}$$
 98) Evaluate: 50.00
$$= \frac{\left(1 + .02\right)^{40} - 1}{0.02}$$
 50.00
$$= \frac{\left(1 .02\right)^{40} - 1}{0.02}$$

$$= \frac{\left(2 .208039664 - 1\right)}{0.02}$$

$$= \frac{\left(1 .208039664\right)}{0.02}$$

$$= \frac{1.208039664}{0.02}$$

$$= \frac{50}{1.208039664}$$

$$= \frac{1.208039664}{0.02}$$

Diff: 2 Type: SA Page Ref: 59-62

Topic: 2.3 Fractional Exponents

Objective: 2-3: Use an electronic calculator to compute the numerical value of arithmetic expressions involving fractional exponents.

99) Express in logarithmic form: 39 = 19683

Answer: $9 = \log 3 \ 19683$

Diff: 2 Type: SA Page Ref: 63-69 Topic: 2.4 Logarithms - Basic Aspects

Objective: 2-4: Write exponential equations in logarithmic form and use an electronic calculator equipped with a natural logarithm function to determine the value of natural logarithms.

100) Express in logarithmic form: 56 = 19683

Answer: $6 = \log 5 \ 15625$

Diff: 2 Type: SA Page Ref: 63-69 Topic: 2.4 Logarithms - Basic Aspects

Objective: 2-4: Write exponential equations in logarithmic form and use an electronic calculator equipped with a natural logarithm function to determine the value of natural logarithms.

101) Express in logarithmic form: 10-4 = 0.0001

Answer: log10.0001 = -4

Diff: 2 Type: SA Page Ref: 63-69

Topic: 2.4 Logarithms - Basic Aspects

Objective: 2-4: Write exponential equations in logarithmic form and use an electronic calculator equipped with a natural logarithm function to determine the value of natural logarithms.

102) Express in logarithmic form: e-3x = 12

Answer: e-3x = 12, $-3x = \log e 12$, or $\ln 12 = -3x$

Diff: 2 Type: SA Page Ref: 63-69

Topic: 2.4 Logarithms - Basic Aspects

Objective: 2-4: Write exponential equations in logarithmic form and use an electronic calculator equipped with a natural logarithm function to determine the value of natural logarithms.

103) Express in exponential form: $\log 3^{\frac{1}{81}} = -4$

Answer:
$$\log 3^{\frac{1}{81}} = -4, 3-4 = \frac{1}{81}$$

Objective: 2-4: Write exponential equations in logarithmic form and use an electronic calculator equipped with a natural logarithm function to determine the value of natural logarithms.

104) Express in exponential $10\frac{1}{100}$ form: $\log = -2$

Answer:
$$\log 10^{\frac{1}{100}} = -2, 10-2^{\frac{1}{100}}$$

Objective: 2-4: Write exponential equations in logarithmic form and use an electronic calculator equipped with a natural logarithm function to determine the value of natural logarithms.

105) Express in exponential form: $\ln e5 = 5$

Answer:
$$e5 = e5$$

Objective: 2-4: Write exponential equations in logarithmic form and use an electronic calculator equipped with a natural logarithm function to determine the value of natural logarithms.

106) Evaluate: ln 300

Answer:
$$\ln 300 = 5.703782$$

Objective: 2-4: Write exponential equations in logarithmic form and use an electronic calculator equipped with a natural logarithm function to determine the value of natural logarithms.

Answer:
$$\ln 60 = 4.094344562$$

Objective: 2-4: Write exponential equations in logarithmic form and use an electronic calculator equipped with a natural logarithm function to determine the value of natural logarithms.

108) Evaluate: ln[400(1.177)]

Answer: ln[400(1.177)] = ln 400 + ln 1.177= ln 400 + 7(ln 1.17)= 5.9914645 + 7(.1570038)= 5.9914645 + 1.0990262 = 7.090491

Diff: 2 Type: SA Page Ref: 63-69 Topic: 2.4 Logarithms - Basic Aspects

Objective: 2-4: Write exponential equations in logarithmic form and use an electronic calculator

equipped with a natural logarithm function to determine the value of natural logarithms. 109) ln

$$\left(\frac{1 - (1 + 0.0625)^{-12}}{0.0625}\right)$$
Answer: $\ln\left(\frac{1 - (1 + 0.0625)^{-12}}{0.0625}\right) = \ln$

$$\left(\frac{1 - 0.0625^{-12}}{0.0625}\right) = \ln$$

$$\left(\frac{1 - 0.483117462}{0.0625}\right) = \ln$$

$$\left(\frac{0.516882538}{0.0625}\right) = \ln 8.270120604$$

$$= 2.112649092$$

Diff: 2 Type: SA Page Ref: 63-69 Topic: 2.4 Logarithms - Basic Aspects

Objective: 2-4: Write exponential equations in logarithmic form and use an electronic calculator equipped with a natural logarithm function to determine the value of natural logarithms.

110) Solve: 8x = 40

Answer: $x = \frac{\frac{40}{8}}{8} = 5$

Diff: 3 Type: SA Page Ref: 71-75 Topic: 2.5 Solving Basic Equations

111) Solve: 2x = 40

Answer: $x = \frac{\frac{40}{2}}{2} = 20$

Diff: 3 Type: SA Page Ref: 71-75 Topic: 2.5 Solving Basic Equations

112) Solve: -5x = 35

Answer: $x = \frac{35}{-5} = -7$

Diff: 1 Type: SA Page Ref: 71-75 Topic: 2.5 Solving Basic Equations

Objective: 2-5: Solve basic equations using addition, subtraction, multiplication, and division.

113) Solve: $-\frac{2}{3} = 48$

Answer: $-\frac{2}{3}$ 48, x = -72

Diff: 2 Type: SA Page Ref: 71-75 Topic: 2.5 Solving Basic Equations

Objective: 2-5: Solve basic equations using addition, subtraction, multiplication, and division.

114) Solve: 0.04x = 37

Answer: $x = \frac{37}{.04} = 925$

Diff: 1 Type: SA Page Ref: 71-75 Topic: 2.5 Solving Basic Equations

Objective: 2-5: Solve basic equations using addition, subtraction, multiplication, and division.

115) Solve: $\frac{x}{4} = 0.24$

Answer: x = 0.24(4) = 0.96

Diff: 1 Type: SA Page Ref: 71-75 Topic: 2.5 Solving Basic Equations

116) Solve:
$$\frac{x}{8} = 0.3$$

Answer:
$$x = 0.3(8) = 2.4$$

117) Solve:
$$-\frac{1}{8}x = 15$$

Answer:
$$x = 15 * -8, x = -120$$

118) Solve:
$$-\frac{4}{3} = -49$$

Answer:
$$x = -49 * \frac{-3}{4} = \frac{147}{4} = 36.75$$

119) Solve:
$$-3x = 9 - 6x$$

Answer:
$$3x = 9, x = 3$$

120) Solve:
$$3x = 9 + 12x$$

Answer:
$$-9x = 9$$
, $x = -1$

121) Solve:
$$2x + 17 = 7x - 15$$

Answer:
$$17 + 15 = 7x - 2x$$
, $32 = 5x$, $6.4 = x$

Topic: 2.5 Solving Basic Equations

Objective: 2-5: Solve basic equations using addition, subtraction, multiplication, and division.

122) Solve: 2x + 17 = 8x - 3

Answer: 17 + 3 = 8x - 2x, 20 = 6x, 3.3333 = x

Diff: 1 Type: SA Page Ref: 71-75

Topic: 2.5 Solving Basic Equations

Objective: 2-5: Solve basic equations using addition, subtraction, multiplication, and division.

123) Solve: x - 0.23x = 2105

2105

Answer: $.77x = 2105, x = \frac{.77}{.77} = 2733.766$

Diff: 1 Type: SA Page Ref: 71-75

Topic: 2.5 Solving Basic Equations

Objective: 2-5: Solve basic equations using addition, subtraction, multiplication, and division.

124) Solve: x + 0.307x = 640.20

640.20

Answer: 1.307x = 640.20, $x = \overline{1.307} = 489.824$

Diff: 1 Type: SA Page Ref: 71-75 Topic: 2.5 Solving Basic Equations

125) Solve: 51 - 14x = -34 - x

Answer: 51 + 34 = -x + 14x, 85 = 13x, 6.538462 = x

LS: 51 - 14(6.538462) = 51 - 91.53846 = -40.53846

RS: -34 - 6.53846 = -40.53846

Diff: 1 Type: SA Page Ref: 71-75

Topic: 2.5 Solving Basic Equations

Objective: 2-5: Solve basic equations using addition, subtraction, multiplication, and division.

126) Solve: 4x - 8 - 19x = 210 + 7x - 4

Answer: 4x - 8 - 19x = 210 + 7x - 4

-15x - 8 = 206 + 7x

-8 - 206 = 7x + 15x

-214 = 22x

-9.7272727 = x

LS: = 4(-9.7272727) - 8 - 19(-9.7272727)

= -38.909091 - 8 + 184.81818

= 137.90909

RS: = 210 + 7(-9.7272727) - 4

=206 - 68.090909

= 137.90909

Diff: 1 Type: SA Page Ref: 71-75

Topic: 2.5 Solving Basic Equations

Objective: 2-5: Solve basic equations using addition, subtraction, multiplication, and division.

127)
$$\frac{52}{3} - \frac{2}{5}x = \frac{11}{6}x - \frac{1}{30}$$
 Solve:
$$\frac{52}{3} - \frac{2}{5}x = \frac{11}{6}x - \frac{1}{30}, \frac{52}{3} + \frac{1}{30} = \frac{11}{6}x + \frac{2}{5}x$$

Answer:

$$520 + 1 = 55x + 12x$$
, $521 = 67x$, $7.7761194 = x$

Diff: 2 Type: SA Page Ref: 71-75

Topic: 2.5 Solving Basic Equations

128) Solve: 10(3 - x) + 2(x - 2) = 6(2x - 2)

Answer: 10(3-x) + 2(x-2) = 6(2x-2)

30 - 10x + 2x - 4 = 12x - 12

-10x + 2x - 12x = -12 - 30 + 4

-20x = -38

x = 1.9

Diff: 2 Type: SA Page Ref: 76-79

Topic: 2.6 Solving Equations Involving Algebraic Simplification

Objective: 2-6: Solve equations involving algebraic simplification and formula rearrangement.

129) Solve: 4(2x - 5) + 3 = 3(x - 4)

Answer: 4(2x - 5) + 3 = 3(x - 4)

8x - 20 + 3 = 3x - 12

8x - 3x = -12 + 20 - 3

5*x*= 5

x = 1

Diff: 2 Type: SA Page Ref: 76-79

Topic: 2.6 Solving Equations Involving Algebraic Simplification

Objective: 2-6: Solve equations involving algebraic simplification and formula rearrangement.

130) Solve:
$$x - \frac{x}{2} + \frac{x_1}{4}$$

Answer:
$$x - \frac{x}{2} + \frac{x}{4}$$

$$(4)x - (4)\frac{x}{2}(4) + \frac{x}{4}(4)1$$

$$4x - 2x = x + 4$$

$$4x - 2x - x = 4$$

x = 4

Diff: 2 Type: SA Page Ref: 76-79

Topic: 2.6 Solving Equations Involving Algebraic Simplification

Objective: 2-6: Solve equations involving algebraic simplification and formula rearrangement.

131) Solve:
$$\frac{3}{4} - \frac{x}{8} - \frac{x+2}{6} = 1$$

Answer:
$$\frac{3}{4} - \frac{x}{8} - \frac{x+2}{6} = 1$$

$$\frac{3}{4}$$
 $\frac{x}{8}$ $\frac{x+2}{6}$ (24) - (24) - (24) = (24)1

$$(6)3 - 3x - (4)(x + 2) = 24$$

$$18 - 3x - 4x - 8 = 24$$

$$-7x = 14$$

x = -2

Diff: 2 Type: SA Page Ref: 76-79

Topic: 2.6 Solving Equations Involving Algebraic Simplification

Objective: 2-6: Solve equations involving algebraic simplification and formula rearrangement.

132) Solve:
$$5(2x - 4) - 3(1 - 3x) = -64$$

Answer:
$$5(2x - 4) - 3(1 - 3x) = -64$$

$$10x - 20 - 3 + 9x = -64$$

$$19x = -41 x =$$

2.1578947

LS:
$$5[2(-2.1578947) - 4] - 3[1 - 3(-2.1578947)] = -64$$

$$5[-4.3157895 - 4] - 3[1 - (-6.4736842)] = -64$$

$$-41.578948 - 22.421053 = -64$$

$$-64 = -64$$

RS : = -64

Diff: 2 Type: SA Page Ref: 76-79

Topic: 2.6 Solving Equations Involving Algebraic Simplification

Objective: 2-6: Solve equations involving algebraic simplification and formula rearrangement.

133) Solve:
$$17 - 4(2x - 7) = 15x - 3(2x - 3)$$

Answer:
$$17 - 4(2x - 7) = 15x - 3(2x - 3)$$

$$17 - 8x + 28 = 15x - 6x + 9$$

$$45 - 8x = 9x + 9$$

$$36 = 17x$$

$$2.117647 = x$$

$$17 + 11.058824$$

28.058824

$$31.764706 - 3.7058823 = 28.058824$$

Diff: 2 Type: SA Page Ref: 76-79

Topic: 2.6 Solving Equations Involving Algebraic Simplification

Objective: 2-6: Solve equations involving algebraic simplification and formula rearrangement.

134) Solve:
$$x + \frac{5}{9} = 126$$

Answer:
$$x + x = 126$$
, $\frac{14}{9}$ $x = 126$, $x = 126 \times \frac{9}{14}$, $x = 8$

Diff: 2 Type: SA Page Ref: 76-79

Topic: 2.6 Solving Equations Involving Algebraic Simplification

Objective: 2-6: Solve equations involving algebraic simplification and formula rearrangement.

135) Solve:
$$2 - \frac{2}{x} = x^{\frac{3}{4}}$$

$$\frac{1}{2}$$
 $\frac{2}{3}$ $\frac{25}{9}$

Answer:
$$2 - x = x +$$

$$36 - 9x = 12x + 50$$

$$-14 = 21x$$

$$-\frac{2}{3} = x$$

Diff: 2 Type: SA Page Ref: 76-79

Topic: 2.6 Solving Equations Involving Algebraic Simplification

Objective: 2-6: Solve equations involving algebraic simplification and formula rearrangement.

136) Solve:
$$\frac{14}{5}(4-3x) + \frac{23}{40} = \frac{7}{10}x - \frac{3}{8}(2x-3)$$

Answer:
$$\frac{14}{5}(4-3x) + \frac{23}{40} = \frac{7}{10}x - \frac{3}{8}2x - 3$$

$$112(4 - 3x) + 23 = 28x - 15(2x - 3)$$

$$448 - 336x + 23 = 28x - 30x + 45$$

$$471 - 336x = -2x + 45$$

$$426 = 334x$$

$$1.2754491 = x$$

Diff: 3 Type: SA Page Ref: 76-79

Topic: 2.6 Solving Equations Involving Algebraic Simplification

Objective: 2-6: Solve equations involving algebraic simplification and formula rearrangement.

137) Solve:
$$(\frac{4}{5}x - 2) - (1\frac{3}{5}x - 3) = \frac{17}{60} + 3x$$

Answer:
$$\frac{4}{5}x - 2 - (1\frac{3}{5}x - 3) = \frac{17}{60} + 3x$$

$$80(5x - 2) - 36(16x - 3) = 17 + 180x$$

$$400x - 160 - 576x + 108 = 17 + 180x$$

$$-176x - 52 = 17 + 180x$$

$$-69 = 356x$$

$$-.1938202 = x$$

Diff: 3 Type: SA Page Ref: 76-79

Topic: 2.6 Solving Equations Involving Algebraic Simplification

Objective: 2-6: Solve equations involving algebraic simplification and formula rearrangement.

138) Solve: I = Prt for r

Answer:
$$I = Prt$$
, $r = \frac{I}{Pt}$

Diff: 1 Type: SA Page Ref: 76-79

Topic: 2.6 Solving Equations Involving Algebraic Simplification

Objective: 2-6: Solve equations involving algebraic simplification and formula rearrangement.

139) Solve:
$$I = Prt$$
 for t Answer: $I = Prt$, $t = \frac{1}{Pr}$

Diff: 1 Type: SA Page Ref: 76-79

Topic: 2.6 Solving Equations Involving Algebraic Simplification

Objective: 2-6: Solve equations involving algebraic simplification and formula rearrangement.

$$\frac{(R+r)}{r} = \frac{V}{v}$$
 140) Solve: for V
$$\frac{(R+r)}{r} = \frac{V}{v}$$

Answer:

$$v(R + r) = Vr$$

$$v(R + r)$$

$$V = r$$

Diff: 2 Type: SA Page Ref: 76-79

Topic: 2.6 Solving Equations Involving Algebraic Simplification

Objective: 2-6: Solve equations involving algebraic simplification and formula rearrangement.

141) Solve:
$$Q = \frac{p - q}{4}$$
 for p

Answer:
$$Q = \frac{p-q}{4}$$
, $4Q = p - q$, $4Q + q = p$

Diff: 2 Type: SA Page Ref: 76-79

Topic: 2.6 Solving Equations Involving Algebraic Simplification

Objective: 2-6: Solve equations involving algebraic simplification and formula rearrangement.

142) Solve:
$$P = S(1 + i)$$
-n for i

Answer:
$$P = S(1 + i)^{-n}, \frac{P}{S} = (1 + i)^{-n},$$

$$\left[\frac{P}{S}\right]^{-1/n} = 1 \left[\frac{S}{P}\right]^{1/n} = 1 + i,$$

$$i = \left[\frac{S}{P}\right]^{1/n} - 1$$

Diff: 3 Type: SA Page Ref: 76-79

Topic: 2.6 Solving Equations Involving Algebraic Simplification

Objective: 2-6: Solve equations involving algebraic simplification and formula rearrangement.

143) Solve:
$$S = P(1 + rt)$$
 for t

Answer:
$$S = P(1 + rt)$$
, $S = P + Prt$, $S - P = Prt$

$$t = \frac{S - P}{Pr}$$

Diff: 2 Type: SA Page Ref: 76-79

Topic: 2.6 Solving Equations Involving Algebraic Simplification

Objective:

$$\frac{1}{E+F}$$
 2-6: Solve equations involving algebraic simplification and formula rearrangement. 144) Solve: D = for F

$$\frac{1}{E+F}, \frac{1}{D}$$

$$= E+F, F = \frac{1}{D} - E$$

Answer: D

Diff: 3 Type: SA Page Ref: 76-79

Topic: 2.6 Solving Equations Involving Algebraic Simplification

Objective: 2-6: Solve equations involving algebraic simplification and formula rearrangement.

$$\frac{a+b}{b} = \frac{c}{d}$$
 145) Solve: = for b
$$\frac{a+b}{b} = \frac{c}{d}$$

Answer:

$$d(a + b) = bc$$

$$ad + bd = bc$$

$$ad = bc - bd$$

$$ad = b(c - d)$$

$$b = \frac{ad}{(c-d)}$$

Diff: 2 Type: SA Page Ref: 76-79

Topic: 2.6 Solving Equations Involving Algebraic Simplification

Objective: 2-6: Solve equations involving algebraic simplification and formula rearrangement.

146) Conor had to pay income taxes of \$3 440.00 plus 22% of the amount by which his taxable income exceeded \$36 000.00. If his tax bill was \$3 684.00, calculate his taxable income.

Answer: Let the taxable income (in dollars) be x.

Then x - 36 000 is the amount that his income is greater than \$36 000.

$$3440 + 0.22(x - 36\ 000) = 3684$$

 $3440 + 0.22x - 7920 = 3684$
 $0.22x = 8164\ x$

= \$37 109.09

Diff: 2 Type: SA Page Ref: 81-84

Topic: 2.7 Solving Word Problems

Objective: 2-7: Solve word problems by creating and solving equations.

147) Taylor invests part of her \$2 000 savings into a savings account at 6% and part into a GIC at 8% simple interest. If she gets \$150 in interest from the two investments, calculate how much she invested at each rate.

Answer: Let the amount invested at 6% be \$x.

Then the amount invested at 8% is (2000 - x).

$$0.06x + 0.08(2000 - x) = 150$$

$$0.06x + 160 - 0.08x = 150$$

$$-0.02x = -10 x = $500.00$$

at 6%

2000 - 500 = \$1500.00 at 8%

Diff: 2 Type: SA Page Ref: 81-84

Topic: 2.7 Solving Word Problems

Objective: 2-7: Solve word problems by creating and solving equations.

148) Bow Valley Electronics sold a mini stereo set during a sale for \$776. Determine the regular selling price of the set if the price of the set had been reduced by 1/4 of the original regular selling price.

Answer: Let the regular selling price be \$x.

$$\left[x - \frac{1}{4}x\right]$$

$$x - \frac{1}{4}x = 776$$

Sale price = \$

$$4x - x = 3104$$

$$3x =$$

3104
$$x =$$

1034.67

The regular selling price was \$1034.67.

Diff: 2 Type: SA Page Ref: 81-84

Topic: 2.7 Solving Word Problems

Objective: 2-7: Solve word problems by creating and solving equations.

149) After an increase of 1/9 of his current hourly wage, Pierre will receive a new hourly wage of \$12.35. How much is his hourly wage before the increase? Answer: Let the original

hourly wage be \$x. New hourly wage = \$\int \begin{bmatrix} x + \frac{1}{9}x \\ \dots & x + \frac{1}{9}x = 12.35 \end{bmatrix}

$$9x + x = 111.15$$

$$10x = 111.15 x$$

= 11.12

The hourly wage before increase was \$11.12.

Diff: 2 Type: SA Page Ref: 81-84

Topic: 2.7 Solving Word Problems

Objective: 2-7: Solve word problems by creating and solving equations.

150) After a reduction of $\frac{1}{14}$ of the selling price, a VCR was sold for \$470.00. Determine the regular selling price.

Answer: Let the regular price be y.

Then reduction in price is $\frac{1}{14}$ y.

$$y - \frac{1}{14} \quad y =$$

$$\frac{13}{14} \quad 470 y$$

$$= 470$$

$$y = $506.15$$

The regular selling price is \$506.15.

Diff: 2 Type: SA Page Ref: 81-84

Topic: 2.7 Solving Word Problems

Objective: 2-7: Solve word problems by creating and solving equations.

151) A rubber tube 120 cm long is cut into two pieces so that the longer piece is 30 cm longer than twice the length of the shorter piece. What is the length of the longer piece?

Answer: Let the shorter piece be x cm.

Length of the longer piece = (2x + 30) cm.

Total length = (x + 2x + 30)

cm. :
$$x + 2x + 30 = 120$$

 $3x = 90$ $x = 30$

The longer piece is 2(30) cm + 15 cm = 75 cm.

Diff: 2 Type: SA Page Ref: 81-84

Topic: 2.7 Solving Word Problems

Objective: 2-7: Solve word problems by creating and solving equations.

152) A clothing store sells fancy hats at a gross margin of \$3.50 each and ordinary hats at a gross margin of \$5.00 each. During July, 110 hats were sold for a total gross margin of \$460.00. How many fancy hats were sold?

Answer: Let the number of fancy hats be y.

Then the number of ordinary hats = 110 - y.

The total gross margin on fancy hats = \$5(y).

The total gross margin on ordinary hats = \$3.5(110 - y)

$$5y + 3.5(110 - y) = 460$$

$$5y + 385 - 3.5y = 460$$
$$1.5y = 75 y$$
$$= 50$$

The number of fancy hats sold = 50.

Diff: 2 Type: SA Page Ref: 81-84

Topic: 2.7 Solving Word Problems

Objective: 2-7: Solve word problems by creating and solving equations.

153) An electronics company has been producing 1705 CD Players a day working two shifts. The second shift has produced 95 CD players fewer than four-fifths of the number of CD players produced by the first shift. Determine the number of CD players produced by the second shift.

Answer: Let the number of CD players produced by the first shift be x. Number of CD players

produced by the second shift = $\frac{4}{5}x - 95$.

Total production = $x + \frac{4}{5}x - 95 =$

$$1705 : x + \frac{\frac{4}{5}}{x} - 95 = 1705 = 1800$$

$$x = 1000$$

Production by the second shift is $\frac{4}{5}x(1000) - 95 = 705$.

Diff: 2 Type: SA Page Ref: 81-84

Topic: 2.7 Solving Word Problems

Objective: 2-7: Solve word problems by creating and solving equations.

154) A machine requires five hours to make a unit of Product A and six hours to make a unit of Product B. Last month the machine operated for 250 hours producing a total of 60 units. How many units of Product A were produced?

Answer: Let the number of units of product A be x.

Then the number of units of product B is 60 - x.

The number of hours for product A is 5x.

The number of hours for product B is 6(60 - x).

$$5x + 6(60 - x) = 350$$

$$5 x + 360 - 6x = 350$$

$$-x = -10$$

$$x = 10$$

Production of product A is 10 units.

Diff: 2 Type: SA Page Ref: 81-84

Topic: 2.7 Solving Word Problems

Objective: 2-7: Solve word problems by creating and solving equations.

155) The local amateur soccer club spent \$1640 on tickets to a professional hockey game. If the club bought 2.5 times as many eight-dollar tickets than the number of twelve-dollar tickets and four fewer fifteen-dollar tickets than 7/10 the number of twelve dollar tickets, how many of each type of ticket did the club buy?

Answer: Let the number of \$12 tickets be x.

Number of \$8 tickets = 2.5x

Number of \$15 tickets =
$$\frac{7}{10}x - 4$$

Value of the \$12 tickets = \$12x

Value of the \$8 tickets = \$8(2.5x)

Value of the \$15 tickets =
$$$15(\frac{7}{10}x - 4)$$

$$12x + 8(2.5x) + 15(7/10x - 4) = $1640$$

$$12x + 20x + 10.5x - 60 = 1640$$

$$42.5x = 1700 x$$

= 40

Sales were 40 \$12 tickets, 100 \$8 tickets, and 24 \$15 tickets.

Diff: 3 Type: SA Page Ref: 81-84

Topic: 2.7 Solving Word Problems

Objective: 2-7: Solve word problems by creating and solving equations.

156) Evaluate s:
$$s = ut + \frac{1}{2}t2$$
 for $u = 15$, $a = 32$, $t = 5$

Answer:
$$s = 15(5) + \frac{1}{2}(2)(5)2$$

$$=75 + 400$$

=475

Diff: 2 Type: SA Page Ref: 44-49

Topic: 2.1 Simplification of Algebraic Expressions

Objective: 2-1: Simplify algebraic expressions using fundamental operations and substitution.

157) Evaluate s:
$$s = ut + \frac{1}{2}t^2$$
 for $u = 20$, $a = 10$, $t = 5$

Answer:
$$s = 20(5) + \frac{1}{2}(0)(5)2$$

$$= 100 + 125$$

= 225

Diff: 2 Type: SA Page Ref: 44-49

Topic: 2.1 Simplification of Algebraic Expressions

Objective: 2-1: Simplify algebraic expressions using fundamental operations and substitution.

158) Evaluate z:
$$z = 5x^2 - 5xy - 3y^2$$
 for $x = -6$, $y = +5$ Answer: $z = 5(-6)^2 - 5(-6)(5) - 3(5)^2$

$$=5(36)+150-3(25)$$

$$= 180 + 150 - 75$$

= 255

Diff: 2 Type: SA Page Ref: 44-49

Topic: 2.1 Simplification of Algebraic Expressions

Objective: 2-1: Simplify algebraic expressions using fundamental operations and substitution.

159) Evaluate c:
$$c = 8(7a - 4b) - 4(5a + 3b)$$
 for $a = \frac{1}{3}b = -\frac{5}{4}$

Answer:
$$c = 8\left[7\left(\frac{1}{3}\right) - 4\left(-\frac{5}{4}\right)\right] - 4\left[5\left(\frac{1}{3}\right) + 3\left(-\frac{5}{4}\right)\right]$$

$$= 8$$

$$\frac{56}{3} + \frac{160}{4} - \frac{20}{3} + \frac{60}{4}$$

$$= \frac{36}{3} + \frac{220}{4} = 12 + 55 = 67$$

Diff: 3 Type: SA Page Ref: 44-49

Topic: 2.1 Simplification of Algebraic Expressions

Objective: 2-1: Simplify algebraic expressions using fundamental operations and substitution.

160) Evaluate K: K =
$$\frac{2NC}{P(n+1)}$$
 for N = 112, C = 250, P = 2450, $n = 24$

Answer: For N = 12, C = 400, P = 2000, n = 24

$$K = \frac{2NC}{P(n+1)} = \frac{2(112)(250)}{2450(24+1)} = \frac{56000}{61250} = .914286$$

Diff: 3 Type: SA Page Ref: 44-49

Topic: 2.1 Simplification of Algebraic Expressions

Objective: 2-1: Simplify algebraic expressions using fundamental operations and substitution.

161) Evaluate T:
$$T = \frac{I}{Pr}$$
 for $I = 224$, $P = 6700$, $r = 0.11$

Answer: For I = 324, P = 5400, r = 0.15

$$T = \frac{I}{Pr} = \frac{224}{6700x.11} = \frac{224}{737} = .3039349$$

Diff: 3 Type: SA Page Ref: 44-49

Topic: 2.1 Simplification of Algebraic Expressions

Objective: 2-1: Simplify algebraic expressions using fundamental operations and substitution.

162) Evaluate P: P = S(1 -
$$dt$$
) for S = 1886, d = 0.15, t = $\frac{249}{365}$
Answer: P = 1886 $1 - .15 \times \frac{249}{365}$

$$1 - .15 \times \frac{249}{365}$$

 $= 1886(1 - .15 \times .6821918)$

= 1886(1 - .1023288)

= 1886(.8976712)

= 1693.01

Page Ref: 44-49 Diff: 2 Type: SA

Topic: 2.1 Simplification of Algebraic Expressions

Objective: 2-1: Simplify algebraic expressions using fundamental operations and substitution.

$$\frac{S}{1+rt}$$
 for S = 1665, $r = 0.14$, $t = \frac{292}{365}$ 163) Evaluate P: P =

Answer: P
$$\frac{1665}{1 + .14 \times \frac{292}{365}} = \frac{1665}{1 + .14 \times .8} = \frac{1665}{1 + .112} = \frac{1665}{1.112} = = $1497.30$$

Diff: 3 Type: SA Page Ref: 44-49

Topic: 2.1 Simplification of Algebraic Expressions

Objective: 2-1: Simplify algebraic expressions using fundamental operations and substitution.

Answer: P
$$\frac{S}{1+rt}$$
 for S = 1000, $r = 0.1$, $t = \frac{180}{360}$ 164) Evaluate P: P = $\frac{1000}{1+.1 \times \frac{180}{360}} = \frac{1000}{1+.1 \times .5} = \frac{1000}{1+.05} = \frac{1000}{1.05} = = 952.38

Diff: 3 Type: SA Page Ref: 44-49

Topic: 2.1 Simplification of Algebraic Expressions

Objective: 2-1: Simplify algebraic expressions using fundamental operations and substitution.

165) Compute: $\sqrt[19]{1.36}$

Answer: $\sqrt[19]{1.36} = 1.016315$

Diff: 2 Type: SA Page Ref: 59-62

Topic: 2.3 Fractional Exponents

Objective: 2-3: Use an electronic calculator to compute the numerical value of arithmetic expressions involving fractional exponents.

$$\frac{1 - 1.04 - 35}{0.05}$$
 166) Compute:
$$\frac{1 - 1.04 - 35}{.05} = \frac{1 - .2534155}{.05} = \frac{.7465845}{.05}$$
 Answer: = 14.93169

Diff: 3 Type: SA Page Ref: 59-62

Topic: 2.3 Fractional Exponents

Objective: 2-3: Use an electronic calculator to compute the numerical value of arithmetic

$$\frac{1 - 1.02 - 40}{0.02}$$
 expressions involving fractional exponents. 167) Compute:
$$\frac{1 - 1.02 - 40}{.02} = \frac{1 - .4528904152}{.02} = \frac{.5471095848}{.02}$$

Answer: = 27.36

Type: SA Page Ref: 59-62 Diff: 3

Topic: 2.3 Fractional Exponents

Objective: 2-3: Use an electronic calculator to compute the numerical value of arithmetic expressions involving fractional exponents.

168) Compute: In 1.257 Answer: $\ln 1.257 = .228728$

Type: SA Page Ref: 63-69 Topic: 2.4 Logarithms - Basic Aspects

Objective: 2-4: Write exponential equations in logarithmic form and use an electronic calculator equipped with a natural logarithm function to determine the value of natural logarithms.

169) Compute: ln[3.00*e*-.3]

Answer: ln(3.00e - .3)

 $= \ln 3.00 + \ln e - .3$ $= \ln 3.00 - .3 \ln e$ = 1.0986123 - .3 = .7986123

Diff: 3 Type: SA Page Ref: 63-69 Topic: 2.4 Logarithms - Basic Aspects

Objective: 2-4: Write exponential equations in logarithmic form and use an electronic calculator equipped with a natural logarithm function to determine the value of natural logarithms.

170) Solve: x - 0.26x = 8.96

Answer: x - .26x = 8.96, .74x = 8.96, x = 12.10811

Diff: 1 Type: SA Page Ref: 71-75 Topic: 2.5 Solving Basic Equations

Objective: 2-5: Solve basic equations using addition, subtraction, multiplication, and division.

171) Solve: x - 0.75x = 9.00

Answer: x - .75x = 9.00, .25x = 9.00, x = 36.00

Diff: 1 Type: SA Page Ref: 71-75 Topic: 2.5 Solving Basic Equations

Objective: 2-5: Solve basic equations using addition, subtraction, multiplication, and division.

172) Solve: 0.4x - 4 = 6 - 0.8x

Answer: .4x - 4 = 6 - .8x, 1.2x = 10, x = 8.333333333

Diff: 1 Type: SA Page Ref: 71-75 Topic: 2.5 Solving Basic Equations

Objective: 2-5: Solve basic equations using addition, subtraction, multiplication, and division.

173) Solve: (3 - 5x) - (9x - 1) = 80

Answer: (3 - 5x) - (9x - 1) = 80

3 - 5x - 9x + 1 = 80

4 - 14x = 80 - 14x = 76 x = -5.42857

Diff: 2 Type: SA Page Ref: 76-79

Topic: 2.6 Solving Equations Involving Algebraic Simplification

Objective: 2-6: Solve equations involving algebraic simplification and formula rearrangement.

174) Solve: 5(8x - 2) - 5(3x + 5) = 36

Answer: 5(8x - 2) - 5(3x + 5) = 36

40x - 10 - 15x - 25 = 36

25x - 35 = 36

25x = 71

x = 2.84

Diff: 2 Type: SA Page Ref: 76-79

Topic: 2.6 Solving Equations Involving Algebraic Simplification

Objective: 2-6: Solve equations involving algebraic simplification and formula rearrangement.

175) Solve:
$$x + \frac{7}{10}$$
 $\frac{1}{2}$ + $+ x + \frac{4}{5}x + 1 = 256$

Answer:
$$x + \frac{7}{10}$$
 $x + \frac{1}{2} + x + \frac{4}{5} + 1 = 256$

$$x + .7x + 1.8x + 1.5 = 256$$

$$3.5x = 254.5$$

$$x = 72.71429$$

Diff: 3 Type: SA Page Ref: 76-79

Topic: 2.6 Solving Equations Involving Algebraic Simplification

Objective: 2-6: Solve equations involving algebraic simplification and formula rearrangement.

176) After reducing the regular selling price by 1/7, Moon Electronics sold a TV set for \$294. What was the regular selling price?

Answer: Let the regular selling price be

1 \$x. Reduction in price +
$$\$^{\frac{1}{7}}x \cdot x - x =$$

$$\overline{7}$$
 294 $x = 294$

$$\frac{3}{7}$$
 $x = 343.00

Topic: 2.7 Solving Word Problems

Objective: 2-7: Solve word problems by creating and solving equations.

177) After reducing the regular selling price by 1/8,

Sepaba Inc. sold a Stereo set for \$300. What was the regular selling

price? Answer: Let the regular selling price be x. Reduction in price +

$$\frac{1}{8}$$

$$1 \qquad x \, x - x = 300 \, x = 300$$

$$= $342.86$$

Topic: 2.7 Solving Word Problems

Objective: 2-7: Solve word problems by creating and solving equations.

178) The zinc department of a factory occupies 500 square metres more than 2 times the floor space occupied by the copper department. The total floor space is 9500 square metres. Determine the floor space occupied by the cooper department. Answer: Let the floor space occupied by copper be *x*.

Floor space occupied by zinc = 2x + 500

Total floor space = x + 2x + 500 x

$$\therefore$$
 + 2x + 500 = 9500

$$3 \quad x = 9000 \ x = 3000$$

The floor space occupied by copper is 3000 square metres.

Diff: 2 Type: SA Page Ref: 81-84

Topic: 2.7 Solving Word Problems

Objective: 2-7: Solve word problems by creating and solving equations.

179) A company employs 204 employees. There are three shifts. There are three times as many on the first shift as on the second shift, and four more on the third shift than on the second shift.

Determine how many were on each shift.

Answer: Let x be the number on the second shift.

Then 3x is the number on the first shift.

And x + 4 is the number on the third shift.

$$x + 3x + (x + 4) = 204$$

$$5x = 200 x = 40$$
 on the

second shift 3x = 120 on

the first shift x + 4 = 44 on

the third shift

Diff: 2 Type: SA Page Ref: 81-84

Topic: 2.7 Solving Word Problems

Objective: 2-7: Solve word problems by creating and solving equations.

180) A machine requires 4 hours to make a unit of Product A and 7 hours to make a unit of Product B. The machine operated for 810 hours producing a total of 150 units. How many units

of Product B were produced?

Answer: Let the number of units of Product A be x.

Number of units of Product B = 150 - x.

Number of hours for Product A = 4x.

Number of hours for Product B = 7(150 - x).

$$\therefore 4x + 7(150 - x) = 810$$

$$4x + 1050 - 7x$$

$$= 810 -3x = -240$$
 x

= 80

The number of units if Product B is 150 - 80 = 70.

Diff: 2 Type: SA Page Ref: 81-84

Topic: 2.7 Solving Word Problems

Objective: 2-7: Solve word problems by creating and solving equations.

181) Simplify: (5x - 4)(3x + 1)

A)
$$15x^2 - 7x + 4$$

C)
$$15x^2 + 7x - 4$$

D)
$$-15x^2 - 7x + 4$$

E)
$$-10x^2 - 7x + 4$$

Answer: B

Diff: 1 Type: MC Page Ref: 44-49

Topic: 2.1 Simplification of Algebraic Expressions

Objective: 2-1: Simplify algebraic expressions using fundamental operations and substitution.

$$\begin{array}{r}
25a^{6}b^{8}c^{10} \\
5a^{2}b^{4}c^{5}
\end{array}$$

182) Simplify:

- A) 20a4b4c5
- B) 5a4b4c5
- C) 5a3b2c2
- D) 20a3b2c2
- E) 55a4b4c5

Answer: B

Diff: 1 Type: MC Page Ref: 51-58

Topic: 2.2 Integral Exponents

Objective: 2-2: Simplify and evaluate powers with positive exponents, negative exponents, and exponent zero.

183) Simplify: (3)2(3)5

- A) 30
- B) 90
- C) 59 049
- D) 2187
- E) 120

Answer: D

Diff: 1 Type: MC Page Ref: 51-58

Topic: 2.2 Integral Exponents

Objective: 2-2: Simplify and evaluate powers with positive exponents, negative exponents, and exponent zero.

- 184) Simplify: $[(2^3)^4]^2$
- A) 16777216
- B) 17666216
- C) 12222617
- D) 17222167 E) 17333167

Answer: A

Diff: 1 Type: MC Page Ref: 51-58

Topic: 2.2 Integral Exponents

Objective: 2-2: Simplify and evaluate powers with positive exponents, negative exponents, and exponent zero.

$$\frac{4^{-7}}{3^{-6}}$$

- 185) Compute the value of (four decimal places):
- A) .0045
- B) .5449
- C) .4459

D) .0445

E) 0.044946

Answer: E

Diff: 1 Type: MC Page Ref: 51-58

Topic: 2.2 Integral Exponents

Objective: 2-2: Simplify and evaluate powers with positive exponents, negative exponents, and

exponent zero.

186) Simplify: (m2)6

A) m12

B) m-4

C) m8

D) m3

E) m2

Answer: A

Diff: 1 Type: MC Page Ref: 51-58

Topic: 2.2 Integral Exponents

Objective: 2-2: Simplify and evaluate powers with positive exponents, negative exponents, and exponent zero.

187) Simplify: [(33) - 62]3

A) 279

B) -279

C) 729

D) -729

E) 972

Answer: D

Diff: 1 Type: MC Page Ref: 51-58

Topic: 2.2 Integral Exponents

Objective: 2-2: Simplify and evaluate powers with positive exponents, negative exponents, and exponent zero.

188) Calculate the following:
$$\ln \left[1.67 \times \left(\frac{2.13-15}{.0034} \right) \right]$$

A) 5.145

B) 1.545

C) -5.154

D) -1.545

E) -5.145

Answer: E

Diff: 1 Type: MC Page Ref: 63-69 Topic: 2.4 Logarithms - Basic Aspects Objective: 2-4: Write exponential equations in logarithmic form and use an electronic calculator equipped with a natural logarithm function to determine the value of natural logarithms.

189) Solve the following equation: 5x - 4 + 9 = -3x - 2 - 13

- A) 2.5
- B) -2.5
- C) 20
- D) -20
- E) -25

Answer: B

Diff: 1 Type: MC Page Ref: 71-75

Topic: 2.5 Solving Basic Equations

Objective: 2-5: Solve basic equations using addition, subtraction, multiplication, and division.

190) Solve the following and check your solutions: 12x + 5(9 - x) = 429

- A) 58.86
- B) -58.86
- C) 54.14
- D) -54.14
- E) -5.14

Answer: A

Diff: 1 Type: MC Page Ref: 76-79

Topic: 2.6 Solving Equations Involving Algebraic Simplification

Objective: 2-6: Solve equations involving algebraic simplification and formula rearrangement.

191) You have a lotto ticket with three numbers between zero and 49. The total of the three numbers is 93. One number is twice as large plus two as the lowest number. The second number

- is $\overline{\ }^{3}$ the size of the smaller number. What are the values of each of the numbers?
- A) 1-44, 2-28, 3-21
- B) 1-41, 2-31, 3-21
- C) 1-44, 2-25, 3-24
- D) 1-44, 2-20, 3-15
- E) 1-44, 2-15, 3-20

Answer: A

Diff: 3 Type: MC Page Ref: 81-84 Topic: 2.7 Solving Word Problems

Objective: 2-7: Solve word problems by creating and solving equations.

- 192) Simplify: 11.57843/7
- A) 3.857
- B) 4.857
- C) 2.857
- D) 2.587 E) 4.785

Answer: C

Diff: 1 Type: MC Page Ref: 59-62

Topic: 2.3 Fractional Exponents

Objective: 2-3: Use an electronic calculator to compute the numerical value of arithmetic expressions involving fractional exponents.

193) You have three colors of candies a jar - yellow, red and blue. There are 4 times plus 3 as many yellow candies as there are blue candies. There is 5/8 as many minus 6 red candies as there are blue. There are a total of 402 candies in the jar. How many of yellow, blue and red candies are there?

A) y-290, b-73, r-39

B) y-291, b-73, r-38

C) y-291, b-72, r-39

D) y-292, b-72, r-38

E) y-292, b-72, r-37

Answer: C

Diff: 3 Type: MC Page Ref: 81-84 Topic: 2.7 Solving Word Problems

Objective: 2-7: Solve word problems by creating and solving equations.

194) Following equation is used in carbon dating of the artefacts:

$$N = {\stackrel{N_0 \times e}{\overset{-t}{\tau}}}$$

where,

N = Decay rate of the artefact, expressed as disintegrations per minute (dpm)

 $N_0 = Decay rate of natural carbon = 14 dpm$

$$= \frac{\frac{\text{Half-life of C-14}}{\ln 2}}{\frac{\ln 2}{\ln 2}} = \frac{\frac{5730}{\ln 2}}{\frac{\ln 2}{\ln 2}} = 8267 \text{ years}$$

 τ = Mean life time =

t = Age of the artefact

Answer: $N = N_0 \times e^{\frac{-t}{\tau}}$ calculate the age of measured as 4 dpm Calculate the age of the artefact, if the decay rate of the artefact is

$$\frac{N}{N_0} = e^{\frac{-t}{\tau}}$$

$$\frac{N}{N_0} = \frac{-t}{\tau} \ln(e)$$

$$\Rightarrow \ln$$

$$\Rightarrow t = -\tau \times \ln\left(\frac{N}{N_0}\right)$$

$$\Rightarrow \ln$$
because $\ln(e) = 1$

Plugging the values in the above equation, we get:

$$t = -8267 \times \ln \left(\frac{4}{14}\right)$$

 \Rightarrow t = -8267 × -1.253

 \Rightarrow t = 10357

Age of the artefact is 10,357 years

Diff: 3 Type: SA Page Ref: 63-69

Topic: 2.4 Logarithms - Basic Aspects

Objective: 2-4: Write exponential equations in logarithmic form and use an electronic calculator equipped with a natural logarithm function to determine the value of natural logarithms.

195) Following equation is used in carbon dating of the artefacts:

$$N = ^{N_0 \times e^{\frac{-t}{\tau}}}$$

where,

N = Decay rate of the artefact, expressed as disintegrations per minute (dpm)

 N_0 = Decay rate of natural carbon = 14 dpm

natural carbon = 14 dpm
$$\frac{\text{Half-life of C-14}}{\ln 2} = \frac{5730}{\ln 2} = 8267 \text{ years}$$

 τ = Mean life time =

t = Age of the artefact

What is the expected decay rate of the artefact, if it is known to be from Canadian New France era, 350 years ago.

Answer:
$$N = {N_0 \times e^{\frac{-t}{\tau}}}$$
Plugging the values in

Plugging the values in the above equation, we get

$$N = 14 \times e^{\frac{-350}{8267}} = 14 \times 0.959 = 13.4 \text{ dpm}$$

Diff: 2 Type: SA Page Ref: 63-69 Topic: 2.4 Logarithms - Basic Aspects

Objective: 2-4: Write exponential equations in logarithmic form and use an electronic calculator equipped with a natural logarithm function to determine the value of natural logarithms.

196) Find b, if $e^{-4b} = 0.25$

A) -0.0625

B) -1.386

C) -0.347

D) 0.347

E) -0.229

Answer: D

Diff: 2 Type: MC Page Ref: 63-69

Topic: 2.4 Logarithms - Basic Aspects

Objective: 2-4: Write exponential equations in logarithmic form and use an electronic calculator equipped with a natural logarithm function to determine the value of natural logarithms.

197) Calculate $\ln^{(200e^{(-4 \times 0.29)})}$

A) -1.16

B) 0.06

C) 6.458

D) 4.138

E) 198.84

Answer: D

Diff: 2 Type: MC Page Ref: 63-69 Topic: 2.4 Logarithms - Basic Aspects

Objective: 2-4: Write exponential equations in logarithmic form and use an electronic calculator equipped with a natural logarithm function to determine the value of natural logarithms.

198) Calculate
$$\ln \left[900 \left(\frac{1.025^{-30}}{0.025} \right) \right]$$

A) 9.75

B) 17162

C) 2653.29

D) 10.52

E) 11.23

Answer: A

Diff: 2 Type: MC Page Ref: 63-69

Topic: 2.4 Logarithms - Basic Aspects

Objective: 2-4: Write exponential equations in logarithmic form and use an electronic calculator equipped with a natural logarithm function to determine the value of natural logarithms.

199) In the following equation:

$$PV_n = PMT \left[\frac{1 - (1 + i)^{-n}}{calculate n} \right]$$
 if $= 75,000$; $PMT = 3500$; $i = 0.028V_n$

Answer: Plugging the values in the above equation:

$$75000 = 3500 \left[\frac{1 - 1.028 - n}{0.028} \right]$$

 $\Rightarrow 0.6 = 1 - 1.028^{-n}$

$$1.028^{-n} = 0.4$$

 \Rightarrow -n ln(1.028) = ln (0.4)

$$\Rightarrow$$
 -n(0.027615) = -0.916291

 \Rightarrow n = 33.180706

Diff: 2 Type: SA Page Ref: 63-69

Topic: 2.4 Logarithms - Basic Aspects

Objective: 2-4: Write exponential equations in logarithmic form and use an electronic calculator equipped with a natural logarithm function to determine the value of natural logarithms.

200) Evaluate
$$\ln \left(20 \frac{300}{1.09} \right)$$

- A) 5505
- B) 8.613
- C) 112.35
- D) 104.66
- E) 8.786

Answer: B

Diff: 2 Type: MC Page Ref: 63-69 Topic: 2.4 Logarithms - Basic Aspects

Objective: 2-4: Write exponential equations in logarithmic form and use an electronic calculator equipped with a natural logarithm function to determine the value of natural logarithms.

201) Simplify:
$$\frac{3^3 \times 3^7}{3^{10}}$$

- A) 3
- B) 0.333
- C) 531,441
- D) 0.00000188
- E) 1

Answer: E

Diff: 1 Type: MC Page Ref: 51-58

Topic: 2.2 Integral Exponents

Objective: 2-2: Simplify and evaluate powers with positive exponents, negative exponents, and exponent zero.

202) Simplify:
$$(2 + 0.025)^3$$

- A) 8.000015625
- B) 8
- C) 8.304
- D) 11.39
- E) 91.125

Answer: C

Diff: 1 Type: MC Page Ref: 51-58

Topic: 2.2 Integral Exponents

Objective: 2-2: Simplify and evaluate powers with positive exponents, negative exponents, and exponent zero.

- A) 32768
- B) -32768
- C) -40
- D) 256

E) -30

204) Simplify $\left(\frac{1+n}{2}\right)^3$ D

Answer: B

Diff: 1 Type: MC Page Ref: 51-58

Topic: 2.2 Integral Exponents

A) $\frac{1}{8} + n^3$

Objective: 2-2: Simplify and evaluate powers with positive exponents,

negative exponents, and exponent zero.

 $\left(\frac{1}{2} + n\right)^3$ B)

 $\left(\frac{1}{2} + \frac{n}{2}\right)^3$ C)

 $\frac{(1+n)^3}{8}$ D)

 $\left(\frac{1+n}{2}\right)^3$ E)

Answer: D

Diff: 1 Type: MC Page Ref: 51-58

Topic: 2.2 Integral Exponents

Objective: 2-2: Simplify and evaluate powers with positive exponents, negative exponents, and exponent zero.

205) Evaluate $\left(\sqrt[3]{9}\right)^3$

A) 1

B) 9

C) 2.08

D) 729

E) $\frac{1}{9}$

Answer: B

Diff: 1 Type: MC Page Ref: 59-62

Topic: 2.3 Fractional Exponents

Objective: 2-3: Use an electronic calculator to compute the numerical value of arithmetic expressions involving fractional exponents.

206) Evaluate $5000(1 + 0.11)^5$

A) 0.08

B) 5000

C) 8425.29

D) 5281.12

E) 25000

Answer: C

Diff: 1 Type: MC Page Ref: 59-62

Topic: 2.3 Fractional Exponents

 $\left[\frac{1 - (1 + 0.0125)^{-12}}{0.0125}\right]^{-1}$ involving fractional exponents. 1862.14 $\left[\frac{1 - (1 + 0.0125)^{-12}}{0.0125}\right]^{-1}$ Objective: 2-3: Use an electronic calculator to compute the numerical value of arithmetic

$$\left[\frac{1 - (1 + 0.0125)^{-12}}{0.0125}\right]^{-1} \quad 1862.14$$

$$= 1862.14 \left[\frac{1 - (1.0125)^{-12}}{0.0125} \right]^{-1}$$

$$= 1862.14 \left[\frac{0.1385}{0.0125} \right]^{-1}$$

$$= 168.07$$

Objective: 2-3: Use an electronic calculator to compute the numerical value of arithmetic expressions involving fractional exponents.

$$=\frac{$5000}{0.05} = $100,000$$

Diff: 1 Type: SA Page Ref: 59-62

Topic: 2.3 Fractional Exponents

Objective: 2-3: Use an electronic calculator to compute the numerical value of arithmetic expressions involving fractional exponents.

209) Evaluate:
$$\frac{ln\left(1 + \frac{0.0064 \times 100000}{250}\right)}{ln(1.0064)}$$
Answer:
$$\frac{ln\left(1 + \frac{0.0064 \times 100000}{250}\right)}{ln(1.0064)}$$

Answer:
$$\frac{ln\left(1 + \frac{0.0064 \times 100000}{250}\right)}{ln(1.0064)}$$

Topic: 2.3 Fractional Exponents

Objective: 2-3: Use an electronic calculator to compute the numerical value of arithmetic expressions involving fractional exponents.

210) Evaluate:
$$\frac{27370}{\left[\frac{1 - (1 + 0.005)^{-30}}{0.005}\right](1 + 0.005)}$$

Answer:
$$\frac{27370}{\left[\frac{1 - (1 + 0.005)^{-30}}{0.005}\right](1 + 0.005)}$$
$$\frac{27370}{27.794 \times 1.005}$$

= 979.84

Diff: 2 Type: SA Page Ref: 59-62

Topic: 2.3 Fractional Exponents

Objective: 2-3: Use an electronic calculator to compute the numerical value of arithmetic expressions involving fractional exponents.

211) Simplify:
$$(a + b + c)(a^2 + b^2 + c^2 - ab - bc - ca)$$

Answer:
$$(a + b + c)(a^2 + b^2 + c^2 - ab - bc - ca)$$

$$= a(a^2 + b^2 + c^2 - ab - bc - ca) + b(a^2 + b^2 + c^2 - ab - bc - ca) + c(a^2 + b^2 + c^2 - ab - bc - ca)$$

$$= a3 + ab2 + ac2 - a2b - abc - ca2 + ba2 + b3 + bc2 - ab2 - b2c - abc + ca2 + b2c + c3 - abc - bc2$$

- ac2

$$= a3 + b3 + c3 - 3abc$$

Diff: 2 Type: SA Page Ref: 44-49

Topic: 2.1 Simplification of Algebraic Expressions

Objective: 2-1: Simplify algebraic expressions using fundamental operations and substitution.

212) Simplify:
$$(a + b)3$$

Answer: (a + b)3

$$= (a + b)(a + b)2$$

$$= (a + b)(a2 + 2ab + b2)$$

$$= a3 + 3a2b + 3ab2 + b3$$

Diff: 1 Type: SA Page Ref: 44-49

Topic: 2.1 Simplification of Algebraic Expressions

Objective: 2-1: Simplify algebraic expressions using fundamental operations and substitution.

213) Simplify:
$$7x - (5x - 4y) - (6x + 8y - 5x)$$

A)
$$x - 4y$$

C)
$$x + 12y$$

D)
$$3x + 12y E$$
) $3x - 4y$

Answer: A

Diff: 1 Type: MC Page Ref: 44-49

Topic: 2.1 Simplification of Algebraic Expressions

Objective: 2-1: Simplify algebraic expressions using fundamental operations and substitution.

214) Simplify:
$$x - 2y - [4x - 6y - \{3x - z + 2(2x - 4y + z)\}]$$

Answer:
$$x - 2y - [4x - 6y - {3x - z + 2(2x - 4y + z)}]$$

$$= x - 2y - [4x - 6y - {3x - z + 4x - 8y + 2z}]$$

$$= x - 2y - [4x - 6y - {7x + z - 8y}]$$

$$= x - 2y - [4x - 6y - 7x - z + 8y]$$

$$= x - 2y - [-3x + 2y - z]$$

$$= x - 2y + 3x - 2y + z$$

$$=4x-4y+z$$

Diff: 2 Type: SA Page Ref: 44-49

Topic: 2.1 Simplification of Algebraic Expressions

Objective: 2-1: Simplify algebraic expressions using fundamental operations and substitution.

215) Solve:
$$2x + 5 = 7$$

A)
$$x = 1$$

B)
$$x = 6$$

C)
$$x = 2$$

D)
$$x = 4$$

E)
$$x = \frac{1}{2}$$

Answer: A

Diff: 1 Type: MC Page Ref: 71-75

Topic: 2.5 Solving Basic Equations

Objective: 2-5: Solve basic equations using addition, subtraction, multiplication, and division.

216) Solve:
$$8x - 11 = 5x + 4$$

A) x
$$\frac{7}{3}$$
 = -

B) x
$$\frac{7}{13} = -$$

C)
$$x = 5$$

D)
$$x = 15 E$$
) $x = 4$

Answer: C

Diff: 1 Type: MC Page Ref: 71-75

Topic: 2.5 Solving Basic Equations

Objective: 2-5: Solve basic equations using addition, subtraction, multiplication, and division.

217) Solve:
$$0.5x - 0.75 + 9x = 5x + 1.5$$

A)
$$x = 0.05$$

B)
$$x = 0.155$$

C)
$$x = -0.5$$

D) x = 0.5

E) x = 0.55

Answer: D

Diff: 1 Type: MC Page Ref: 71-75

Topic: 2.5 Solving Basic Equations

Objective: 2-5: Solve basic equations using addition, subtraction, multiplication, and division.

218) Solve: y = 192 + 0.04y

A) y = 184.62

B) y = 192

C) y = 200

D) y = 320

E) y = 137.14

Answer: C

Diff: 1 Type: MC Page Ref: 71-75

Topic: 2.5 Solving Basic Equations

Objective: 2-5: Solve basic equations using addition, subtraction, multiplication, and division.

219) Solve and find the value of a, given 3a + 4(15-2a) = 20

A) $a = \frac{16}{3}$

B) a = 7

C) a = 5

D) a = -1

E) a = 8

Answer: E

Diff: 2 Type: MC Page Ref: 71-75

Topic: 2.5 Solving Basic Equations

Objective: 2-5: Solve basic equations using addition, subtraction, multiplication, and division.

220) Solve and find the value of y, given 3(1-2y) + 5y = 5

Answer: 3(1-2y) + 5y = 5

 \Rightarrow -y + 3 = 5

 \Rightarrow y = -2

Diff: 1 Type: SA Page Ref: 71-75

Topic: 2.5 Solving Basic Equations

Objective: 2-5: Solve basic equations using addition, subtraction, multiplication, and division.

= \$115.10

221) Solve:
$$\frac{x}{1 + 0.11 \times \frac{175}{365}} + 2x \left[1 + 0.11 \times \frac{190}{365} \right]$$
 = \$115.10

Answer:
$$\frac{x}{1 + 0.11 \times \frac{175}{365}} + 2x \left[1 + 0.11 \times \frac{190}{365} \right] \Rightarrow 3.06442x = $115.10$$

$$\frac{x}{1.05274} + 2.11452x = $115.10$$
 $\Rightarrow x = 37.56 Diff: 2 Type: SA Page Ref: 76-79

Algebraic Simplification

Objective: 2-6: Solve equations involving algebraic simplification and formula rearrangement.

Topic: 2.6 Solving Equations Involving

222) Solve:
$$x \left[1 + 0.09 \times \frac{180}{365} \right] + 2x \left[1 + 0.09 \times \frac{85}{365} \right]^{-1} = $2551.65$$

Answer:
$$1.04438x + 2x(1.02096) - 1 = $2551.65$$

$$\Rightarrow$$
 1.04438x + 1.95894x = \$2551.65

$$\Rightarrow x = $849.61$$

Diff: 2 Type: SA Page Ref: 76-79

Topic: 2.6 Solving Equations Involving Algebraic Simplification

Objective: 2-6: Solve equations involving algebraic simplification and formula rearrangement.

$$\frac{x}{223) \text{ Solve: } x(1.05)3 + \$1000 + \frac{x}{1.05^7} = \frac{\$13000}{1.05^2}$$
Answer: $1.157625x + 0.710681x = \11791.38

Answer:
$$1.157625x + 0.710681x = $11791.38 - $1000$$

$$\Rightarrow x = \frac{\$10791.38}{1.868306}$$

$$\Rightarrow$$
 x = \$5776.02

Diff: 1 Type: SA Page Ref: 76-79

Topic: 2.6 Solving Equations Involving Algebraic Simplification

Objective: 2-6: Solve equations involving algebraic simplification and formula rearrangement.

$$\frac{3\left(x - \frac{38 - x}{5}\right)}{5} = \frac{3x - 2\left(\frac{38 - x}{5}\right)}{8}$$

224) Solve and find the value of x, given:

A)
$$x = 20$$

B)
$$x = -9$$

C)
$$x = 9.02$$

Answer: C

Diff: 2 Type: MC Page Ref: 76-79

Topic: 2.6 Solving Equations Involving Algebraic Simplification

Objective: 2-6: Solve equations involving algebraic simplification and formula rearrangement.

225) Luxury furniture is promoting a no HST (13%) event for the fall sale. What is the actual selling price for the Sofa before tax shown on your receipt, if the ticket price of the sofa is \$795.00?

A) \$795.00

B) \$6,115.38

C) \$103.35

D) \$898.35 E) \$703.54

Answer: E

Diff: 1 Type: MC Page Ref: 81-84 Topic: 2.7 Solving Word Problems

Objective: 2-7: Solve word problems by creating and solving equations.

226) Sobeys sells fruit trays consisting of pineapple and melons. The manager of the fruit department obtains pineapples at a wholesale price of \$2.50 per kg, and melons at \$1.85 per kg. He is required to produce 10 kg of the mixed fruit. What is the maximum weight of pineapple that he can put in the mix in order to have an effective wholesale cost no greater than \$2.00 per kg? A) 2.31 kg

B) 7.69 kg

C) 4.56 kg

D) 4 kg

E) 5.41 kg

Answer: A

Diff: 2 Type: MC Page Ref: 81-84 Topic: 2.7 Solving Word Problems

Objective: 2-7: Solve word problems by creating and solving equations.

227) Sobeys sells fruit trays consisting of pineapple and melons. The manager of the fruit department obtains pineapples at a wholesale price of \$2.50 per kg, grapes at \$2.15 per kg, strawberries at \$1.50 per kg and melons at \$1.85 per kg. He is required to produce 10 kg of the mixed fruit. He is required to add 2 kg of strawberries and 3 kg of grapes. What is the maximum weight of pineapple that he can put in the mix in order to have an effective wholesale cost no greater than \$2.00 per kg?

Answer: Cost of 2 kg of strawberries = $$1.50 \times 2 = 3.00

Cost of 3 kg of grapes = $$2.15 \times 3 = 6.45

Total cost of the mixed fruit = $$2 \times 10 = 20

Cost of pineapple and melons = $\$20 - (\$3 + \$6.45) = \$10.55 \Rightarrow 2.5p + 1.85m = 10.55$

Maximum weight of pineapple and melons = 10 - (2 + 3) = 5kg

 \therefore Maximum weight of pineapple = 2 kg

Diff: 2 Type: SA Page Ref: 81-84

Topic: 2.7 Solving Word Problems

Objective: 2-7: Solve word problems by creating and solving equations.

228) ABC financial has introduced a stock option incentive program. For a total of 301,375 options, each of the 3 executives receives twice as many options as the senior managers. Each senior manager receives twice the options as each of the middle managers and each of the middle managers receives 1.5 times the options as each of the employee. If there are 25 senior managers, 75 middle managers and 1000 employees, how many options will the each executive receive? A) 250

B) 375

C) 750

D) 1500

E) 4500

Answer: D

Diff: 2 Type: MC Page Ref: 81-84 Topic: 2.7 Solving Word Problems

Objective: 2-7: Solve word problems by creating and solving equations.

229) Sleep Inc. reduced the price of the Sealy mattress by 20% for a spring sale. What was the regular price of the mattress, if the sale price is \$649.95?

A) \$129.99

B) \$779.94

C) \$3,249.75

D) \$812.44

E) \$649.95

Answer: D

Diff: 1 Type: MC Page Ref: 81-84 Topic: 2.7 Solving Word Problems

Objective: 2-7: Solve word problems by creating and solving equations.

230) Blue Mountain resort charges \$39 for a single ticket for high ropes and \$29 for a single ticket for low ropes. If a day's total revenue from the sale of 540 passes is \$18,910, how many tickets were sold for high ropes? Answer: 39HR + 29(540 - HR) = 18910

$$\Rightarrow HR = \frac{18910 - 29 \times 540}{39 - 29} = 325$$

325 tickets were sold for high ropes

Diff: 3 Type: SA Page Ref: 81-84

Topic: 2.7 Solving Word Problems

Objective: 2-7: Solve word problems by creating and solving equations.

231) Age difference between my son and me is 30 years. Sum of our ages is 54. What is my age now? A) 12

B) 42

C) 38

D) 45

E) 15

Answer: B

Diff: 1 Type: MC Page Ref: 81-84

Topic: 2.7 Solving Word Problems

Objective: 2-7: Solve word problems by creating and solving equations.

- 232) Transpipe owns 47% ownership stake in BP. Cameo owns a 29% stake in the BP. Suppose Transpipe sells 62.5% of its stake for \$47 Million. If Comeo uses that transaction as the basis for calculating the value of its own 29% position, what value will Cameo obtain?
- A) \$18.1 Million
- B) \$46.4 Million
- C) \$16 Million
- D) \$47 Million
- E) \$29 Million

Answer: B

Diff: 2 Type: MC Page Ref: 81-84

Topic: 2.7 Solving Word Problems

Objective: 2-7: Solve word problems by creating and solving equations.

233) Simplify: -(3a + 7ab - 5) - (12 + 6ab - 5a)

Answer: = -3a - 7ab + 5 - 12 - 6ab + 5a = 2a - 13ab - 7

Diff: 4 Type: SA Page Ref: 44-49

Topic: 2.1 Simplification of Algebraic Expressions

Objective: 2-1: Simplify algebraic expressions using fundamental operations and substitution.

234) Simplify: $(x + 4)(2x^2 - 9x + 3)$

Answer: 2x3 - 9x2 + 3x + 8x2 - 36x + 12 = 2x3 - x2 - 33x + 12

Diff: 4 Type: SA Page Ref: 44-49

Topic: 2.1 Simplification of Algebraic Expressions

Objective: 2-1: Simplify algebraic expressions using fundamental operations and substitution.

235) Simplify: -3w(4z + 1) - 2z(6w + 2)

Answer: -12wz - 3w + 24wz - 8z = -3w + 12wz - 8z

Diff: 3 Type: SA Page Ref: 44-49

Topic: 2.1 Simplification of Algebraic Expressions

Objective: 2¹: Simplify algebraic expressions using fundamental operations and substitution.

236) Solve: $(6x^2 + x - 1) - (2x^2 - 12x + 4)$ for x = 7

Answer:
$$\frac{1}{6}(7)2 + 7 - 1$$
] - $[2x^2 - 12x + 4]$
 $\frac{1}{2}$
 $\frac{1}{2}(7)2 - 12(7) + 4$]
 $= (294 + 7 - 1) - (98 - 84 + 4)$
 $= (300) - (18)$

= 91

Diff: 3 Type: SA Page Ref: 44-49

Topic: 2.1 Simplification of Algebraic Expressions

Objective: 2-1: Simplify algebraic expressions using fundamental operations and substitution.

237) Simplify: $29 \div 23 \times 24$

A) 22

B) 28

C) 27

D) 210

Answer: D

Diff: 2 Type: MC Page Ref: 51-58

Topic: 2.2 Integral Exponents

Objective: 2-2: Simplify and evaluate powers with positive exponents, negative exponents, and exponent zero.

$$\left(\frac{1}{8}\right)^5 \div \left(\frac{1}{8}\right)^2 \div \frac{1}{8} \quad 238)$$
 Simplify:
$$\left(\frac{1}{8}\right)^{(5-2-1)} = \left(\frac{1}{8}\right)^2 = \frac{1}{64}$$

Answer:

Diff: 3 Type: SA Page Ref: 51-58

Topic: 2.2 Integral Exponents

Objective: 2-2: Simplify and evaluate powers with positive exponents, negative exponents, and exponent zero.

239) Expand: (3*xyz*)3

Answer: 33x3y3z3 = 27x3y3z3 Diff: 3

Type: SA Page Ref: 51-58 Topic: 2.2 Integral Exponents

Objective: 2-2: Simplify and evaluate powers with positive exponents, negative exponents, and exponent zero.

240) Solve: 635241(1093)0 Answer: 635241(1093)0

 $= 635241 \times 1$ = 635241

Diff: 2 Type: SA Page Ref: 51-58

Topic: 2.2 Integral Exponents

Objective: 2-2: Simplify and evaluate powers with positive exponents, negative exponents, and exponent zero.

$$\left(\frac{x}{(x+2)}\right) 241) \text{ Simplify:} -2$$

$$\left(\frac{x}{(x+2)}\right)^{2}$$

Answer:

$$= (x+2)2/x2$$

$$= (x^2 + 4x + 4)/x^2$$

$$= 1 + (4/x) + (4/x2)$$

Diff: 4 Type: SA Page Ref: 51-58

Topic: 2.2 Integral Exponents

Objective: 2-2: Simplify and evaluate powers with positive exponents, negative exponents, and

exponent zero.

242) Calculate: $\sqrt{4489}$

Answer: 67

Diff: 2 Type: SA Page Ref: 59-62

Topic: 2.3 Fractional Exponents

Objective: 2-3: Use an electronic calculator to compute the numerical value of arithmetic

expressions involving fractional exponents.

243) Calculate: $\sqrt[4]{1296}$

Answer: 6

Diff: 3 Type: SA Page Ref: 59-62

Topic: 2.3 Fractional Exponents

Objective: 2-3: Use an electronic calculator to compute the numerical value of arithmetic

expressions involving fractional exponents.

244) Calculate up to 4 decimals: $\sqrt[7]{4321}$

Answer: 3.3065

Diff: 3 Type: SA Page Ref: 59-62

Topic: 2.3 Fractional Exponents

Objective: 2-3: Use an electronic calculator to compute the numerical value of arithmetic

expressions involving fractional exponents.

245) Calculate: (5489031744)1/6

Answer: 42

Diff: 4 Type: SA Page Ref: 59-62

Topic: 2.3 Fractional Exponents

Objective: 2-3: Use an electronic calculator to compute the numerical value of arithmetic

expressions involving fractional exponents.

246) Calculate with final answer in fractional form: 390625-1/8 Answer:

Diff: 4 Type: SA Page Ref: 59-62

Topic: 2.3 Fractional Exponents

Objective: 2-3: Use an electronic calculator to compute the numerical value of arithmetic expressions involving fractional exponents.

247) Calculate up to 4 decimals: 48268091/6

Answer: 13

Diff: 4 Type: SA Page Ref: 59-62

Topic: 2.3 Fractional Exponents

Objective: 2-3: Use an electronic calculator to compute the numerical value of arithmetic

expressions involving fractional exponents.

248) Express in logarithmic form: $8-3 = \frac{1}{512}$

Answer: $\log 8^{\frac{1}{512}} = -3$

Diff: 3 Type: SA Page Ref: 63-67 Topic: 2.4 Logarithms - Basic Aspects

Objective: 2-4: Write exponential equations in logarithmic form and use an electronic calculator equipped with a natural logarithm function to determine the value of natural logarithms.

249) Express in logarithmic form: e4x = 20

Answer: $4x = \ln 20$

 $x = \ln 20^{\frac{1}{4}}$

Diff: 4 Type: SA Page Ref: 63-67

Topic: 2.4 Logarithms - Basic Aspects

Objective: 2-4: Write exponential equations in logarithmic form and use an electronic calculator equipped with a natural logarithm function to determine the value of natural logarithms.

250) Express in exponential form: log 3(243) = 5

Answer: 35 = 243

Diff: 2 Type: SA Page Ref: 63-67 Topic: 2.4 Logarithms - Basic Aspects

Objective: 2-4: Write exponential equations in logarithmic form and use an electronic calculator equipped with a natural logarithm function to determine the value of natural logarithms.

251) Express in exponential form: $\log -4(4096) = 6$

Answer: (-4)6 = 4096

Diff: 3 Type: SA Page Ref: 63-67 Topic: 2.4 Logarithms - Basic Aspects

Objective: 2-4: Write exponential equations in logarithmic form and use an electronic calculator equipped with a natural logarithm function to determine the value of natural logarithms.

252) Calculate up to 4 decimal places: ln 16

Answer: 2.7726

Diff: 3 Type: SA Page Ref: 63-67 Topic: 2.4 Logarithms - Basic Aspects Objective: 2-4: Write exponential equations in logarithmic form and use an electronic calculator equipped with a natural logarithm function to determine the value of natural logarithms.

253) Calculate up to 4 decimal places: $\ln \left[400(\frac{1.5}{45})\right]$

Answer: 2.5903

Diff: 5 Type: SA Page Ref: 63-67 Topic: 2.4 Logarithms - Basic Aspects

Objective: 2-4: Write exponential equations in logarithmic form and use an electronic calculator equipped with a natural logarithm function to determine the value of natural logarithms.

254) Solve for x: x + 14 = -7

Answer: x = -7 - 14 = -21

Diff: 2 Type: SA Page Ref: 71-75 Topic: 2.5 Solving Basic Equations

Objective: 2-5: Solve basic equations using addition, subtraction, multiplication, and division.

255) Solve for x: -5x = 8 - 4x Answer: -4x + 5x = 8x = 8

Diff: 2 Type: SA Page Ref: 71-75

Topic: 2.5 Solving Basic Equations

Objective: 2-5: Solve basic equations using addition, subtraction, multiplication, and division.

256) Solve for x: 2x - 1.5x = 410

Answer: 0.5x = 410 x

= 820

Diff: 3 Type: SA Page Ref: 71-75 Topic: 2.5 Solving Basic Equations

Objective: 2-5: Sol<u>ve</u> basic equations using addition, subtraction, multiplication, and division.

257) Solve for *x*: $-\frac{7}{x} = 8$

Answer: $(-7) - \frac{1}{x} = 8(-7)$

x = -56

Diff: 3 Type: SA Page Ref: 71-75

Topic: 2.5 Solving Basic Equations

Objective: 2-5: Solve basic equations using addition, subtraction, multiplication, and division.

258) Solve for *x*: -6x = 486 + 3x

Answer: -9x = 486

x = -54

Diff: 3 Type: SA Page Ref: 71-75

Topic: 2.5 Solving Basic Equations

Objective: 2-5: Solve basic equations using addition, subtraction, multiplication, and division.

259) Solve for x and check your answer: 8x + 14 = 12x + 22

Answer: 14 - 22 = 12x - 8x

-8 = 4x -

2 = x

Check:

8(-2) + 14 = 12(-2) + 22

-16 + 14 = -24 + 22

-2 = -2

Diff: 4 Type: SA Page Ref: 71-75

Topic: 2.5 Solving Basic Equations

Objective: 2-5: Solve basic equations using addition, subtraction, multiplication, and division.

260) Solve for x: 2x + 4(5x - 3) = -7(2 + x) - (-11x - 11)

Answer: 2x + 20x - 12 = -14 - 7x + 11x + 11

22x - 4x = -3 + 12

18x = 9x

= 0.5

Diff: 3 Type: SA Page Ref: 76-79

Topic: 2.6 Solving Equations Involving Algebraic Simplification

Objective: 2-6: Solve equations involving algebraic simplification and formula rearrangement.

261) Solve for $x: \frac{5}{2} - x \frac{3}{4} = \frac{14}{8}$

Answer: $(8)\frac{5}{2} - (8)\frac{3}{4} = (8)\frac{14}{8}$

4(5x) - 2(3x) =

 $14\ 14x = 14\ x = 1$

Diff: 3 Type: SA Page Ref: 76-79

Topic: 2.6 Solving Equations Involving Algebraic Simplification

Objective: 2-6: Solve equations involving algebraic simplification and formula rearrangement.

262) Solve for $x: x + \frac{3}{8} = 22$

Answer: $(8)x + (8) = \frac{3}{8} = (8)22$

11x = 176 x

= 16

Diff: 2 Type: SA Page Ref: 76-79

Topic: 2.6 Solving Equations Involving Algebraic Simplification

Objective: 2-6: Solve equations involving algebraic simplification and formula rearrangement.

263) Solve for x (answer will be a $\frac{\frac{5}{6}}{2}$ decimal) $(x+2) - \frac{1}{3}(2x+2) =$

Answer:
$$(24)^{\frac{5}{6}}(x+2)$$
 -(24) $\frac{1}{3}(2x+2)$ = (24)

$$(4)(5)(x+2) - 8(2x+2) = 3(2)$$

$$20(x+2)$$
 — $(16x - 16) = 6$

$$4x = -50$$

$$x = 12.5$$

Diff: 4 Type: SA Page Ref: 76-79

Topic: 2.6 Solving Equations Involving Algebraic Simplification

Objective: 2-6: Solve equations involving algebraic simplification and formula rearrangement.

264) Rearrange for r: $A = \pi r^2$

Answer:
$$\frac{A}{\pi}$$

$$\sqrt{\frac{A}{\pi}} = \mathbf{r}$$

Diff: 3 Type: SA Page Ref: 76-79

Topic: 2.6 Solving Equations Involving Algebraic Simplification

Objective: 2-6: Solve equations involving algebraic simplification and formula rearrangement.

265) Rearrange for *b*: $a^2 + b^2 = c^2$

Answer:
$$b2 = c2 + a2$$

$$b = \sqrt{(c^2 + a^2)}$$

Type: SA Page Ref: 76-79 Diff: 3

Topic: 2.6 Solving Equations Involving Algebraic Simplification

Objective: 2-6: Solve equations involving algebraic simplification and formula rearrangement. 2

266) Rearrange for c:
$$x = \frac{-b \pm \sqrt{b^2 - 4ac}}{2a}$$

Answer:
$$2ax = -b \pm \sqrt{(b^2 - 4ac)}$$

$$\sqrt{(b^2 - 4ac)}$$

$$ax + b =$$

$$ax + b =$$

$$(2ax + b)2 = b2 - 4ac$$

$$4a2x2 + 4abx + b2 = b2 - 4ac$$

$$4a2x^2 + 4abx + b^2 - b^2 = -4ac$$

$$-4a2x2 - 4abx = 4ac$$

$$\frac{-4a^2x^2}{4a} - \frac{-4abx}{4a} = \frac{4ac}{4a}$$

$$-ax2 - bx = c$$

Diff: 5 Type: SA Page Ref: 76-79

Topic: 2.6 Solving Equations Involving Algebraic Simplification

Objective: 2-6: Solve equations involving algebraic simplification and formula rearrangement.

267) A smartphone was being sold for \$660 while on sale. If the price dropped by 20% for the sale, what was the original price of the smartphone? Answer: Let x represent the original smartphone's price

Since a 20% drop in price equates to $\frac{1}{5}(x-x)\frac{1}{5}$ an represent the sale price x -

$$x = \frac{1}{5}60 \ x = 660 \ x = (660)$$

$$\frac{4}{x} = 825$$

Diff: 3 Type: SA Page Ref: 81-84 Topic: 2.7 Solving Word Problems

Objective: 2-7: Solve word problems by creating and solving equations.

268) Carlos went to the mall to buy toys for his children and nephews with a total of \$1300. After he was done shopping, he had \$400 left in his account. Carlos's expenditure on doll sets was \$100 less than four times the amount he spent on toy cars. How much money did Carlos spend on doll sets?

Answer: Let x represent Carlos's expenditure on toy cars. Consequently, the expenditure on doll sets can be represented with the expression 4x - 100. Since Carlos started with \$1300 and was left with \$400, we can assume he spent \$900 at the mall. From this info, we can create the equation: x + 4x - 100 = 900 5x = 1000 x = 200

Diff: 4 Type: SA Page Ref: 81-84

Topic: 2.7 Solving Word Problems

Objective: 2-7: Solve word problems by creating and solving equations.

269) Usually, Bob's Burgers sells x burgers for p dollars each. But today, the price was lowered by 22% and as a result, 60% more burgers were sold. Which of the below represents the revenue for today's burger sales, in dollars?

A) 0.6x - 0.22p

B) 1.15xp

C) 1.248xp

D) 1.455xp

Answer: C

Diff: 2 Type: MC Page Ref: 81-84 Topic: 2.7 Solving Word Problems

Objective: 2-7: Solve word problems by creating and solving equations.

270) Sony has been producing 1710 VR headsets a day through two work shifts. The second shift has produced 90 fewer headsets than seven-fifths of the number of headsets produced by the first shift. What is the number of VR headsets produced by the second shift in a day? Answer: Let x represent the number of VR headsets produced by the first shift. Consequently, the number of VR headsets made by the second shift can be represented through the expression x - 90. Since 1675 headsets are produced daily, the equation formed is:

$$\frac{7}{5}$$

$$x + \frac{7}{5} - 90 = 1710$$

$$\frac{12}{5} \cdot 1620 \, x =$$

$$\frac{5}{12} \cdot (1620) \, x =$$

$$675$$

Diff: 4 Type: SA Page Ref: 81-84 Topic: 2.7 Solving Word Problems

Objective: 2-7: Solve word problems by creating and solving equations.

271) Old Navy had \$940 worth of orders for shirts. The prices for the shirts were categorized by style: \$10 for tank tops, \$14 for graphic tees, and \$22 for polos. The number of polos ordered was one more than half the number of graphic tees, and the number of graphic tees ordered was eight less than twice the number of tank tops. Determine the number of each type of shirt ordered.

Answer: Let x represent the number of tank tops, let 2x - 8 represent the number of graphic

tees sold, and let $^{2}(2x - 8) + 1$ represent the number of polos sold. Taking the price and the value of the combined orders into consideration, the equation is as follows: 10x + 14(2x - 8) + 12(2x - 8)

$$\frac{1}{22[^{2}(2x-8)]} = 940$$

$$10x + 28x - 112 + 22[x-4] = 940$$

$$38x + 22x - 88 = 1052$$

$$60x = 1140 x$$

$$= 19$$

$$2(19) - 8 = 30 \text{ Graphic Tees}$$

$$\frac{1}{2}$$

$$2(19) - 8] + 1 = 16 \text{ Polos}$$
Diff: 5 Type: SA Page Ref: 81-84

Topic: 2.7 Solving Word Problems

Objective: 2-7: Solve word problems by creating and solving equations.

Zain began with three times more money than Max. After Zain gave Max \$18, Zain still had \$6 more than Max. How much money do they have altogether?

Answer: Let x represent the amount of money Brock has to start (3x represents Zain)

$$2x - 18 = x + 6 + 18$$

$$2x - 18 = x +$$

$$24 2x - x = 42 x$$

$$= 42$$

$$3x = 3(42) = 126$$

Diff: 3 Type: SA Page Ref: 81-84 Topic: 2.7 Solving Word Problems

Objective: 2-7: Solve word problems by creating and solving equations.

273) The rapper Drake hosts a concert at the Air Canada Center, where the ticket price is \$240. However, the price of the individual ticket includes the 13% HST. What is the original price of the ticket, excluding the HST?

Answer: Let x represent the price of a concert ticket, excluding HST

$$1.13x = 240 x$$

$$= \frac{240}{1.13}$$

x = 212.39

Diff: 2 Type: SA Page Ref: 81-84 Topic: 2.7 Solving Word Problems

Objective: 2-7: Solve word problems by creating and solving equations.

- 274) At the beginning of the Toronto FC game, $\frac{2}{3}$ of the stadium's seats were full. At halftime,
- 1000 spectators left, leaving only $\frac{5}{7}$ of the seats full. In total, how many seats are in the stadium? Answer: Let x represent the total number of seats in the stadium

$$\frac{2}{3}x - 1000 = \frac{3}{x}x - x = 1000 x - x = 1000 x = 1000$$

$$\frac{2}{x} = 2 + 000$$

Diff: 32 Type: SA Page Ref: 81-84 Topic: 22.7 Solving Word Problems

Objective: 2-7: Solve word problems by creating and solving equations.