# Test Bank for Elementary Statistics 6th Edition by Larson ISBN 0321911210 9780321911216

# Full link download:

# **Test Bank:**

https://testbankpack.com/p/test-bank-for-elementary-statistics-6th-edition-bylarson-isbn-0321911210-9780321911216/

MULTIPLE CHOICE. Choose the one alternative that best completes the statement or answers the question.

Use the given frequency distribution to find the

(a) class width.

(b) class midpoints of the first class.

(c) class boundaries of the first class.

1) Height (in inches) Class   Frequency, f				1)	
50 - 52 5	•				
53 - 55 8					
56 - 58 12					
59 - 61 13					
62 - 64 11					
A) (a) 3	B) (a) 2	C) (a) 2	D) (a) 3		
(b) 51	(b) 51.5	(b) 51.5	(b) 51		
(c) 49.5- 52.5	(c) 50 <b>-</b> 52	(c) 49.5 <b>-</b> 52.5	(c) 50 <b>-</b> 52		
2) Phone Calls (per day)				2)	
Class <u>Frequency</u> , f					
8 - 11 18					
12 - 15 23					
16 - 19 38					
20 - 23 47					
24 - 27 32	$\mathbf{P}(\mathbf{x}) = \mathbf{P}(\mathbf{x})$		$\mathbf{D}$		
A) (a) 3	B) (a) 3	C) (a) 4	D) (a) 4		
(b) 9.5	(b) 10.5	(b) 10.5	(b) 9.5		
(c) 7.5- 11.5	(c) 8- 11	(c) 8- 11	(c) 7.5- 11.5		
3) Weight (in pounds)				3)	
Class Frequency, f					
135 - 139 6					
140 - 144 4					
145 - 149 11					
150 - 154 15					
155 - 159 8					
A) (a) 4	B) (a) 4	C) (a) 5	D) (a) 5		
(b) 137.5	(b) 137.5	(b) 137	(b) 137		
(c) 134.5- 139.5	(c) 135- 139	(c) 134.5- 139.5	(c) 135 <b>-</b> 139		
4) Miles (per day)	1	- 2 9 3 - 4 22	5 - 6 7 - 8	28 15	9 - 10 A) (a) 1
Class Frequency, f					
		1			

(b) 1 (c) 1- 2

B) (a) 2	C) (a) 1	D) (a) 2
(b) 1	(b) 1.5	(b) 1.5
(c) 1 <b>-</b> 2	(c) 0.5 <b>-</b> 2.5	(c) 0.5 <b>-</b> 2.5

SHORT ANSWER. Write the word or phrase that best completes each statement or answers the question.


Use the maximum and minimum data entries and the number of classes to find the class width, the lower class limits, and the upper class limits.

5) min = 1, max = 30, 6 classes	5)
6) min = 80, max = 265, 6 classes	6)


#### MULTIPLE CHOICE. Choose the one alternative that best completes the statement or answers the question.

#### Provide an appropriate response.

7) Use the ogive below to approximate the number in the sample.



8) Use the ogive below to approximate the cumulative frequency for 24 hours.



Leisure Time of College Students

8)

SHORT ANSWER. Write the word or phrase that best completes each statement or answers the question.


Use the relative frequency histogram to

a) identify the class with the greatest, and the class with the least, relative frequency.

- b) approximate the greatest and least relative frequencies.
- c) approximate the relative frequency of the fifth class.

9)

#### Blood Pressure Reading



Use the given frequency distribution to construct a frequency histogram, a relative frequency histogram and a frequency polygon.

10)	) Heigh	t (in inches)
,	Class	Frequency, f
	50 - 52	5
	53 - 55	8
	56 - 58	12
	59 - 61	13
	62 - 64	11
		1

#### 11) Weight (in pounds)

Frequency, f
6
4
11
15
8

Use the given frequency distribution to construct a cumulative frequency distribution and an ogive.

12) <b>Phone</b>	Calls (per day)
Class	Frequency, f
8 - 11	18
12 - 15	23
16 - 19	38
20 - 23	47
24 - 27	32

9) \_\_\_\_\_

13)

#### 13) Height (in inches)

Class	Frequency, f
50 - 52	5
53 - 55	8
56 - 58	12
59 - 61	13
62 - 64	11

#### 14) Weight (in pounds)

Class	Frequency, f
135 - 139	6
140 - 144	4
145 - 149	11
150 - 154	15
155 - 159	8

#### 15) Miles (per day)

Class	Frequency, f
1 - 2	9
3 - 4	22
5 - 6	28
7 - 8	15
9 - 10	4

#### MULTIPLE CHOICE. Choose the one alternative that best completes the statement or answers the question.

#### Provide an appropriate response.

16) A city in the Pacific Northwest recorded its highest temperature at 91 degrees Fahrenheit and its lowest temperature at 12 degrees Fahrenheit for a particular year. Use this information to find the upper and lower limits of the first class if you wish to construct a frequency distribution with 10 classes.
A) 7-17
B) 12-18
C) 12-19
D) 12-20

A) 2.35-2.54 B) 2.35-2.55 C) 2.35-2.75 D) 2.35-2.65

#### SHORT ANSWER. Write the word or phrase that best completes each statement or answers the question.

The grade point averages for 40 students are listed below.

2.0	3.2	1.8	2.9	0.9	4.0	3.3	2.9	3.6	0.8
3.1	2.4	2.4	2.3	1.6	1.6	4.0	3.1	3.2	1.8
2.2	2.2	1.7	0.5	3.6	3.4	1.9	2.0	3.0	1.1
3.0	4.0	4.0	2.1	1.9	1.1	0.5	3.2	3.0	2.2

18) Construct a frequency distribution, a relative frequency distribution, and a cumulative frequency distribution using eight classes. Include the midpoints of the classes.

18)

14) \_\_\_\_\_

	19				reque asses		istogr	am, a	relat	ive frequency histogram and a frequency polygon	19)
	20	0) Cc	onstru	ict an	ogive	usinį	g eigł	nt clas	sses.		20)
The l	neig	ghts (	in ind	ches)	of 30	adult	male	s are	listed	l below.	
5	70	72	71	70	69	73	69	68	70	71	
(	67	71	70		69		71	71			
(	59	71	68	67	73	74	70	71	69	68	
	2				reque stribu					ative frequency distribution, and a cumulative s.	21)
	2	2) Co	nstru	ct a fr	reque	ncy hi	stogr	am us	sing f	ive classes.	22)
	2	3) Co	nstru	ct a re	elative	e frequ	uency	histo	ogram	using five classes.	23)
	2	4) Co	nstru	ct a fr	reque	псу ро	olygo	n usir	ng fiv	e classes.	24)
	2	5) Co	nstru	ct a o	give u	using	five c	lasses			25)

The Highway Patrol, using radar, checked the speeds (in mph) of 30 passing motorists at a checkpoint. The results are listed below.

44	38	41	50	36	36	43	42	49	48
35	40	37	41	43	50	45	45	39	38
50	41	47	36	35	40	42	43	<b>48</b>	33

26) Construct a frequency distribution, a relative frequency distribution, and a cumulative	26)
frequency distribution using six classes.	,

27) Construct a frequency histogram, a relative frequency histogram and a frequency polygon27) \_\_\_\_\_27) \_\_\_\_\_

28) Construct an ogive using six classes.28) \_\_\_\_\_

#### Provide an appropriate response.

29) Listed below are the ACT scores of 40 randomly selected students at a major university.


18221315242420191912162514192123251818132626252519171815132119191424202123221917

a) Construct a relative frequency histogram of the data, using eight classes.b) If the university wants to accept the top 90% of the applicants, what should the minimum score be?c) If the university sets the minimum score at 17, what percent of the applicants will be accepted?

30) Explain the difference between class limits and class boundaries.

#### MULTIPLE CHOICE. Choose the one alternative that best completes the statement or answers the question.

#### Match the description of the sample with the correct plot.



31)

29)

# SHORT ANSWER. Write the word or phrase that best completes each statement or answers the question. Provide an appropriate response. 32) The numbers of home runs that Sammy Sosa hit in the first 15 years of his major league baseball career are listed below. Make a stem- and- leaf plot for this data. What can you conclude about the data? 4 15 10 8 33 25 36 40 36 66 63 50 64 49 40 33) The numbers of home runs that Barry Bonds hit in the first 18 years of his major league baseball career are listed below. Make a stem- and- leaf plot for this data. What can you

16	25	24	19	33	25	34	46	37
33	42	40	37	34	49	73	46	45

#### MULTIPLE CHOICE. Choose the one alternative that best completes the statement or answers the question.

34) For the stem- and- leaf plot below, what is the maximum and what is the minimum entry?

34) \_\_\_\_\_


11	69
12	466789
13	0112366788
14	34668999
15	011237789
16	22578899
17	78
А	) max: 17.8; min: 11.9
0	

Key : 11 9 = 11.9


conclude about the data?

C) max: 17.7; min: 11.6

B) max: 17.8; min: 11.6 D) max: 178; min: 116



35) \_



#### SHORT ANSWER. Write the word or phrase that best completes each statement or answers the question.

36) The heights (in inches) of 30 adult males are listed below. Construct a stem- and- leaf chart for the data.

What can you conclude about the data?

70	72	71	70	69	73	69	68	70	71
67	71	70	74	69	68	71	71	71	72
69	71	68	67	73	74	70	71	69	68

37) The Highway Patrol, using radar, checked the speeds (in mph) of 30 passing motorists at a checkpoint. The results are listed below. Construct a stem- and- leaf plot for the data, listing each stem twice. What can you conclude about the data?

44	38	41	50	36	36	43	42	49	48
35	40	37	41	43	50	45	45	39	38
50	41	47	36	35	40	42	43	48	33

#### MULTIPLE CHOICE. Choose the one alternative that best completes the statement or answers the question.

38) Display the data below in a stem- and- leaf plot.

Heights of Students in Class

		•					
	٠	٠	•	٠			
•	•••	•	••	٠	••	••	•
$\leftarrow +++$	++++	++	+++	+++	+++	++++	++
60 62	64 60	6 68	70	72	74 76	78 8	0 82

Inches	
A)	B)
6 0466788899	6 0 4 5 5 6 7 7 7 9 9
7 0 2 2 4 5 7 9	7 0 2 2 4 5 8 9
8 1	8 1
C)	D)
5 9	5 0
6 456688899	6 0
7 0114589	7 7
8 1	8 1

#### SHORT ANSWER. Write the word or phrase that best completes each statement or answers the question.

39) The Highway Patrol, using radar, checked the speeds (in mph) of 30 passing motorists at a checkpoint. The results are listed below. Construct a dot plot for the data.

39) \_\_\_\_\_

44	38	41	50	36	36	43	42	49	48
35	40	37	41	43	50	45	45	39	38
50	41	47	36	35	40	42	43	48	33

36) \_\_\_\_\_

38)

40) The heights (in inches) of 30 adult males are listed below. Construct a dot plot for the data.

70	72	71	70	69	73	69	68	70	71
67	71	70	74	69	68	71	71	71	72
69	71	68	67	73	74	70	71	69	68

41) A study was conducted to determine how people get jobs. Four hundred subjects were randomly selected and the results are listed below.

Job Sources of	
Survey Respondents F	requency
Newspaper want ads	69
Online services	124
Executive search firms	72
Mailings	32
Networking	103

Construct a pie chart of the data.

42) A study was conducted to determine how people get jobs. Four hundred subjects were randomly selected and the results are listed below.

Job Sources of	
Survey Respondents F	requency
Newspaper want ads	72
Online services	124
Executive search firms	69
Mailings	32
Networking	103

Construct a Pareto chart of the data.

43) The heights (in inches) of 30 adult males are listed below. Construct a Pareto chart for the data.

70	72	71	70	69	73	69	68	70	71
67	71	70	74	69	68	71	71	71	72
69	71	68	67	73	74	70	71	69	68

44) Use a scatter plot to display the data below. All measurements are in milligrams per cigarette.

Brand	Tar	Nicotine
Benson & Hedges	16	1.2
Lucky Strike	13	1.1
Marlboro	16	1.2
Viceroy	18	1.4
True	6	0.6

40) \_\_\_\_\_

41) \_\_\_\_\_

42) \_\_\_\_\_

43) \_\_\_\_\_

45) The numbers of home runs that Barry Bonds hit in the first 10 years of his major league baseball career are listed below. Use a scatter plot to display the data. Is there a relationship between the home runs and the batting averages?

Home Runs	16	25	24	19	33	25	34	46	37	33
Batting Average	.223	.261	.283	.248	.301	.292	.311	.336	.312	.294

<sup>46)</sup> The data below represent the numbers of absences and the final grades of 15 randomly selected students from a statistics class. Use a scatter plot to display the data. Is there a relationship between the students' absences and their final grades?

Student	Number of Absences	Final Grade as a Percent
1	5	79
2	6	78
3	2	86
4	12	56
5	9	75
6	5	90
7	8	78
8	15	48
9	0	92
10	1	78
11	9	81
12	3	86
13	10	75
14	3	89
15	11	65

47) The data below represent the infant mortality rates and the life expectancies for seven selected countries in Africa. Use a scatter plot to display the data.

Infant Mortality	63	199	71	61	67	35	194
Life Expectancy	45	31	51	47	39	70	37

48) The data below represent the smoking prevalence among U.S. adults over a 35- year period. Use a time series chart to display the data. Describe any trends shown.

Year	1965	1985	1990	1995	2000
Percent of Smokers	42	30	25	25	23

46) \_\_\_\_

47) \_\_\_\_\_

48) \_\_\_\_\_

4	(9) A safety engineer wishes to use the following data to show the number of deaths from the
	collision of passenger cars with trucks on a particular highway. Use a time series chart to
	display the data. Describe any trends shown.

Year	Number of Deaths
1930	12
1940	17
1950	22
1960	21
1970	16
1980	13
1990	11
2000	12

Year	1972	1973	1974	1975	1976	1977	1978	1979	1980	1981
Time	190	186	167	162	167	168	165	155	154	147

51) The five longest winning streaks for NCAA Men's Division I Basketball are listed below. Construct a Pareto chart for the data.

University	Number of Games
Indiana	57
San Francisco	51
UCLA	76
Marquette	56
Kentucky	54

52) The lengths, in kilometers, of the world's largest subway systems are listed below. Construct a Pareto chart for the data.

City	Length
Moscow	340
Paris	211
London	415
Tokyo	281
New York City	371

53) The number of beds in a sample of 24 hospitals are listed below. Construct a stem- and- leaf plot for the data.

149	167	162	127	130	180	160	167
221	145	137	194	207	150	254	262
244	287	137	204	166	174	180	151

53) \_\_\_\_\_

51) \_\_\_\_\_

54) The number of minutes that a dentist kept 20 patients waiting beyond their appointment times are listed below. Construct a stem- and- leaf plot for the data.

12.9 12.1 9.6 9.8 11.5 13.0 10.5 10.3 15.7 11.3 10.7 10.0 13.0 9.7 11.412.8 11.9 9.3 9.6 10.1

55) A study was conducted to determine how certain families pay on their credit card balances. Two hundred families with a household annual income between \$25,000 and \$49,999 were randomly selected and the results are listed below. Construct a pie chart of the data.

Payment schedule	Frequency
Almost always pay off balance	97
Sometimes pay off balance	41
Hardly ever pay off balance	62

56) Of the 55 tornado fatalities in a recent year, the locations of the victims are listed below. Construct a pie chart of the data.

Location	Fatalities
Mobile home	37
Permanent home	10
Vehicle	4
Business	2
Unknown	2

57) The data below represent the alcohol- related driving fatalities, in thousands, in the United States over a 20- year period. Use a time series chart to display the data. Describe any trends shown.


Year	1983	1985	1987 1	989 19	91 1993	3 1995	1997	1999 20	001	
Fatalities	25	23	24	22	20	18	18	17	17	17

54) \_\_\_\_\_

55) \_\_\_\_\_


56) \_\_\_\_

58) The graph below shows the number of car accidents occurring in one city in each of the years 1 through 6. The number of accidents dropped in year 3 after a new speed limit was imposed. Does the graph distort the data? How would you redesign the graph to be less misleading?



#### MULTIPLE CHOICE. Choose the one alternative that best completes the statement or answers the question.

59) Determine whether the approximate shape of the distribution in the histogram is symmetric, uniform, skewed left, skewed right, or none of these.




C) skewed left


D) symmetric

58)

15

60) Determine whether the approximate shape of the distribution in the histogram is symmetric, uniform, skewed left, skewed right, or none of these.









67) Use the histogram below to approximate the median heart rate of adults in the gym.

67)



D) 75

68) Use the histogram below to approximate the mean heart rate of adults in the gym.



68)

#### SHORT ANSWER. Write the word or phrase that best completes each statement or answers the question.

72) The numbers of runs batted in that Sammy Sosa hit in the first 15 years of his major league	72)	
baseball career are listed below. Find the mean and median number of runs batted in.		
Round the mean to the nearest whole number.		

137033259370119100119158141138160108103

	73) The numbers of home runs that Barry Bonds hit in the first 18 years of his major league baseball career are listed below. Find the mean and median number of home runs. Round the mean to the nearest whole number. Which measure of central tendency- the mean or the median- best represents the data? Explain your reasoning.							3)			
		16 33	25 42		9 33 7 34		34 73	46 46	37 45		
MUL	TIP	LE CHC	DICE. C	hoose the	one alte	rnative t	hat best	comple	tes the sta	tement or answers the question	n.
	74			eeds, in m ne mediar	-	10ur, for	Pro- Sto	ck drag	racing ove	er the past two decades are liste	d 74)
		181.1 201.2	202.2 193.2		201.4 194.5	191.3 199.2	201.4 196.0	192.2 196.2			
		A) 2	201.2		B)	196.1		C	2) 195.8	D) 196.7	
	75	score.		-		rs in a ree	cent golf	tournan	nent are lis	sted below. Find the median	75)
				72 72 72 7							
		A) 2	72		B)	71		C	2) 73	D) 67	
	76			eeds, in m ne mode s		our, for	Pro- Sto	ck drag	racing ove	er the past two decades are liste	d 76)
		181.1 201.2	202.2 193.2		201.4 194.5	191.3 199.2	201.4 196.0	192.2 196.2			
		,	bimoda no mod	l: 201.2, 20 e	01.4				3) 201.4 9) 201.2		
	77	) The sc score.	ores of	the top ter	n finisher	rs in a ree	cent golf	tournan	nent are lis	sted below. Find the mode	77)
		71 67	67 72 76	72 73 68 2	72 72						
		A) 2	73		B)	76		C	2) 72	D) 67	
SHO	RT 4	ANSWE	R. Wri	te the wor	d or phra	ase that I	best com	pletes e	ach staten	nent or answers the question.	

78) The amounts of money won by the top ten finishers in a recent Daytona 500 are listed below. Find the mean and median winnings. Round to the nearest dollar. Which measure-the mean or the median-best represents the data? Explain your reasoning.

\$2,194,246	\$464,084	\$164,096	\$199,209	\$438,834
\$613,659	\$142,884	\$240,731	\$145,809	\$290,596

## MULTIPLE CHOICE. Choose the one alternative that best completes the statement or answers the question.

79) A student receives test scores of 62, 83, and 91. The student's final exam score is 88 and homework score is 76. Each test is worth 20% of the final grade, the final exam is 25% of the final grade, and the homework grade is 15% of the final grade. What is the student's mean score in the class?						
	A) 76.6	B) 80.6	-	90.6	D) 85.6	
	according to credi		eceives an A in a for	ur- credit class, a I	rades are weighted D in a two- credit class, nt's grade point average?	80)
	A) 1.75	B) 2.75	C)	3.00	D) 2.50	
•	station of the	- (	·•			
<b>oxim</b> 81)	ate the mean of th	e frequency distribut	tion.			81)
,	Miles (per day) Fi	requency				
	1-2	15				
	3-4	28				
	5-6	11				
	7-8	14				
	9- 10	9				
	A) 5	B) 15	C)	4	D) 6	
82)	Phone calls (per d	lay) Frequency				82)
	8- 11	37				
	12-15	49				
	16-19	17				
	20-23	46				
	24-27	39				
	A) 18	B) 17	C) 16	D) 38	E) 19	
83)						83)
	Weight (in pound	ls) F requency				
	135- 139	7				
	140- 144	12				
	145-149	10				
	150- 154	11				
	155-159	20				
	A) 151	B) 12		) 147	D) 149	

## SHORT ANSWER. Write the word or phrase that best completes each statement or answers the question.

#### Provide an appropriate response.

84) What is the difference between using $\mu$ and x to represent a mean?	84)	
85) Why do data entries need to be ordered before the median can be found?	85)	

86) On a recent Statistics test, the scores were 15, 66, 66, 81, 82, 83, 85, 88, 90, 92, 93, and 95. Is the mean a good representation of the center of data? If not, why?

87)		, the scores were 15, 66, 66, 8 ntation of the center of data?		93, and 95. Is 87)	
TIPI	LE CHOICE. Choose the o	ne alternative that best com	pletes the statement o	or answers the question.	
88)	) On a recent Statistics test trimmed mean of this da	, the scores were 61, 66, 68 , 8 ta.	82, 84, 86, 88, 90, 92, an	ud 97. Find the 10%	88)
	A) 77	B) 38.5	C) 85	D) 82	
89)	<b>e i</b>	s from one household (in mi	inutes) were 2, 4, 6, 7, a	and 10 minutes. Find	89)
	the midrange for this dat A) 6 minutes	a. B) 7 minutes	C) 10 minutes	D) 2 minutes	
90)	) The cost of five homes in	a certain area is given.			90)
	\$141,000 \$149,000 \$16	9,000 \$139,000 \$1,219,000			
	Which measure of centra A) mode	al tendency should be used? B) median	C) mean	D) midrange	
91)	) The cost of five homes in	a certain area is given.			91)
	\$186,000 \$194,000 \$214,00	00 \$184,000 \$1,264,000			
	List any outlier(s). A) \$1,264,000 C) \$186,000		B) \$1,264,000 and \$ D) There are no out		
92)	) The cost of five homes in	a certain area is given.			92)
	\$206,000 \$214,000 \$234,00	00 \$204,000 \$1,284,000			
	Calculate the midrange. A) \$540,000	B) \$1,080,000	C) \$428,400	D) \$214,000	
93)	) For the stem- and- leaf pl	ot below, find the range of the	he data set.		93)
	Key: 2 7 = 27				
	1 45 2 666789 2 77788999 3 01123445 3 6667889 4 03				

94) Find the range of the data set represented by the graph.

,	1	0 1		,
20				
 נוס ביייייייייייייייייייייייייייייייייייי		_		
5				
1 2	3 4 5 6 7 Data			
A) 6	B) 5	C) 20	D) 17	
95) The grade point averag	ges for 10 students are lis	ted below. Find the rar	nge of the data set.	95)
2.0 3.2 1.8 2.9 0.9 4.0 3.3 A) 2.8	2.9 3.6 0.8 B) 2.45	C) 1.4	D) 3.2	
96) The heights (in inches)	of 20 adult males are list	ted below. Find the ran	ge of the data set.	96)
70 72 71 70 69 73 67 71 70 74 69 68 A) 6.5	3 69 68 70 71 3 71 71 71 72 B) 7	C) 6	D) 5	
97) Find the sample standar	rd deviation.			97)
2 6 15 9 11 22 1 4 8 19				
A) 6.3	B) 6.8	C) 2.1	D) 7.1	
98) Find the sample standa	rd deviation.			98)
15 42 53 7 9 12 14 28 47				
A) 29.1	B) 15.8	C) 17.8	D) 16.6	
99) Find the sample standa	rd deviation.			99)
22 29 21 24 27 28 25 36 A) 2.8	B) 1.6	C) 4.8	D) 4.2	
100) The heights (in inches) of the data set.	of 10 adult males are liste	ed below. Find the samp	ple standard deviation of	100)
70 72 71 70 69 73	69 68 70 71			
A) 70	B) 3	C) 1.49	D) 2.38	

101)	101) Sample annual salaries (in thousands of dollars) for public elementary school teachers are listed. Find the sample standard deviation.						
	17.0 10.7 38.7 32.1 16	.4 15.9					
	A) 35.40	B) 10.97	C) 2851.44	D) 3453.36			
SHORT A	NSWER. Write the w	vord or phrase that best co	mpletes each statement or	answers the question	ı.		
102)	The heights (in inche population standard	nd the	102)				
	70 72 71 70 69 73 69 6	68 70 71					
103)	to school to the near		compute the distance they a is listed below. Compute t	-	103)		
	1.1 5.2 3.6 5.0 4.8 1.8	2.2 5.2 1.5 0.8					

#### MULTIPLE CHOICE. Choose the one alternative that best completes the statement or answers the question.

104) Without performing any calculations, use the stem- and- leaf plots to determine which statement is	104)	
accurate.		

(i) 0	9	(ii)	10 9	(iii) 0	
1	58		11 58	1	5
2	3377		12 3377	2	33337777
3	2 5		13 2 5	3	5
4	1		14 1	4	


A) Data set (ii) has the greatest standard deviation.


B) Data sets (i) and (iii) have the same range.

C) Data sets (i) and (ii) have the same standard deviation.

D) Data set (i) has the smallest standard deviation.

105) You are asked to compare three data sets. Without calculating, determine which data set has the greatest sample standard deviation and which has the least sample standard deviation.





B) Greatest sample standard deviation: (i)
Least sample standard deviation: (ii)
D) Greatest sample standard deviation: (iii)
Least sample standard deviation: (ii)

- 106)
- 106) You are asked to compare three data sets. Without calculating, determine which data set has the greatest sample standard deviation and which has the least sample standard deviation.

(i)		(ii)		(iii)
2	2 6	2		2 6
3	3 4	3	4	3 4 5
4	003399	4	00033399	4 0 3 9 9
Ę	5 8	5	8	5 8 9
e	5 1	6		6 1
	1	. 1 .	1 1 • • • • /•••	

- A) Greatest sample standard deviation: (iii) Least sample standard deviation: (ii)
- C) Greatest sample standard deviation: (i) Least sample standard deviation: (ii)
- B) Greatest sample standard deviation: (i) Least sample standard deviation: (iii)
- D) Greatest sample standard deviation: (iii) Least sample standard deviation: (i)

# SHORT ANSWER. Write the word or phrase that best completes each statement or answers the question.

107)	) You need to purchase a	a battery for your car. Th	nere are two type	es available. Type A	has a 107)	
	2	and a standard deviation		-		
		eviation of one month. E you are concerned that				
	reasoning.	5	5	у <b>т</b> у		
100				( 10 )	A71 · 1 100	
108)	) Here are the batting av player is more consiste	erages of Sammy Sosa a nt? Explain your reason	-	for 13 recent years.	Which 108)	
	Sammy Sosa 0.203 (	0.260 0.261				
	Barry Bonds 0.292					
		251 0.308 0.288 0.32 291 0.303 0.262 0.30				
	0.012 0.291 0.000 0.	271 0.000 0.202 0.00	0 0.020 0.070	0.011		
109)	You are the maintenand	ce engineer for a local hi	gh school. You r	nust purchase fluore	escent 109)	
,	light bulbs for the class	prooms. Should you choo	ose Type A with	$\mu = 3000$ hours and		
	$\sigma$ = 200 hours, or Type	B with $\mu$ = 3000 hours as	nd $\sigma$ = 250 hours	5?		
MULTIP	LE CHOICE. Choose the	one alternative that be	st completes the	e statement or answe	ers the question.	
110)	) The mean IQ score of a	dults is 100, with a stand	dard deviation o	f 15. Use the Empiri	cal Rule to find	110)
,	the percentage of adult	s with scores between 7				<i>,</i>
	distribution.) A) 100%	B) 68%	C) 95%	г	) 99.7%	
	A) 100 %	D) 00 %	C) 95 %		) 99.7 /0	
111)	The mean score of a pla					111)
	the data set has a bell-	l Rule to find the percen shaped distribution.)	itage of scores tr	lat lie between 60 an	a 80. (Assume	
	A) 34%	B) 68%	C) 95%	, E	0) 47.5%	
112)	) The mean IQ score of s	tudonte in a particular e	olculus class is 1	10 with a standard	doviation of 5	112)
112)		to find the percentage of				112)
	set has a bell- shaped d	istribution.)				
	A) 11.15%	B) 2.5%	C) 15.8	5% E	0) 13.5%	
110	TTI (			· · · · · · · · · · · · · · ·		110)
113)	The mean score of a cost to find the percentage of	mpetency test is 65, with of scores between 53 and			-	113)
	distribution.)	si scores between 55 are	a //. (/ issume in	e data set nas a ben-	shuped	
	A) 68%	B) 99.7%	C) 50%	E	0) 95%	
	- <b>T</b> II				1	
114)	The mean score of a co values do about 99.7%	mpetency test is 82, with of the values lie? (Assu				114)
	A) Between 74 and			ween 78 and 86		
	C) Between 80 and		,	ween 76 and 88		

,	The mean length of a human pregnancy is 266 days, with a standard deviation of 9 days. Use the Empirical Rule to determine the percentage of women whose pregnancies are between 257 and 275 days. (Assume the data set has a bell- shaped distribution.)					
	A) 68%	B) 99.7%	C) 50%	D) 95%		
116) The mean SAT verbal score is 462, with a standard deviation of 98. Use the Empirical Rule to determine what percent of the scores lie between 462 and 560. (Assume the data set has a bell- shaped distribution.)						
	A) 49.9%	B) 47.5%	C) 68%	D) 34%		
117)		l score is 486, with a stand ent of the scores lie betwee ion.)		-	117)	
	A) 34%	B) 49.9%	C) 47.5%	D) 68%		
118)		l score is 500, with a stand ent of the scores lie betwe tion.)		-	118)	
	A) 34%	B) 49.9%	C) 47.5%	D) 68%		
119) The mean SAT verbal score is 490, with a standard deviation of 96. Use the Empirical Rule to determine what percent of the scores lie between 298 and 586. (Assume the data set has a						
	bell- shaped distribut A) 68%	B) 83.9%	C) 81.5%	D) 34%		
120)	<ul> <li>deviation of \$210. The the sample statistics a values very unusual? \$1074, \$1536, \$16</li> <li>A) \$528 is unusua values that are mean.</li> <li>B) \$1641, \$528, \$10</li> <li>the mean. \$528</li> <li>C) \$1641, \$528, \$80</li> <li>from the mean.</li> <li>deviations from</li> <li>D) \$1536, \$1641, \$30</li> <li>deviation from</li> </ul>	above, determine which of Explain. (Assume the dat 41, \$528, \$801, \$1662, \$134 I because it is more than very unusual because no 662, \$696 are unusual beca 5 is very unusual because i 01, \$1662, \$696 are unusual \$528 and \$696 are very unusual	more studio apartments in f the data values are unus a set has a bell- shaped d 47, \$696 3 standard deviations fro o value is more than 4 sta ause they are more than 2 it is more than 3 standard al because they are more t nusual because they are m unusual because they are 662, \$696 are very unusua	n the city are listed. Using ual. Are any of the data istribution.) om the mean. There are no ndard deviations from the standard deviations from deviations from the mean. than 2 standard deviations nore than 3 standard	120)	
RT A	NSWER. Write the w	ord or phrase that best co	mpletes each statement o	or answers the question.		

27

68.6 in.?

- 122)
- 122) Heights of adult women have a mean of 63.6 in. and a standard deviation of 2.5 in. Apply Chebyshev's Theorem to the data using k = 3. Interpret the results.

#### MULTIPLE CHOICE. Choose the one alternative that best completes the statement or answers the question.

#### Use the grouped data formulas to find the indicated mean or standard deviation.

 123) The salaries of a random sample of a company's employees are summarized in the frequency
 123) \_\_\_\_\_

 distribution below. Approximate the sample mean.
 123) \_\_\_\_\_

Salar	y (\$)	Employees				
5,001-10	),000	16				
10,001-15	5,000	14				
15,001-20	),000	11				
20,001-25	5,000	16				
25,001-30	),000	23				
		-				
A) \$18,500.5	0	B) \$	17,500	C) \$16,650.45	D) \$20,350.5	55

Speed (mph)	Cars			
30-39	3			
40-49	17			
50- 59	50			
60-69	19			
70-79	11			
A) 59.1 mph		B) 54.5 mph	C) 61.9 mph	D) 56.3 mph


125) The manager of a bank recorded the amount of time a random sample of customers spent waitingin 125) \_\_\_\_\_\_ line during peak business hours one Monday. The frequency distribution below summarizes the results. Approximate the sample mean. Round your answer to one decimal place.


Waiting tin	ne Number of			
(minutes	) customers			
0 - 3	3 12	_		
4 -	7 14			
8 - 1	1 13			
12 - 1	.5 6			
16 - 1	.9 8			
20 - 2	23 2			
24 - 2	27   1			
A) 13.5 min	B) 8	8.0 min	C) 9.1 min	D) 9.2 min

126) The heights of a random sample of professional basketball players are summarized in the frequency distribution below. Approximate the sample mean. Round your answer to one decimal place.

Height (in.) I	Frequency			
70 - 71	1			
72 - 73	6			
74 - 75	8			
76 - 77	12			
78 - 79	9			
80 - 81	5			
82 - 83	2			
A) 78.4 in.	E	6) 74.9 in.	C) 13.5 in.	D) 76.6 in.


127) A random sample of 30 high school students is selected. Each student is asked how many hours
 he or she spent on the Internet during the previous week. The results are shown in the histogram.
 Estimate the sample mean.





Height (in inches)	requency			
50- 52	5			
53- 55	8			
56-58	12			
59-61	13			
62-64	11			
A) 0.98	B) 3.85	C	) 2.57	D) 1.86

132) A random sample of 30 high school students is selected. Each student is asked how many hours he or she spent on the Internet during the previous week. The results are shown in the histogram. Estimate the sample standard deviation.



#### SHORT ANSWER. Write the word or phrase that best completes each statement or answers the question.

#### Provide an appropriate response.

133) For the data below, find Pearson's index of skewness. The data set: The systolic blood pressures of 20 randomly selected patients at a blood bank.

130 120 115 132 136 124 119 145 98 110 125 120 115 130 140 105 116 121 125 108

#### MULTIPLE CHOICE. Choose the one alternative that best completes the statement or answers the question.

- - a) If a constant value k is added to each value, how will the standard deviation be affected?
  - b) If each value is multiplied by a constant k, how will the standard deviation be affected?
  - $1.1\ 5.2\ 3.6\ 5.0\ 4.8\ 1.8\ 2.2\ 5.2\ 1.5\ 0.8$ 
    - A) The standard deviation will not be affected.
    - B) The standard deviation will be multiplied by the constant k.

#### SHORT ANSWER. Write the word or phrase that best completes each statement or answers the question.

135) In a random sample, 10 students were asked to compute the distance they travel one way to school to the nearest tenth of a mile. The data is listed below. Compute the coefficient of variation.

1.1 5.2 3.6 5.0 4.8 1.8 2.2 5.2 1.5 0.8

132)

#### MULTIPLE CHOICE. Choose the one alternative that best completes the statement or answers the question.

# Find the coefficient of variation for each of the two sets of data, then compare the variation. Round results to one decimal place.

136) Listed below are the systolic blood pressures (in mm Hg) for a sample of men aged 20-29 and for a	136)
sample of men aged 60- 69.	
Men aged 20- 29: 118 124 129 118 131 123	
Men aged 60- 69: 131 151 137 125 164 139	
A) Men aged 20- 29: 4.2%	
Men aged 60- 69: 8.1%	
There is substantially more variation in blood pressures of the men aged 60-69.	
B) Men aged 20- 29: 7.2%	
Men aged 60- 69: 4.6%	
There is more variation in blood pressures of the men aged 20-29.	
C) Men aged 20- 29: 4.6%	
Men aged 60- 69: 10.5%	
There is substantially more variation in blood pressures of the men aged 60-69.	
D) Men aged 20- 29: 4.4%	
Men aged 60- 69: 10.0 %	
There is substantially more variation in blood pressures of the men aged 60-69.	

137) The customer service department of a phone company is experimenting with two different systems. On Monday they try the first system which is based on an automated menu system. On Tuesday they try the second system in which each caller is immediately connected with a live agent. A quality control manager selects a sample of seven calls each day. He records the time for each customer to have his or her question answered. The times (in minutes) are listed below.

Automated Menu: 11.2 7.2 4.0 2.9 9.2 6.3 5.5 Live agent: 6.3 2.5 4.8 4.1 3.4 5.2 3.7 A) Automated Menu: 43.7% Live agent: 29.4% There is substantially more variation in the times for the automated menu system. B) Automated Menu: 46.9%

Live agent: 31.5%

There is substantially more variation in the times for the automated menu system.

C) Automated Menu: 24.3%

Live agent: 46.2%

There is substantially more variation in the times for the live agent.

D) Automated Menu: 45.3%

Live agent: 30.5%

There is substantially more variation in the times for the automated menu system.

138)

138) Compare the variation in heights to the variation in weights of thirteen- year old girls. The heights (in inches) and weights (in pounds) of nine randomly selected thirteen- year old girls are listed below.

Delow.									
Heights (inches):	59.3	61.2	62.6	64.7	60.1	58.3	64.6	63.7	66.1
Weights (pounds):	86	97	93	119	96	90	123	98	139
A) Heights: 4.3%									
Weights: 17.2%									
There is substanti	ally m	ore va	riatio	n in the	weigł	nts tha	n in the	e heigh	ιts of the girls.
B) Heights: 3.9%									
Weights: 15.4%									
There is substanti	ally m	ore va	riatio	n in the	weigł	nts tha	n in the	e heigh	ιts of the girls.
C) Heights: 4.1%									
Weights: 16.4%									
There is substanti	ally m	ore va	riatio	n in the	weigł	nts tha	n in the	e heigh	ιts of the girls.
D) Heights: 11.5%									
Weights: 6.5%									
There is substanti	ally m	ore va	ariatio	n in the	heigh	its thar	n in the	weigh	nts of the girls.

#### Provide an appropriate response.

139) The test scores of 30 students are listed below. Find the five-number summary.

31 41 45 48 52 55 56 58 63 65
67 67 69 70 70 74 75 78 79 79
80 81 83 85 85 87 90 92 95 99
A) Min = 31, Q1 = 58, Q2 = 72, Q3 = 83, Max = 99
B) Min = 31, Q1 = 57, Q2 = 70, Q3 = 81, Max = 99
C) Min = 31, Q1 = 58, Q2 = 70, Q3 = 83, Max = 99
D) Min = 31, Q1 = 57, Q2 = 72, Q3 = 81, Max = 99

140) The weights (in pounds) of 30 preschool children are listed below. Find the five- number summary. 140)

25 25 26 26.5 27 27 27.5 28 28 28.5 29 29 30 30 30.5 31 31 32 32.5 32.5 33 33 34 34.5 35 35 37 37 38 38 A) Min = 25, Q1 = 28, Q2 = 30.75, Q3 = 34, Max = 38 B) Min = 25, Q1 = 28, Q2 = 30.5, Q3 = 34, Max = 38 C) Min = 25, Q1 = 27.5, Q2 = 30.5, Q3 = 33.5, Max = 38 D) Min = 25, Q1 = 27.5, Q2 = 30.75, Q3 = 33.5, Max = 38 C) Min = 25, Q1 = 27.5, Q2 = 30.75, Q3 = 33.5, Max = 38 C) Min = 25, Q1 = 27.5, Q2 = 30.75, Q3 = 33.5, Max = 38 C) Min = 25, Q1 = 27.5, Q2 = 30.75, Q3 = 33.5, Max = 38 C) Min = 25, Q1 = 27.5, Q2 = 30.75, Q3 = 33.5, Max = 38 C) Min = 25, Q1 = 27.5, Q2 = 30.75, Q3 = 33.5, Max = 38 C) Min = 25, Q1 = 27.5, Q2 = 30.75, Q3 = 33.5, Max = 38 C) Min = 25, Q1 = 27.5, Q2 = 30.75, Q3 = 33.5, Max = 38 C) Min = 25, Q1 = 27.5, Q2 = 30.75, Q3 = 33.5, Max = 38 C) Min = 25, Q1 = 27.5, Q2 = 30.75, Q3 = 33.5, Max = 38 C) Min = 25, Q1 = 27.5, Q2 = 30.75, Q3 = 33.5, Max = 38 C) Min = 25, Q1 = 27.5, Q2 = 30.75, Q3 = 33.5, Max = 38 C) Min = 25, Q1 = 27.5, Q2 = 30.75, Q3 = 33.5, Max = 38 C) Min = 25, Q1 = 27.5, Q2 = 30.75, Q3 = 33.5, Max = 38

#### SHORT ANSWER. Write the word or phrase that best completes each statement or answers the question.

 141) The weights (in pounds) of 30 preschool children are listed below. Find the interquartile
 141) \_\_\_\_\_\_

 range of the 30 weights listed below. What can you conclude from the result?
 141) \_\_\_\_\_\_

 25
 25
 26
 26.5
 27
 27
 27.5
 28
 28
 28.5

 29
 29
 30
 30
 30.5
 31
 31
 32
 32.5
 32.5

 33
 34
 34.5
 35
 35
 37
 37
 38
 38

## MULTIPLE CHOICE. Choose the one alternative that best completes the statement or answers the question.

	els (in milligrams per deciliter for the cholesterol level of the		ciow. I nici tic	142)
154 156 165 16 189 189 190 19 205 205 211 2 A) 180	92 195 198 198 200 200	4 185 ) 200 5 265 C) 30	D) 31	
,	,	,	,	
143) The cholesterol lev	els (in milligrams per decilite	r) of 30 adults are listed	below. Find Q1.	143)
154 156 165 1	65 170 171 172 180 1	84 185		
189 189 190 1	92 195 198 198 200 2	00 200		
205 205 211 2	15 220 220 225       238       2	55 265		
A) 180	B) 200	C) 171	D) 184.5	
144) Use the data to ider	ntify any outliers.			144)
35 40 54 65 62	7			
69 71 73 74 76	5			
80 82 87 90 99	)			
A) 35, 40	B) 35	C) 35, 99	D) None	
145) Use the data to ider	ntify any outliers.			145)
16 25 1 33 1	5			
5 18 8 20 1	4			
17 19 16 10 21				
28 14 37 18				
A) 1, 37	B) 1, 33, 37	C) 33, 37	D) None	
146) Use the data to ide	ntify any outliers.			146)
15 18 18 19 2	22 23 24			
24 24 24 25 2	26 26 27			
28 28 30 32 3	33 40 42			
A) 15, 42	B) 42	C) 40, 42	D) None	

 31
 41
 45
 48
 52
 55
 56
 56
 63
 65

 67
 67
 69
 70
 70
 74
 75
 78
 79
 79


 80
 81
 83
 85
 85
 87
 90
 92
 95
 99

154	156	165	165	170	171	172	180	$184 \ 185$
189	189	190	192	195	198	198	200	200 200
205	205	211	215	220	220	225	238	255 265

#### MULTIPLE CHOICE. Choose the one alternative that best completes the statement or answers the question.

149) Use the box- and- whisker plot below to determine which statement is accurate.

149) \_\_\_\_\_



A) About 25% of the adults have cholesterol levels of at most 211.

B) About 75% of the adults have cholesterol levels less than 180.

C) One half of the cholesterol levels are between 180 and 197.5.


D) One half of the cholesterol levels are between 180 and 211.

### SHORT ANSWER. Write the word or phrase that best completes each statement or answers the question.

150) The midpoints A, B, and C are marked on the histogram. Without calculating, match them with the indicated z- scores. Which z- scores, if any, would be considered unusual?

150)

z = 0z = -1.33z = 2.01



#### MULTIPLE CHOICE. Choose the one alternative that best completes the statement or answers the question.

151) Find the z-score for t	151)			
A) $z = -4.25$	B) $z = 0.73$	C) $z = -0.73$	D) z = -4.50	
152) Many firms use on- the you work in the person to program, and you he final test that was give and 3, respectively, are trainee in question reco	152)			
A) $z = -0.91$	B) z = -1.33	C) z = 1.33	D) z = 0.91	
at a randomly selected	dard deviation equal to 2.7	7 minutes. You listen to the ve that the amount of adve	radio station for 1 hour,	153)

A) z = 2.22	B) $z = -0.49$	C) $z = -2.22$	D) $z = 0.49$
11) 2 - 2.22	D) Z = 0.19	0) 2 - 2:22	D) Z = 0.13

#### SHORT ANSWER. Write the word or phrase that best completes each statement or answers the question.

154) Test scores for a history class had a mean of 79 with a standard deviation of 4.5. Test scores for a physics class had a mean of 69 with a standard deviation of 3.7. Suppose a

student gets a 65 on the history test and a 74 on

### MULTIPLE CHOICE. Choose the one alternative that best completes the statement or answers the question.

mathematics part of	part of the SAT the mean is the ACT the mean is 20.6 w on the ACT. Use z- scores	ith a standard deviation	of 5.1. Bob scores a 660	155)
	r twins are normally distrib ms. Use z- scores to determi		8	156)
A) 2353 g	B) 3647 g	C) 2000 g	D) 1200 g	
157) The ages of 10 groor	ns at their first marriage are	e listed below. Find the	midquartile.	157)
35.1 24.3 46.6 41.6 32	2.9 26.8 39.8 21.5 45.7 33.9			
A) 34.5	B) 34.1	C) 34.2	D) 43.7	
158) The graph below is a	an ogive of scores on a mat	h test.		158)
Percentile Rai	nks of Math Test Scores			
100+				
90-	[			
80+	/.			
70	/ .	•		
<u>ى</u> 60	/			
a 40+				
30-	/	•		
20-	/			
10				


Test Score

10 20 30 40 50 60 70 80 90 100

Use the graph to approximate the percentile rank of an individual whose test score is 70.A) 53B) 75C) 80D) 58

+-2

39



159)\_\_\_\_

25 25 26 26.5 27 27 27.5 28 28 28.5	
29 29 30 30 30.5 31 31 32 32.5 32.5	
33 33 34 34.5 35 35 37 37 38 38	
A) 25, 25, 26, 26.5, 27, 27 B) 25, 25, 26, 26.5	
C) 25, 25, 26, 26.5, 27, 27, 27.5 D) 25, 25, 26, 26.5, 27, 27, 27.5, 28, 28	
164) A teacher gives a 20- point quiz to 10 students. The scores are listed below. What percentile corresponds to the score of 12?	164)
20 8 10 7 15 16 12 19 14 9	
A) 13 B) 12 C) 40 D) 25	
165) In a data set with a minimum value of 54.5 and a maximum value of 98.6 with 300 observations, there are 186 points less than 81.2. Find the percentile for 81.2.	165)
A) 62 B) 71 C) 53 D) 68	
A) 02 D) 71 C) 03 D) 00	
166) The cholesterol levels (in milligrams per deciliter) of 30 adults are listed below. Find the percentile that corresponds to cholesterol level of 195.	166)
154 156 165 165 170 171 172 180 184 185	
189 189 190 192 195 198 198 200 200 200	
205 205 211 215 220 220 225 238 255 265	
A) 50 B) 12 C) 58 D) 33	

### SHORT ANSWER. Write the word or phrase that best completes each statement or answers the question.

167) /	A student's score on the SAT-1 placement test for U.S. history is in the 90th percentile.	167)	
I	What can you conclude about the student's test score?		

- 1) A
- 2) D
- 3) C

4) D


- 5) Class width = 5, Lower class limits: 1, 6, 11, 16, 21, 26; Upper class limits: 5, 10, 15, 20, 25, 30
- 6) Class width = 31, Lower class limits: 80, 111, 142, 173, 204, 235; Upper class limits: 110, 141, 172, 203, 234, 265
- 7) D

8) A

- 9) a) Class with greatest relative frequency: 105- 115 mm Hg
  - Class with least relative frequency: 145- 155 mm Hg
  - b) Greatest relative frequency≈ 0.35
  - Least relative frequency  $\approx 0.03$
  - c) Approximately 0.08












12)	Phone Calls (per day)			
	Class Frequency, f		Cumulative frequency	
	8 - 11 18		18	
	12 - 15 23		41	
	16 - 19 38		79	
	20 - 23	47	126	
	24 - 27	32	158	









17) B

18)


GPA Frequency Midpoint Relative Frequency Cumulative Frequency

		r		
0.5- 0.9	4	0.7	0.10	4
1.0- 1.4	2	1.2	0.05	6
1.5- 1.9	7	1.7	0.175	13
2.0-2.4	9	2.2	0.225	22
2.5-2.9	2	2.7	0.05	24
3.0-3.4	10	3.2	0.25	34
3.5-3.9	2	3.7	0.05	36
4.0-4.4	4	4.2	0.10	40

19)









Height (in inches) Frequency Relative Frequency Cumulative Frequency


0 ( )	1 )	1 /	1
67.0-68.4	6	0.20	6
68.5-69.9	5	0.167	11
70.0-71.4	13	0.433	24
71.5-72.9	2	0.067	26
73.0-74.4	4	0.133	30














Speed (in mph) Frequency Relative Frequency Cumulative Frequency

33- 35	3	0.10	3
36- 38	6	0.20	9
39- 41	6	0.20	15
42-44	6	0.20	21
45-47	3	0.10	24
48-50	6	0.20	30










- 29) a) See graph below
  - b) The minimum score = 14
  - c) The university will accept 76.57% of the applicants.



- 30) Class limits determine which numbers can belong to that class. Class boundaries are the numbers that separate classes without forming gaps between them.
- 31) B

32) Key: 0 4 = 4

 $\begin{array}{c|cccc} 0 & 4 & 8 \\ 1 & 0 & 5 \\ 2 & 5 \\ 3 & 3 & 6 & 6 \\ 4 & 0 & 0 & 9 \\ 5 & 0 \\ 6 & 3 & 4 & 6 \end{array}$ 

Most of these years he hit 36 or more home runs. 33) Key: 1  $\mathfrak{q} = 16$ 

Most of these years he hit between 33 and 49 home runs.

34) B

35) D

36) Key: 67 = 67


6 778888999999 7 0000011111111223344


Most of these males had heights of 70 or more inches. 37) Key: 33 = 33


```
3 3
3 556667889
4 00111223334
4 557889
5 000
5
```

17%


Most of the motorists were going 40 - 49 miles per hour. 38) B








Answer Key Testname: UNTITLED2





In general, there appears to be a relationship between the home runs and batting averages. As the number of home runs increased, the batting averages increased.





In general, there appears to be a relationship between the absences and the final grades. As the number of absences increased, the students' final grades decreased.













It appears the number of deaths peaked in 1950.






NCAA Men's Basketball Winning Streaks





#### 52)

World's Largest Subway Systems



53) Key: 12 7 **‡** 127






It appears the number of alcohol- related fatalities is gradually declining.

- 58) The graph distorts the data because the the vertical scale starts at 60 rather than 0, giving the impression of a large difference in the number of accidents, when actually the number of accidents only varies from 90 to 120. To make the graph less misleading, change the vertical scale so that it begins at 0 and increases in increments of 20.
- 59) A
- 60) C
- 61) A
- 62) D
- 63) B
- 64) C
- 65) C
- 66) A 67) A
- 68) A
- 69) mean 63, median 64, mode 65
- 70) C
- 71) B
- 72) mean: 97; median 103
- 73) mean: 37; median: 35.5; The median best represents the data because the mean is affected by the outlier (73) which causes a gap in the distribution.
- 74) B
- 75) A
- 76) A
- 77) C
- 78) mean: \$489,415; median: \$265,664; The median represents the data better because the mean is affected by the outlier (\$2,194,246) which causes a gap in the distribution.
- 79) B
- 80) B
- 81) A
- 82) A
- 83) D
- 84)  $\mu$  represents a population mean and x represents a sample mean.
- 85) The median is found by calculating the mean of the two middle data entries. The middle entries cannot be found unless the data entries are first ordered.

86) No, the mean is not a good representation of the center. The mean score is 78, and 9 of the scores are better than this. 87) No, the mode is not a good representation of the center. The mode score is 66, and 9 of the scores are better than this. 88) D 89) A 90) B 91) A 92) A 93) B 94) A 95) D 96) B 97) D 98) C 99) C 100) C 101) B 102)  $\sigma = 1.42$ ,  $\sigma^2 = 2.01$ 103) range = 4.4, s = 1.8, s<sup>2</sup> = 3.324104) C 105) C 106) A 107) Battery Type B has less variation. As a result, it is less likely to fail before its mean life is up. 108) Sosa: x = 0.279 and s = 0.033; Bonds: x = 0.312 and s = 0.027. Bonds is more consistent since his standard deviation is less. 109) The bulbs with the lower standard deviation are more consistent and it is easier to plan for their replacement. 110) C 111) D 112) B 113) B 114) D 115) A 116) D 117) A 118) C 119) C 120) B 121) At least 75% of the heights should fall between 58.6 in. and 68.6 in. 122) (56.1, 71.1) 89% of the heights are between 56.1 and 71.1 inches. 123) A 124) D 125) C 126) D 127) A 128) D 129) D 130) B 131) B 132) C 133) x = 121.7, s = 11.82, P = 0.31. Since  $-1 \le P \le 1$ , there is no significant skewness.



161) A
162) D
163) C
164) C
165) A
166) A
167) The student's score was higher than the scores of 90% of the students who took the test.