# Test Bank for Essentials of Understanding Psychology Canadian 5th Edition by Feldman Catney Cavanagh and Dinardo ISBN 1259024644 9781259024641

### Full link download:

 $\underline{https://testbankpack.com/p/test-bank-for-essentials-of-understanding-psychology-canadian-5th-edition-by-feldman-catney-cavanagh-and-dinardo-isbn-1259024644-9781259024641/$ 

TR	UE/FALSE. Write 'T' if the statement is true and 'F' if the statement is false.
1)	Canadian actor Michael J. Fox has been diagnosed with an early on-set case of Alzheimer's disease.  Answer: True • False
2)	The preliminary symptoms of Parkinson's disease include; tremors, rigidity, and slow movement.  Answer: True  False
3)	As many as 1 in 10 individuals diagnosed with Parkinson's disease are under the age of 40.  Answer: True  False
4)	Mirror neurons suggest that the capacity of even young children to imitate others may be an inborn behaviour.  Answer:   True False
5)	A neuron's resting state has a negative electrical charge of about 10 millivolts (a millivolt is one one-thousandth of a volt).  Answer: True • False
6)	The speed with which an action potential moves down the axon is determined by the axon's size and the thickness of its myelin sheath.  Answer: True  False
7)	Neurotransmitters are always consistent in their actions. They perform in an identical manner regardless of their location in the nervous system.  Answer: True False
8)	The longer and thicker the axon the more rapid the impulse.  Answer: True False
9)	Neurons are complex structures. Due to the action potential, they may be connected with no more than one to two hundred other neurons.  Answer: True False
10)	The speed with which an action potential moves down the axon is determined by the axon's size and the thickness of its myelin sheath.

12) Acetylcholine and serotonin are both excitatory neurotransmitters in the central nervous system.

False

True False

11) In the nervous system, neurotransmitters are stored in the neuron's dendrites.

Answer: True

Answer:

Answer:	True	• False				
13) The abilities t	13) The abilities to regulate or suppress pain and to experience pleasure are influenced by endorphins.					
Answer: 🛭 True	e	False				
14) The fMRI scan also has the potential to treat some psychological disorders.						

Answer: True • False

15) The limbic system contains three primary components: the thalamus, hypothalamus, and hippocampus.

Answer: True False

16) The limbic system consist of a series of doughnut-shaped structures that are involved in self-preservation, learning memory, and the experience of pleasure.

Answer: True False

17) The association areas of the brain are closely linked to such higher order mental processes as thinking, language, memory, and speech.

Answer: True False

18) Research has shown that the central core, or the primitive brain, is very similar in all vertebrates.

Answer: True False

19) Motor neurons carry information from the brain to the muscle groups, and sensory neurons carry information from the sensory organs to the brain.

Answer: True False

20) Neurons that connect sensory and motor neurons carrying messages between the two are called complimentary neurons.

Answer: True False

21) The structures of the brain are organized in such a way that older, more primitive parts of the brain regulate the newer areas of the brain.

Answer: True False

22) The nervous system is divided into three main parts: the spinal cord, the central nervous system and the peripheral nervous system.

Answer: True False

23) Neurons that connect sensory and motor neurons are called cognitive neurons.

Answer: True False

24) Behavioural genetics holds the promise of developing new diagnostic and treatment techniques for genetic deficiencies that can lead to physical and psychological difficulties.

Answer: True False

25) The endocrine system is a chemical communication network that sends messages via hormones.

Answer: True False

#### MULTIPLE CHOICE. Choose the one alternative that best completes the statement or answers the question.

- 26) What is the approximate negative electrical charge of a neuron's resting state?
- A) 30 millivolts
- B) 100 millivolts
- C) 70 millivolts
- D) 150 millivolts

Answer: B

- 27) Which of the following best describes a neurotransmitter?
  - A) A brain disease that results in loss of memory and motor control.
  - B) The part of the brain that controls speech and language functions.
  - C) The part of the neuron that receives information from other neurons.
  - D) A chemical substance that carries information in the nervous system.

Answer: D

- 28) If a particular behaviour is associated with a small portion of the motor area, then it must be:
  - A) A large scale behaviour, like waving your arms.
  - B) A precise behaviour, like threading a needle with your fingers.
  - C) Unknown-we know very little about how behaviours map onto the motor area.
  - D) A facial behaviour, like smiling or frowning.

Answer: A

- 29) What is the synapse?
  - A) A temporary impairment that causes a memory lapse.
  - B) The long slender tail that leads away from the neuron's cell body.
  - C) A gap between an axon's terminal button and another neuron's dendrite.
  - D) The neural structure that connects the two cerebral hemispheres.

Answer: C

- 30) Which of the following is <u>NOT</u> a primary region in the sensory area of the cortex?
  - A) A region related to vision.

B) A region related to body sensations.

C) A region related to sexual behaviour.

D) A region related to hearing.

Answer: C

- 31) What happened to railroad worker Phineas Gage, whose case study is presented in the chapter on biology and behaviour?
  - A) An explosive accident blasted a spike through his brain.
  - B) He was born with only half a brain, yet he was able to live a normal life.
  - C) A surgical accident left him with a permanent memory defect.
  - D) After a severe fall that injured most of his brain, he received a transplant.

Answer: A

- 32) Damaged or insufficient myelin sheath would cause which of the following?
  - A) Rapid nerve impulses.

B) Accelerated nerve impulses.

C) Slowed nerve impulses.

D) Exaggerated nerve impulses.

Answer: C

33) Although too much dop parts of the brain is invo	_	olved in	, having too little of it in certain
A) aggression; eating C) depression; Alzhei Answer: D	disorders	B) movement; a	alcoholism ia; Parkinson's disease
	s. Fox was experiencing the		
Answer: B	ne	D) Killielettet s	syndrome
a crusader for which of	olumbia bestowed upon hithe following?	m an honorary deg	gree. Michael J. Fox was
A) Alzheimer's diseas C) Asperger's syndroi		B) Parkinson's of D) Klinefelter's	
Answer: B		_,	2,1-0-1
36) Which of the following other neurons?  A) dendrite	g describes the part of the B) terminal button		ives chemical signals from  D) axon
Answer: A	b) terminar catton	Субунарыс	D) whom
37) Which concept describ other nerve cell?	es the portion of the nerv	ve cell from which	n information is passed to
A) myelin sheath Answer: B	B) axon terminal	C) dendrite	D) cell body
38) The movement of the ac A) Pendulum swingin B) Ball bouncing up a C) Rat trying to find t D) Row of dominoes:	g back and forth. and down in place.		th of the following?
<ul><li>39) Researchers from many</li><li>Which of the following t</li><li>A) cognitive science</li></ul>	areas are interested in the erms describes the study of	_	ystem, and behaviour?
C) behaviourism Answer: B		D) biophysics	-

40) The medulla is critical for A) thoughts and decision C) vision Answer: D		which of the following?  B) body rhythms  D) breathing and heart bea	at
41) After a serious auto accident often drops her fork or mediamage to which area of the A) reticular formation C) pons	nisses her mouth as she to		
Answer: B		,	
42) Roberta learned to play sacross the soccer field and expert at soccer dribbling "automatic pilot." This advertee following?	trying to control the ball g. During a game she f vanced level of coordination	at the same time. In high seels her muscles and baseon and control is probably	chool, she became an lance system are on the work of which of
A) cerebellum Answer: A	B) thalamus	C) hypothalamus	D) pons
43) Dr. Yee used the analogy only activates other specific of awareness which is need A) cerebellum C) pons Answer: B	ic brain areas but may also	o screen other stimuli depe	
44) Carey Price started playin the appearance that his m level of coordination and of	nuscles and balance syste	m are on "automatic pilo	ot." This advanced
A) pons Answer: C	B) hypothalamus	C) cerebellum	D) thalamus
45) Which area of the brain i and self-preservation, such			g to emotions
A) Cerebral cortex	B) Limbic system	C) Thalamus	D) Cerebellum

Answer: B

disorder was a result of genetic traits beyond question regarding which A) Intolerance of active B) The role of drug tr C) Nature verses nurt	f poor child rearing, we the control of parent ch of the following? wity level based on characteristics in reducing h		d that it stemmed from nts were discussing a
47) In the endocrine system	a hormone is defined	as which of the following?	
A) Major organ	, a normone is defined	B) Electrical messen	ger
C) State of rest		D) Chemical messen	_
Answer: D		,	
48) Messages travel in	form within a ne	euron, and inforn	n between neurons.
A) chemical; electrica	ıl	B) electrical; electric	al
C) electrical; chemica	ા	D) chemical; chemic	al
Answer: C			
49) Which of the following also in the central nervo		a neurotransmitter at the nerv	ve-muscle junction and
A) acetylcholine (Ach	1)	B) curare	
C) dopamine Answer: A		D) gamma-amino bu	tyric acid (GABA)
50) The myelin sheath wrap	s around which of the	following?	
A) cell bodies	B) axon	C) dendrites	D) synapses
Answer: B			
51) Which of the following  A) Distinguishing for  B) Heart rate.  C) The maintenance of  D) The sense of physical Answer: C	eground from backgroof body temperature.	mportant functions of the hy und.	pothalamus?
·		sion. Some psychologists b which neurotransmitter?	elieve that his
A) dopamine Answer: B	B) serotonin	C) GABA	D) endorphins

has which of the following	conditions?		
A) Broca's aphasia		B) Split brain	
C) Dyslexia		D) Wernicke's aphasia	
Answer: B			
54) Long-distance runners som associated with the release A) norepinephrine	•	•	in sensitivity  D) dopamine
Answer: C			
55) People like Michael J. For symptoms of Parkinson's electric shocks to areas of to of the following describes of the following	disease by implanting a the brain that control move what this procedure is known.	device in the brain that ement and abnormal nerve	delivers weak e signals. Which
56) Nerves are composed of ma	any of which of the follow	ring?	
A) excitatory potentials		B) neurons	
C) action fibers		D) muscles	
Answer: B			
57) Regardless of how strong impulse. Which of the follow		still fire with the same	amount of electrical
A) Dendrite-axon law.		B) Split-brain law.	
C) All-or-none law.		D) Excitatory-inhibitory la	lW.
Answer: C			
58) All of the following statem	ents describe Michael J. F	ox EXCEPT which one?	
	arkinson's Disease is extre		
,	inated Fox as one of the w	1	1
•	oundations has raised more blic crusade to find a cure		earch and treatment.
Answer: A	one crusade to find a cure	for Parkinson disease.	
Allswell A			
59) Which of the following de sympathetic autonomic ner	· · · · · · · · · · · · · · · · · · ·	uence of a disabling injur	y to a man's
	ss, with naps needed throu	ghout the day.	
B) Inability to walk with		201402	
D) Difficulty detecting se	eving orgasm during interests	course.	
Answer: C	nisory orginals.		

53) A person who has difficulty naming objects that appear only in the right visual field most likely

- 60) If Dr. Holosko wants to view the work of the brain as it processes different words visually and auditorially, which of the following will he use?
  - A) Transcranical magnetic stimulation to see the effects of a "virtual lesion."
  - B) An electroencephalogram to record electrical wave patterns.
  - C) Functional magnetic resonance imaging for a structural view.
  - D) A positron emission tomography scans to see the intensity of work in parts of the brain.

Answer: D

- 61) Which of the following describes why the pituitary gland is called the "master gland"?
  - A) Controls the endocrine system.
  - B) Has sufficient power to defend against micro-organisms.
  - C) Regulates the response of the brain to an internal imbalance.
  - D) Is solely responsible for homeostasis.

Answer: A

62) Which of the following describes the chemical substances that communicate information from one neuron to another?

A) hormones

B) neurotransmitters

C) axons

D) terminal bulbs

Answer: B

- 63) A behavioural neuroscientist would be most interested in which of these questions?
  - A) How do personality differences relate to romantic attraction?
  - B) In what ways does culture influence perceptual abilities?
  - C) Can the causes of behavioural disorders be linked to medical factors?
  - D) How does learning style affect language development in young children?

Answer: C

64) Sally is a skilled gymnast whose specialty is the balance beam. Which part of her brain is most responsible for her ability to perform?

A) reticular formation

B) cerebellum

C) limbic system

D) hypothalamus

Answer: B

- 65) Research suggests that there is a positive correlation between the thickness of an axon's myelin sheath and which of the following?
  - A) Size of the neurotransmitters in the terminal buttons.
  - B) Importance of the message that is transmitted.
  - C) The number of dendrites that receive messages.
  - D) Neuron's excitatory or inhibitory nature.

Answer: B

- 66) What would be expected that the symptoms of Alzheimer's disease will do?
  - A) Be unaffected by ACh levels.
  - B) Improve if ACh levels are increased.
  - C) Be improved by boosting the levels of endorphins.
  - D) Worsen if ACh levels are reduced.

Answer: B

- 67) Which of the following describes where neurotransmitters are stored?
  - A) In the cell body.

B) At the end of the dendrites.

C) Inside the myelin sheath.

D) In terminal buttons.

Answer: D

- 68) Where is the higher mental function located that distinguish human brains from other species?
  - A) In the cerebellum.

B) In the cerebral cortex.

C) In the thalamus and hypothalamus.

D) In the limbic system.

Answer: B

- 69) Which of the following best describes the functions of the hypothalamus?
  - A) information processing

B) cortical arousal

C) motor coordination

D) basic survival

Answer: D

- 70) Adriana and David are fraternal twins. Adriana is exceptionally outgoing and friendly, and David is extremely shy. What would behavioural geneticists most likely attribute their personality differences to?
  - A) Equal influence of environmental and inheritance factors.
  - B) Inherited factors.
  - C) Neither environmental nor inheritance factors.
  - D) Environmental factors.

Answer: B

- 71) Which of the following describes why it is difficult to study the specialized abilities of the left and right cerebral hemispheres in the brains of normal individuals?
  - A) It is difficult to identify the boundary between the two hemispheres.
  - B) The left side of the brain controls the right side of the body, and vice versa.
  - C) People won't submit for unnecessary brain surgery.
  - D) The two hemispheres share information quickly and completely.

Answer: D

- 72) What is the frontal lobe?
  - A) It contains the hippocampus.
  - B) It is a division of the limbic system.
  - C) It is involved in hearing.
  - D) It is involved in voluntary muscle movement.

Answer: D

A) It B) It C) It	cannot be compared is stronger in wome is stronger in men th is equal between me	nan in women.		
A) A B) In C) Ju	portable battery cha sulation packed arou mper cables used to vitamin taken to sup	ne function of myelin? rger. und a hot water pipe. boost a dead battery. pply necessary nutrients.		
A) H	andling simple reflections and the simple reflection in the simple resolving and the simple reflection in the simple refl		ion of the autonomic nerv B) Maintaining alert conso D) Making future plans.	-
A) M	edical psychologist linical diagnostician	ines another name for a bi	opsychologist?  B) Psychic practitioner  D) Behavioural neuroscie	entist
A) sp	eech production notions	sponsible for which functi	on? B) memory D) speech comprehension	
A) M	etabolic rate agar metabolism	us and pituitary gland cont	trol when they are working B) Emotional reactions D) Most other endocrine g	
the bod A) in	ly to the central nerv terneurons otor (efferent) neuro	•	transmit information from  B) sensory (afferent) neur  D) spinal neurons	-
80) Which A) ne	euron	cribes the basic cell in the B) medulla	nervous system?  C) spinal cord	D) muscle

81) After being fired by the neuron, a neur the following describes this process?	cotransmitter is absorbed into	the axon terminal. Which of
A) inhibition B) myelinati Answer: D	ion C) endorphing	D) reuptake
82) In which field of study do researchers psychological characteristics?	attempt to identify the effect	cts of heredity on
<ul><li>A) neurological psychology</li><li>C) behavioural genetics</li></ul>	B) environment D) evolutionary	
Answer: C	•	
A) People cannot function if parts of the B) Neurons are either "on" or "off"; the C) More intense stimuli provoke strone D) Neurons will die if they do not have Answer: B	heir brains are removed. here is no in-between. liger action potentials.	
84) Which of the following statements described A) All neurons have the same frequence B) Neurons differ in the frequency of C) Through the same neuron, impulsed D) Through the same neuron, impulsed Answer: B	cy of impulses they communicate. s can move at different streng	ths.
85) Which neurotransmitter is found in the central nervous system?	ne parasympathetic nervous	system as well as in the
A) acetylcholine B) norepine Answer: A	phrine C) GABA	D) dopamine
86) Which of the following is the primary in A) GABA B) Acetylch Answer: A	nhibitory neurotransmitter in to toline C) Dopamine	<u> </u>
87) The speed of transmission in a neuron vis which of the following?	will occur fastest if the myeli	n shooth around the even
is which of the following.	will occur fastest if the myen	ii sheatii afound the axon

88) What is a neuron?				
A) A chemical substance	transmitted in the bloods	tream.		
B) The basic unit of the nervous system.				
•	C) One of many kinds of muscles found in the motor system.			
D) The sensory apparatus		·		
Answer: B				
89) In the endocrine system, wh	hich organ controls the pi	ituitary gland?		
A) Parathyroid gland		B) Adrenal gland		
C) Hypothalamus		D) Thymus		
Answer: C				
90) Surgeons have found that areas of the brain that con living with which of the fol A) Klinefelter's syndrome	trol movement and abnormallowing?			
C) Parkinson's disease		D) Asperger's syndrome		
Answer: C		z) i ispeigei s symatome		
A) Releases neurotransmi B) Performs the cell's mer C) Passes information alo D) Receives information Answer: D	tabolic activities. ong to other neurons. from other neurons.			
92) A group of Canadian resea a small area of the brain. T functioning. What type of s	They wants to see how su	ach a "virtual lesion" char	_	
A) PET	B) TMS	C) fMRI	D) EEG	
Answer: B	<i>b)</i> 1110	C) IIVIICI	D) LLO	
93) In order to study the brain the following techniques?  A) CAT scan (computeriz B) NMR scan (nuclear mace) PET scan (positron empty) EEG (electroencephalo Answer: D	zed axial tomography) agnetic resonance) nission tomography)	nt areas of the brain, rese	archers use which of	
94) People who are unusually s A) Pancreas Answer: D	hort or tall may have abn B) Thymus	ormalities in which endoc C) Testis	erine gland? D) Pituitary	

95) The neurotransmitter acetylcholine has a majo	
A) sexual arousal	B) memory
C) mood control	D) pleasurable feelings
Answer: B	
<ul> <li>96) A neurotransmitter affects particular neurons,</li> <li>A) Receiving neuron is in its resting state.</li> <li>B) Receiving neuron has a suitable receptor.</li> <li>C) Nerve impulse acts according to the all-or.</li> <li>D) Receiving neuron expects a message to an Answer: B</li> </ul>	site. r-none law.
<ul><li>97) Which task could a "split-brain" patient perfor</li><li>A) Throw it but be unable to name it.</li><li>C) Name its color but not its shape.</li><li>Answer: A</li></ul>	m if shown a ball in his left visual field?  B) Refer to it in several different languages.  D) Name it but be unable to throw it.
98) Which of the following does the activation of	the autonomic nervous system require?
A) No conscious or voluntary action.	B) Reflexive reactions of the spinal cord.
C) Conscious, deliberate action.	D) Stimulation by the somatic system.
Answer: A	
99) What is the protective coating around the neur A) myelin sheath C) reticular formation Answer: A	on that speeds transmission of neural impulses?  B) refractory coating  D) axon terminal
100) If you hear a sudden, loud noise, which of the brain to produce general bodily arousal?	e following can immediately activate other parts of
A) medulla	B) hypothalamus
C) reticular formation	D) thalamus
Answer: C	
101) Sequential information processing is a character recognition of patterns and drawings is character.	
A) right; left B) left; left	C) right; right D) left; right
Answer: D	
102) The sympathetic and parasympathetic autonobehaviours they control. What is the most like  A) The person will often be left in a state of B) The body's level of emergency preparedn C) Sensation and movement will sometimes D) Afferent and efferent neurons will sometimes Answer: B	ly consequence of this arrangement? confusion. ess can be quickly changed. become confused.

103) While watching her favourite television comedy, boyfriend Rob tries hard to wake her, he simply cann is Rob trying to activate?  A) thalamus C) Wernicke's area Answer: D	<u>=</u>	_
104) Behaviour that is reflexive, or automatic and involuthe following?		ted by which of
A) somatic nervous system C) peripheral nervous system Answer: D	B) brain D) spinal cord	
105) Shirley has no desire to breastfeed her newborn partner's offer to cuddle. Her doctor may want to co one explanation for Shirley's low desire?	•	
A) Thyroxine B) Somatotropin Answer: D	C) Estrogen	D) Oxytocin
106) If a person's cerebellum were damaged in an accid have problems with which of the following?	ent, you would expect th	nat person to
A) seeing and hearing C) speaking Answer: D	B) breathing D) muscle coordination	
107) What is the language disorder in which speech sound: A) Wernicke's aphasia C) apraxia Answer: A	s fluent, but makes no sen B) split-brain syndrome D) Broca's aphasia	ise?
<ul> <li>All of the following statements describe hormones EXA) Hormones produced by the thymus are important B) Most health experts now encourage menopausa replacement therapy.</li> <li>C) The hormone oxytocin may be beneficial for among individuals.</li> <li>D) Steroid use has been associated with heart attack Answer: B</li> </ul>	t for immune system func l women to undergo horn social interactions, lead	none
109) Excitatory messages received across the synapse:  A) tell the receiving neuron to trigger an action potenti B) stimulate the neuron to prevent an action potenti C) have no effect on the receiving neuron. D) cause the axon to vibrate physically. Answer: A		

	pen skillfully across the pagich division of your nervous		ance step thanks to
A) somatic Answer: A	B) parasympathetic	C) sensory	D) sympathetic
system is operating; of thedivis		lecting the correct and	swer reflects the operation
A) somatic; autono C) sympathetic; par Answer: D		B) parasympathetic D) autonomic; sor	· ·
112) The parasympathetic	nervous system is responsible	e for which aspect of	behaviour?
,	ne body's functions at rest. of sensory information.	, ,	ody for emergencies. newly learned actions.
113) Which organ of the e	ndocrine is considered the "m	naster gland"?	
A) Ovary Answer: D	B) Thyroid	C) Testes	D) Pituitary
fibers connecting the	ing describes the part of the halves of the cerebellum?	e brain which consist	ts of a bundle of nerve
A) reticular formati C) thalamus Answer: B	on	B) pons D) medulla	
115) Injury to which of the and hearing?	e following would leave a p	person with serious h	andicaps in both vision
A) cerebellum C) reticular formati Answer: D	on	B) hypothalamus D) thalamus	
	of which of the following, viviensations even when the sen	•	
A) reticular formati C) cerebellum Answer: D		B) hypothalamus D) thalamus	
117) Information from the travels through which		h must be communio	cated to higher brain levels
A) cerebellum Answer: C	B) sensory cortex	C) thalamus	D) ventricles

118) What describes the bra A) Pons Answer: C	in organ that interacts most B) Cerebral cortex	closely with the pituitary C) Hypothalamus	y gland? D) Thalamus
for older men? A phys A) That testosterone B) That most men m C) That all hormones	d to replace the missing ho ician would probably advise builds muscles and good he aintain high testosterone leves are beneficial.  can increase risk of heart a	which of the following alth in older men. els throughout life.	?
120) Where in the neuron ca A) The myelin sheath C) The dendrite Answer: B	an hereditary information be	found?  B) The cell body  D) The axon	
A) Neurons located i B) The brain structure	stem (CNS) consists of which sensory organs or that consess located centrally in the base axons are covered by myenal cord.	tact muscles. rain, covered by other ne	eural tissue.
122) The sympathetic portion  A) The memory and  C) The automatic, er  Answer: C	0 1	ntrols which aspect of be B) The conscious dec D) The voluntary mus	ision making.
A) The differences a social experiences as C) The differences as childhood experiences of male/f	re caused by differences in the caused equally by biologic	gical factors rather that he early social experience cal/genetic factors and b	ces of girls and boys.  by early
A) The fact that it ha	euron makes it distinct from s a nucleus. nunicate with other cells.	•	on well without oxygen.

- 125) What physically holds the neuron in place?
  - A) The arteries
  - C) The glial cells

- B) Other neurons
- D) The muscle tissue

Answer: C

- 126) The field of behavioural genetics is concerned with which aspect of psychological functioning?
  - A) The impact of hormones on mood.
  - B) The connection between brain measures and thoughts.
  - C) The treatment of neurological disorders.
  - D) The effects of heredity on psychological characteristics.

Answer: D

- 127) All of the following describe brain functioning EXCEPT which one?
  - A) The issue of stem cell research is a controversial, ethical issue that produces varied opinions-even among psychologists.
  - B) Neurons in the central nervous system cannot be replaced; once they die, they are gone forever.
  - C) Stimulating the brain's production of dopamine may help to reduce the symptoms of Parkinson's disease.
  - D) Removing diseased areas of the brain can sometimes help relieve seizures.

Answer: B

- 128) Although "pleasure centers" are found at many brain sites, where is the most common place to find them?
  - A) The medulla.
  - B) In the cerebellum.
  - C) In the association areas of the cerebral cortex.
  - D) The limbic system.

Answer: D

- 129) The concept of neuroplasticity is best described by which statement?
  - A) The brain ceases to create changes after the age of one year.
  - B) People who have injured their brain in adulthood cannot regain their lost functions.
  - C) Each hemisphere has a specialized function not shared by the other hemisphere.
  - D) The neurons and synapses in the brain reorganize themselves throughout life.

Answer: D

- 130) Which feature of the synapse makes possible greater variety and flexibility in the nervous system?
  - A) The ability to manufacture enzymes
- B) Hard-wired connections between neurons
- C) The ability to resist chemical reuptake
- D) The presence of a gap between neurons

Answer: D

A) The spinal cord can be fused with sections for B) The temporal lobe is able to compensate for C) Neurons transplanted from the peripheral neuron D) A section of the myelin sheath can be used to Answer: C	or the occipital lobe. movement restrictions. rvous system may restore	•
132) Research with split-brain patients has shown which A) The temporal lobe is not needed for hearing in B) An object shown to the right hemisphere only C) An object shown to the left hemisphere only D) Mental stimulation can reunite the halves of Answer: B	if the occipital lobe is inta y will be seen but cannot l will not be seen at all.	
133) Which of the following is taking place when a new A) There is more negative ions inside the neuron B) There is an equal number of positive and neg C) There is an equal number of positive and neg D) There is fewer negative ions inside the neuron Answer: A	n than outside it. gative ions inside the neurogative ions outside the neu	
134) Which of the following describes how hormones of A) They travel throughout the body and move at B) Conserve more energy as needed C) Exchange chemical make up more readily D) They are more robust and effective in escalat Answer: A	t a slower rate	ers?
135) Which organ in the endocrine system is also part of A) Ovary B) Hypothalamus Answer: B	of the nervous system? C) Thymus	D) Parathyroid
136) Monica's doctor has requested a test that will show just after she is injected with a radioactive isotope. VA) TMS  A) TMS  B) EEG  Answer: D		
137) Arnold is experiencing problems with walking a he may have multiple sclerosis, a disease that occur. A) Too little serotonin is being released into the B) Too much dopamine is released into the syna C) The deterioration of the myelin sheath. D) A neuron's dendrites shrink in size.  Answer: C	urs when which of the foll synapse.	

- 138) The advantage of transcranial magnetic stimulation (TMS) is that it can do which of the following?
  - A) Provide diagnostic information and treat brain disease or injury.
  - B) View and remove dysfunctional brain area.
  - C) Produce a picture of electrical activity in the brain.
  - D) Produce pictures of the brain and spinal cord.

Answer: A

- 139) What does the hierarchical organization of the nervous system explain?
  - A) Why lower regions of the brain control higher regions of the nervous system.
  - B) Why most primitive regions of the brain are no longer associated with important functions.
  - C) Why oldest regions of the brain are associated with more advanced functioning.
  - D) Why more recently evolved regions of the brain are associated with advanced functioning.

Answer: D

### SHORT ANSWER. Write the word or phrase that best completes each statement or answers the question.

140) Why do psychologists study the brain and nervous system, and what is this field of study generally referred to?

Answer: Psychologists who specialize in considering the ways in which the biological structures and fu the body affect behaviour are known as behavioural neuroscientists (or biopsychologists). They seek to answer several key questions: How does the brain control the voluntary and invol functioning of the body? How does the brain communicate with other parts of the body? What the physical structure of the brain, and how does this structure affect behaviour? Are psychological disorders caused by biological factors, and how can such disorders be treated?

141) Draw a typical neuron and label its major parts accurately. Briefly describe the functions of the parts labeled on your diagram.

Answer: The drawing should contain: (a) dendrites, which should appear as clusters of branchlike extensions from the cell body; (b) the cell body, which should appear as a roundish structure in the center of the diagram; (c) the axon, which should appear as a long tube extending from the cell body; and (d) myelin sheath, which should appear bracketing portions of the axon. The diagram should also include a terminal button, a bulblike ending to the axon.

142) A neuron contains three primary structures: the cell body, axon, and dendrites. What are the functions of each of these structures?

Answer: A neuron is the basic building block of the nervous system, and it contains three primary structures. The first structure is the cell body: it contains the nucleus and houses inherited information that governs how the neuron functions. Thus, the cell body directs the growth and nourishment of the neuron. One of the most important and distinct features of the neuron is its ability to communicate to other nerve cells. The axon, the second structure, is important in this communication process. The axon is a tube-like extension of the cell body, and it is responsible for carrying messages away from the cell body of one neuron and toward other neurons. Axons vary in length, and they contain terminal buttons that send messages to other neurons via neurotransmitters. Dendrites represent the final structure, and they are also critical for interneuron communication. They are fibers along the outside of the cell body, and these fibers receive chemical messages from other neurons. Damage to any of these structures can lead to the neuron's inability to sustain itself or to communicate effectively.

143) Briefly explain how one neuron sends a message to another neuron.

Answer: When neurons are at rest, they have a negative electrical charge. When a message is received from another neuron, the neuron becomes more positive. As the charge reaches a critical level of positivity, an action potential occurs and the electrical message travels along the neuron's axon. Once the message passes any point of the axon, that section becomes negatively charged once again, and the neuron is unable to fire again immediately. When a nerve impulse reaches the end of the axon, the terminal buttons on the ends of the axon release neurotransmitters into the synapse. Dendrites of nearby neurons receive messages from the neurotransmitters that "fit" onto their particular receptor sites. If the concentration of excitatory neurotransmitters that have been received is higher, then the neuron fires. If the concentration of inhibitory neurotransmitters that have been received is higher, then the neuron will not fire.

144) The brain contains many different types of neurotransmitters, including dopamine and acetylcholine. Briefly describe the functions of dopamine and acetylcholine, including what happens when levels of these neurotransmitters are too high and/or too low.

Answer: Dopamine generates excitatory messages, and is typically found in the brain. It is responsible for movement, attention, and learning. When the level of dopamine in the brain is too high, then it is not unusual for a person to exhibit behaviours that are associated with schizophrenia or other severe mental disorders. When the level of dopamine is too low, a person is likely to manifest such symptoms of Parkinson's disease as shaky and uncoordinated movement. Acetylcholine can be found throughout the central and peripheral nervous systems. Within the autonomic nervous system, it generates excitatory messages; it produces inhibitory messages elsewhere. Acetylcholine plays an important function in muscle control and movement, communicating between the skeletal muscles and the nervous systems. Memory is also affected by acetylcholine levels. Lower levels of acetylcholine has been correlated with the development of Alzheimer's disease.

145) How does the EEG recording differ from those provided by the TMS scan?

Answer: The electroencephalogram (EEG) provides a recording of brain wave activity which can be used in understanding abnormal patterns of electrical patterns in the brain. Recordings are made by placing electrodes on the outside of a person's skull, and then a machine measures electrical wave patterns. Recent advances in EEG technology have enabled psychologists to transform the electrical activity into a "picture" of the brain. Such innovation allows psychologists to be more precise in how they diagnose disorders of the brain.

146) What is aphasia, and what is the difference between Broca's aphasia and Wernicke's aphasia?

Answer: The term aphasia generally refers to problems with language, and there are two major forms of aphasia. Broca's aphasia is associated with laboured speech that often does not follow the rules of grammar. For example, all the words they want to say are spoken, but they are spoken in a disorganized and grammatically inappropriate way. Often, though, people with this form of aphasia struggle to find the words they want to say, and their speech is broken and incomplete. Wernicke's aphasia is associated with problems in understanding what other people are saying, as well as with problems in producing language. People who suffer from this form of aphasia often speak quite fluently, showing no gaps between words or ideas. However, the content of their speech does not make sense, potentially leading to frustration in the audience trying to understand what is being said.

147) Identify the major functions of these three brain structures: hypothalamus, cerebellum, and the reticular formation.

Answer: The hypothalamus is a small structure in the brain that maintains the body's internal balance or homeostasis. For example, the hypothalamus works to keep the body at a constant temperature, triggering perspiration when the body is hot and shivers when the body is cold. The hypothalamus is also involved in basic behaviours such as eating, self-protection, and sexual behaviour.

148) You have been asked to prepare a brief summary for your school's newspaper that describes research on the differences between the left and right hemispheres. What would you generally say in this summary?

Answer: Research on lateralization and split-brain patients has shown that the left and right hemispheres do specialize in different types of information and functions. The left hemisphere appears to specialize in skills that relate to verbal competence (e.g., speaking, thinking, and reasoning), and the right hemisphere specializes in nonverbal tasks (e.g., music and emotional expression). Although there does appear to be differences in the specialization of the brain's hemispheres, these differences are small. And such lateralization can vary across culture. For example, language functions are often specialized in men's left hemisphere. For women, in contrast, language functions are more equally distributed between both hemispheres. As another example, when native speakers of Japanese process information about vowel sounds, there is greater activity in the left hemisphere. Among North and South Americans and Europeans, the activity is primarily in the right hemisphere. What psychologists do not agree on, however, is why those differences exist or where they come from. The degree of specialization varies across individuals, and it is likely the case that the left and right hemispheres work together much of the time to process information that the brain receives.

149) How could a right-handed patient recovering from split brain surgery be unable to describe an object placed in their left hand while blindfolded?

Answer: Stimulus tactile stimulus of the object in the left hand is sent to the sematosensory cortex in the right hemisphere. Most right handed people use the left hemisphere for speech. Although the right hemisphere may have the information, it cannot send it to the left hemisphere due to the surgery.

150) Briefly describe the peripheral nervous system and its four divisions.

Answer: The peripheral nervous system (PNS) extends from the central nervous system (brain and spinal cord) to the extremities of the body through a system of neurons with long axons and dendrites. The two major divisions of the PNS are the somatic and autonomic divisions. The somatic division is responsible for voluntary movements and for the transmission of information to and from such areas as the eyes, ears, and fingers. The autonomic division regulates organs that are necessary for survival, like the heart and lungs. It operates even without our awareness, because it would be disastrous if we forget to remind ourselves to breathe or our heart to beat. The autonomic division is further subdivided into the sympathetic and parasympathetic divisions, and these subdivisions are most noticeable during emergencies. The sympathetic division prepares the body for emergencies and helps us to either fight stressors or to flee from them. If you were inside a burning house, for example, the sympathetic division would produce the necessary arousal that would allow you to either run out of the house for safety, or to find a fire extinguisher to help battle the blaze. The parasympathetic division restores the body to its resting state once an emergency has ended. Once it is clear that your house was not on fire, your breathing and heart rate return to normal, and you eventually feel a sense of calm. The parasympathetic system is also responsible for storing nutrients and oxygen for the body to use should another emergency arise.

151) Describe some of the major contributions in the field of behavioural genetics that further our understanding of the nature and nurture debate in psychology.

Answer: Behavioural geneticists study the ways in which behaviour and cognition are affected by heredity. That is, they approach the understanding of human behaviour and cognition from a nature perspective, arguing that much of what psychologists study can be understood by understanding a person's genetic makeup. Our genetic makeup predisposes us to act in particular ways to our environment, or to even prefer one kind of environment over another. Behavioural geneticists do not contend that heredity is the <u>only</u> influence on behaviour and cognition, but they do believe heredity is very important.

Research in behavioural genetics has substantially contributed to our understanding of how hu behave and think. For example, research has shown that there may be a genetic component to c abilities, personality traits (e.g., novelty-seeking and sociability), sexual orientation, and disord (e.g., schizophrenia and autism). Research has also revealed strategies for identifying, treating, or coping with inherited behaviours. Gene therapy has allowed scientists to explore ways of treating genetic diseases, and genetic counseling has helped people understand the kinds of risks they may pass on to their offspring. Behavioural genetics is a relatively new subfield in psychology, and its popularity and importance will continue to grow.

152) In what ways are hormones and neurotransmitters similar to and different from each other?

Answer: Both hormones and neurotransmitters communicate chemical messages to cells in the body. However, they vary in how quickly they travel and in their modes of transmission. Whereas neurotransmitters move between neurons very rapidly (less than a second), hormones require several minutes to reach their target cells and to have their intended effect. Neurotransmitters travel to specific neurons in a network; hormones, in contrast, flow in the bloodstream and move throughout the whole body. Only those cells that are receptive to the hormone's message will be activated. Finally, the messages that hormones transmit relate closely to growth in the body. The endocrine system is responsible for producing hormones, a primary component of which is the pituitary gland. The pituitary releases hormones that regulate growth, and people with extreme deviations from normal height often have abnormalities in this gland. Without neurotransmitters and hormones, the various systems of the body would be unable to function effectively, leading to many problems in behaviour and cognition.

- 1) FALSE
- 2) TRUE
- 3) TRUE
- 4) TRUE
- 5) FALSE
- 6) TRUE
- 7) FALSE
- 8) TRUE
- 9) FALSE
- 10) TRUE
- 11) FALSE
- 12) FALSE
- 13) TRUE
- 14) FALSE
- 15) FALSE
- 16) TRUE
- 17) TRUE
- 18) TRUE
- 19) TRUE
- 20) FALSE
- 21) FALSE
- 22) FALSE
- 23) FALSE
- 24) TRUE
- 25) FALSE
- 26) B
- 27) D
- 28) A
- 29) C
- 30) C
- 31) A
- 32) C
- 33) D
- 34) B
- 35) B
- 36) A
- 37) B
- 38) D
- 39) B
- 40) D
- 41) B
- 42) A
- 43) B
- 44) C
- 45) B
- 46) C
- 47) D
- 48) C
- 49) A
- 50) B

Testname: UNTITLED37

51) C

52) B

53) B

54) C

55) D

56) B

57) C

58) A

59) C

60) D

61) A

62) B

63) C

64) B

65) B 66) B

67) D

68) B

69) D

70) B

71) D

72) D

73) C 74) B

75) C

76) D 77) A

78) D

79) B

80) A

81) D

82) C

83) B

84) B 85) A

86) A

87) D

88) B

89) C

90) C

91) D

92) B

93) D

94) D

95) B

96) B

97) A

98) A

99) A

100) C

Testname: UNTITLED37

101) D

102) B

103) D

104) D

105) D

106) D

107) A

108) B

109) A

110) A

111) D

112) A

113) D

114) B

115) D

116) D

117) C

118) C

119) D 120) B

120) D

121) D 122) C

123) D

124) C

125) C

126) D

127) B

128) D

129) D

130) D

131) C

132) B

133) A

134) A

135) B

136) D

137) C

138) A 139) D

140) Psychologists who specialize in considering the ways in which the biological structures and functions of th affect behaviour are known as behavioural neuroscientists (or biopsychologists).

They seek to answer several key questions: How does the brain control the voluntary and involuntary funct the body? How does the brain communicate with other parts of the body? What is the physical structure of brain, and how does this structure affect behaviour? Are psychological disorders caused by biological factors, and how can such disorders be treated?

- 141) The drawing should contain: (a) dendrites, which should appear as clusters of branchlike extensions from the cell body; (b) the cell body, which should appear as a roundish structure in the center of the diagram;
  - (c) the axon, which should appear as a long tube extending from the cell body; and (d) myelin sheath, which should appear bracketing portions of the axon. The diagram should also include a terminal button, a bulblike ending to the axon.
- 142) A neuron is the basic building block of the nervous system, and it contains three primary structures. The first structure is the cell body: it contains the nucleus and houses inherited information that governs how the neuron functions. Thus, the cell body directs the growth and nourishment of the neuron. One of the most important and distinct features of the neuron is its ability to communicate to other nerve cells. The axon, the second structure, is important in this communication process. The axon is a tube-like extension of the cell body, and it is responsible for carrying messages away from the cell body of one neuron and toward other neurons. Axons vary in length, and they contain terminal buttons that send messages to other neurons via neurotransmitters. Dendrites represent the final structure, and they are also critical for interneuron communication. They are fibers along the outside of the cell body, and these fibers receive chemical messages from other neurons. Damage to any of these structures can lead to the neuron's inability to sustain itself or to communicate effectively.
- 143) When neurons are at rest, they have a negative electrical charge. When a message is received from another neuron, the neuron becomes more positive. As the charge reaches a critical level of positivity, an action potential occurs and the electrical message travels along the neuron's axon. Once the message passes any point of the axon, that section becomes negatively charged once again, and the neuron is unable to fire again immediately. When a nerve impulse reaches the end of the axon, the terminal buttons on the ends of the axon release neurotransmitters into the synapse. Dendrites of nearby neurons receive messages from the neurotransmitters that "fit" onto their particular receptor sites. If the concentration of excitatory neurotransmitters that have been received is higher, then the neuron will not fire.
- 144) Dopamine generates excitatory messages, and is typically found in the brain. It is responsible for movement, attention, and learning. When the level of dopamine in the brain is too high, then it is not unusual for a person to exhibit behaviours that are associated with schizophrenia or other severe mental disorders. When the level of dopamine is too low, a person is likely to manifest such symptoms of Parkinso disease as shaky and uncoordinated movement.
  - Acetylcholine can be found throughout the central and peripheral nervous systems. Within the brain and au nervous system, it generates excitatory messages; it produces inhibitory messages elsewhere. Acetylcholine an important function in muscle control and movement, communicating between the skeletal muscles and the nervous systems. Memory is also affected by acetylcholine levels. Lower levels of acetylcholine has been correlated with the development of Alzheimer's disease.
- 145) The electroencephalogram (EEG) provides a recording of brain wave activity which can be used in understanding abnormal patterns of electrical patterns in the brain. Recordings are made by placing electrodes on the outside of a person's skull, and then a machine measures electrical wave patterns. Recent advances in EEG technology have enabled psychologists to transform the electrical activity into a "picture" of the brain. Such innovation allows psychologists to be more precise in how they diagnose disorders of the brain.

- 146) The term aphasia generally refers to problems with language, and there are two major forms of aphasia. Broca's aphasia is associated with laboured speech that often does not follow the rules of grammar. For example, all the words they want to say are spoken, but they are spoken in a disorganized and grammatically inappropriate way. Often, though, people with this form of aphasia struggle to find the words they want to say, and their speech is broken and incomplete. Wernicke's aphasia is associated with problems in understanding what other people are saying, as well as with problems in producing language. People who suffer from this form of aphasia often speak quite fluently, showing no gaps between words or ideas. However, the content of their speech does not make sense, potentially leading to frustration in the audience trying to understand what is being said.
- 147) The hypothalamus is a small structure in the brain that maintains the body's internal balance or homeostasis. For example, the hypothalamus works to keep the body at a constant temperature, triggering perspiration when the body is hot and shivers when the body is cold. The hypothalamus is also involved in basic behaviours such as eating, self-protection, and sexual behaviour.
- 148) Research on lateralization and split-brain patients has shown that the left and right hemispheres do specialize in different types of information and functions. The left hemisphere appears to specialize in skills that relate to verbal competence (e.g., speaking, thinking, and reasoning), and the right hemisphere specializes in nonverbal tasks (e.g., music and emotional expression). Although there does appear to be differences in the specialization of the brain's hemispheres, these differences are small. And such lateralization can vary across culture. For example, language functions are often specialized in men's left hemisphere. For women, in contrast, language functions are more equally distributed between both hemispheres. As another example, when native speakers of Japanese process information about vowel sounds, there is greater activity in the left hemisphere. Among North and South Americans and Europeans, the activity is primarily in the right hemisphere. What psychologists do not agree on, however, is why those differences exist or where they come from. The degree of specialization varies across individuals, and it is likely the case that the left and right hemispheres work together much of the time to process information that the brain receives.
- 149) Stimulus tactile stimulus of the object in the left hand is sent to the sematosensory cortex in the right hemisphere. Most right handed people use the left hemisphere for speech. Although the right hemisphere may have the information, it cannot send it to the left hemisphere due to the surgery.

- 150) The peripheral nervous system (PNS) extends from the central nervous system (brain and spinal cord) to the extremities of the body through a system of neurons with long axons and dendrites. The two major divisions of the PNS are the somatic and autonomic divisions. The somatic division is responsible for voluntary movements and for the transmission of information to and from such areas as the eyes, ears, and fingers. The autonomic division regulates organs that are necessary for survival, like the heart and lungs. It operates even without our awareness, because it would be disastrous if we forget to remind ourselves to breathe or our heart to beat. The autonomic division is further subdivided into the sympathetic and parasympathetic divisions, and these subdivisions are most noticeable during emergencies. The sympathetic division prepares the body for emergencies and helps us to either fight stressors or to flee from them. If you were inside a burning house, for example, the sympathetic division would produce the necessary arousal that would allow you to either run out of the house for safety, or to find a fire extinguisher to help battle the blaze. The parasympathetic division restores the body to its resting state once an emergency has ended. Once it is clear that your house was not on fire, your breathing and heart rate return to normal, and you eventually feel a sense of calm. The parasympathetic system is also responsible for storing nutrients and oxygen for the body to use should another emergency arise.
- 151) Behavioural geneticists study the ways in which behaviour and cognition are affected by heredity. That is, they approach the understanding of human behaviour and cognition from a nature perspective, arguing that much of what psychologists study can be understood by understanding a person's genetic makeup. Our genetic makeup predisposes us to act in particular ways to our environment, or to even prefer one kind of environment over another. Behavioural geneticists do not contend that heredity is the only influence on behaviour and cognition, but they do believe heredity is very important.

  Research in behavioural genetics has substantially contributed to our understanding of how humans behave For example, research has shown that there may be a genetic component to cognitive abilities, personality t novelty-seeking and sociability), sexual orientation, and disorders (e.g., schizophrenia and autism). Researc has also revealed strategies for identifying, treating, or coping with inherited behaviours.

  Gene therapy has allowed scientists to explore ways of treating genetic diseases, and genetic counseling has helped people understand the kinds of risks they may pass on to their offspring. Behavioural genetics is a relatively new subfield in psychology, and its popularity and importance will continue to grow.
- 152) Both hormones and neurotransmitters communicate chemical messages to cells in the body. However, they vary in how quickly they travel and in their modes of transmission. Whereas neurotransmitters move between neurons very rapidly (less than a second), hormones require several minutes to reach their target cells and to have their intended effect. Neurotransmitters travel to specific neurons in a network; hormones, in contrast, flow in the bloodstream and move throughout the whole body. Only those cells that are receptive to the hormone's message will be activated. Finally, the messages that hormones transmit relate closely to growth in the body. The endocrine system is responsible for producing hormones, a primary component of which is the pituitary gland. The pituitary releases hormones that regulate growth, and people with extreme deviations from normal height often have abnormalities in this gland. Without neurotransmitters and hormones, the various systems of the body would be unable to function effectively, leading to many problems in behaviour and cognition.