

**Solution Manual for 3 2 1 Code It 5th Edition Green 128586722X
9781285867229**

Full link download

Solution Manual

<https://testbankpack.com/p/solution-manual-for-3-2-1-code-it-5th-edition-green-128586722x-9781285867229/>

Test Bank

<https://testbankpack.com/p/test-bank-for-3-2-1-code-it-5th-edition-green-128586722x-9781285867229/>

1 Complete each statement.

ICD-10-CM and ICD-10-PCS were adopted on _____ to replace ICD-9-CM.

2 Complete each statement.

Updateable coding manuals, which publishers offer as an annual _____ service, are popular because coders can remove outdated pages and insert updated pages into the binders.

3 Complete each statement.

The coding process is automated when computerized or web-based _____ software is used instead of coding books to locate codes manually; the coder uses the software's search feature to locate and verify codes.

4 Complete each statement.

Reporting ICD-10-CM codes on submitted claims ensures the _____ of procedures and services provided to patients during an encounter, which is defined as "the determination that a service or procedure rendered is reasonable and necessary for the diagnosis or treatment of an illness or injury."

5 Complete each statement.

A patient is seen in the office for the following conditions: chest pain, chronic hypertension, and controlled diabetes mellitus. The provider orders a blood glucose level, chest x-ray, and EKG. For medical necessity, the chest x-ray would be linked to the _____ .

6 Complete each statement.

A patient is seen in the hospital emergency department for treatment of multiple lacerations; the patient also complains of dizziness and a severe headache that is unrelieved by pain medications. The emergency department physician orders a brain scan and performs extensive suturing. For medical necessity, the suturing would be linked to the

ANSWER KEY

Copy of

- October 1; Oct 1, 2015; Oct. 1, 2015; 10-01-2015; 10-1-2015; 10-01-15; 10/1/15; 10/01/2015; 10/1/2015; 10/01/15; 10/1/15
- | | | |
|----|----|----|
| 1. | 2. | 3. |
| 4. | 5. | 6. |
1. 1-2015; 10-01-15; 10/1/15; 10/01/2015; 10/1/2015; 10/01/15; 10/1/15
2. subscription
3. encoder
4. medical necessity
5. chest pain
6. multiple lacerations

1 Complete each statement.

The ICD-10-CM _____ arranges codes and descriptions in alphanumerical order, and it contains 21 chapters that classify diseases and injuries.

2 Complete each statement.

I10 is an example of a _____ code, which has no further subdivisions.

3 Complete each statement.

Subcategory codes that require additional characters are _____ if the 4th, 5th, 6th, and/or 7th character(s) are absent.

ANSWER KEY

Copy of

1. Tabular List of Diseases and Injuries
2. Category; Valid
3. Invalid

1 Complete each statement.

The alphabetical listing of main terms or conditions printed in boldfaced type that may be expressed as nouns, adjectives, or eponyms is called the ICD-10-CM _____ .

2 Complete each statement.

Adverse effects and poisonings associated with medicinal, chemical, and biological substances are located in the ICD-10-CM Table of _____ .

3 Complete each statement.

When numerical characters and words appear under a main term or subterm, they are listed in _____ order.

4 Complete each statement.

Qualifying words that are contained in parentheses after the main term, which do not have to be included in the diagnostic statement for the code listed after the parentheses to be assigned, are called _____ .

5 Complete each statement.

Subterms are considered _____ , and they qualify the main term by listing alternative sites, etiology, or clinical status.

6 Complete each statement.

The provider documents "acute asthmatic attack." The main term in the ICD-10-CM index is _____ .

7 Complete each statement.

The provider documents "history of affective psychosis." The main term in the ICD-10-CM index is _____ .

8 Complete each statement.

When the instructional phrase —*see condition* is found after the main term in the index, a descriptive term (an adjective) or the anatomic site has been referenced instead of the disorder or the _____ (the condition) documented in the diagnostic statement.

_____ 9 Reorder the list of terms according to alphabetical order as used in the ICD-10-CM Index to Diseases and Injuries.

_____ Empty nest syndrome

_____ 10 Reorder the list of terms according to alphabetical order as used in the ICD-10-CM Index to Diseases and Injuries.

_____ Emotional lability

_____ 11 Reorder the list of terms according to alphabetical order as used in the ICD-10-CM Index to Diseases and Injuries.

_____ Erb's

_____ 12 Reorder the list of terms according to alphabetical order as used in the ICD-10-CM Index to Diseases and Injuries.

_____ Erb-Goldflam disease

_____ 13 Reorder the list of terms according to alphabetical order as used in the ICD-10-CM Index to Diseases and Injuries.

_____ Emotionality, pathological

ANSWER KEY

Copy of

- | | | | | |
|--|------------------------|-----------------|---------------------------|------------------------|
| 1. Tabular List of Diseases and Injuries | 2. Drugs and Chemicals | 3. alphabetical | 4. nonessential modifiers | 5. essential modifiers |
| 6. Asthma, asthmatic | 7. History | 8. Disease | 9. 3 | 10. 1 |
| 11. 5 | 12. 4 | 13. 2 | | |

1 Complete each statement.

ICD-10-PCS is an entirely new procedure classification system developed by CMS for use in the United States for _____ settings only.

2 Complete each statement.

Refer to steps 1 through 3 on the previous pages, and use the build-a-code method to assign an ICD-10-PCS code for an *open procedure of the spinal canal to insert a subarachnoid-pleural shunt using autologous tissue substitute for the purpose of decreasing cerebrospinal fluid levels via bypass (using the shunt) to the peritoneal cavity*: _____

ANSWER KEY

Copy of

1. hospital
inpatient
2. 001U076

1 Complete each statement.

The abbreviations for the four organizations that develop and approve the coding guidelines are _____ , _____ , _____ , and _____ .

2 Complete each statement.

Adherence to the coding guidelines when assigning ICD-10-CM and ICD-10-PCS diagnosis and procedure codes is required by _____ legislation.

3 Complete each statement.

The guidelines use the term _____ to indicate all health care settings, including inpatient hospital admissions.

4 Complete each statement.

The term _____ is used throughout the guidelines to refer to physicians or any qualified health care practitioners who are legally accountable for establishing the patient's diagnosis.

ANSWER KEY

Copy of

- AHA
1. AHIMA 2. HIPAA 3. encounter 4. provider
 CMS
 NCHS

1 Complete each statement.

ICD-9-CM is the classification (or coding) system that has been used since the year _____ (until 2015) in the United States to classify inpatient and outpatient/physician office diagnoses (Volumes 1 and 2) and inpatient procedures (Volume 3).

2 Complete each statement.

Because ICD-9-CM is over 30 years old, it contains outdated and obsolete _____, uses outdated codes that produce inaccurate and limited data, and is inconsistent with current medical practice.

3 Complete each statement.

When an ICD-9-CM code maps to a single ICD-10-CM code, review of the tabular list to validate the code is optional.

a. True b. False

4 Complete each statement.

ICD-9-CM code 078.82 maps to ICD-10-CM code(s) _____
.

5 Complete each statement.

ICD-9-CM code 078.81 maps to ICD-10-CM code(s) _____
.

6 Complete each statement.

ICD-9-CM code 078.89 maps to ICD-10-CM code(s) _____
.

7 Complete each statement.

ICD-10-CM code A74.89 maps to ICD-9-CM code(s)

_____ .

8 Complete each statement.

ICD-10-CM code B33.8 maps to ICD-9-CM code(s) _____

.

ANSWER KEY

Copy of

- | | | | |
|----------|----------------------------------|-----------|-----------|
| 1. 1979 | 2. terminology | 3. False | 4. R11.11 |
| 5. A88.1 | 6. A96.2, A98.3, A98.4,
B33.8 | 7. 078.88 | 8. 078.89 |

1 Outpatient--Ambulatory Surgery (Cardiovascular)

Patient Name: Eduardo Jimenez

Diagnosis: Ventricular tachycardia

Operative Procedure: Repositioning of pacemaker electrode

Twenty-one days after initial insertion of right ventricular pacing cardioverter-defibrillator, the patient began experiencing periods of rapid heartbeat and decreased blood pressure. The patient was taken to surgery to rule out pacemaker malfunction. After general anesthesia was administered, the patient was draped and prepped in the usual fashion and an incision was made into the existing pocket. Under fluoroscopic guidance, the pulse generator and electrode were removed, examined, and tested. No defects were noted. The pocket area was flushed, and the generator was reinserted into the pocket. The electrode was reattached to the generator, repositioned in the right ventricle, and retested. The incision was closed with sutures, and the patient was taken to recovery. The patient tolerated the procedure well and had no further symptoms.

Instructions: Assign ICD and CPT codes for this case.

ICD: _____

CPT: _____

ANSWER KEY

Copy of

147.2

1. 33215-
58

1 Instructions: Select the correct answer.

ICD-10-CM was developed to code and classify _____ data from inpatient and outpatient records, including physician office records.

- a. procedure
- b. morbidity
- c. mortality
- d. service

2 Instructions: Select the correct answer.

Which entities work together to coordinate official ICD-10-CM disease classification activities?

- a. National Center for Health Statistics (NCHS) and the Centers for Medicare & Medicaid Services (CMS)
- b. World Health Organization (WHO)
- c. U.S. Department of Health & Human Services (DHHS)
- d. National Center for Health Statistics (NCHS) with the World Health Organization (WHO)

3 Instructions: Select the correct answer.

General equivalence mappings are translation dictionaries or _____ of codes.

- a. crosswalks
- b. indexes
- c. appendices
- d. tabular lists

4 Instructions: Select the correct answer.

Outcome of delivery, follow-up, history, and vaccination are examples of ICD-10-CM:

- a. external causes of morbidity.
- b. factors influencing health status.
- c. symptoms, signs, and abnormal findings.
- d. conditions originating in the perinatal period.

5 Instructions: Select the correct answer.

The Table of Neoplasms is located in the _____.

- a. ICD-10-CM Tabular List of Disease and Injuries
- b. ICD-10-PCS Index
- c. ICD-10-PCS Tables
- d. ICD-10-CM Index to Diseases and Injuries

6 Instructions: Select the correct answer.

Review the Index to Diseases and Injuries entry for main term Contusion, and locate subterm "arm" below it. Which ICD-10-CM code appears next to the subterm?

- a. S40.0
- b. S40.02
- c. S40.02-
- d. S40

7 Instructions: Select the correct answer.

The ICD-10-PCS Index and Tables are used to classify _____ procedures and services.

- a. hospital inpatient
- b. outpatient
- c. emergency department
- d. physician office

8 Instructions: Select the correct answer.

The Current Procedural Terminology (CPT) is published by the:

- a. American Medical Association (AMA).
- b. National Center for Health Statistics (NCHS).
- c. Centers for Medicare & Medicaid Services (CMS).
- d. World Health Organization (WHO).

9 Instructions: Select the correct answer.

ICD-10-CM _____ codes are reported by all health care settings.

- a. procedure
- b. service
- c. disease
- d. medical equipment

10 Instructions: Select the correct answer.

Adhering to official coding guidelines is:

- a. not necessary if the facility has a 90 percent or higher coding accuracy rate.
- b. mandated by the cooperating parties.
- c. at the discretion of a health care facility's operating procedures.
- d. required by the Health Insurance Portability and Accountability Act.

Instructions: Match the format in Column 2 with each line of the ICD-10-CM Tabular List of Diseases and Injuries entry in Column 1.

G43 Migraine	Subcategory
EPISODIC• PAROXYSMAL DISORDERSG40-G47	Code
G 43. C0 Periodic headache syndromes ∈child∨adult,=, intractable	Chapter title
DISEASES OF THE NERVOUS SYSTEM G00-G99	Category
G 43. C Periodic headache syndromes ∈child∨adult	Section title

ANSWER KEY

Copy of

- | | | |
|-------|--|----------------|
| 1. b | 2. d | 3. a |
| 4. b | 5. d | 6. c |
| 7. a | 8. a | 9. c |
| | DISEASES OF THE NERVOUS SYSTEMG00-G99 | Chapter title, |
| | EPISODIC•PAROXYSMAL DISORDERSG40-G47 | Section title, |
| | G43 Migraine | Category, |
| 10. d | 11. G 43. C Periodic headache syndromes∈child∨adult | Subcategory, |
| | G 43. C0 Periodic headache syndromes∈child∨adult,-intractable | |
| | Code | |

1 Highlight the main term in the following diagnosis statement by clicking and dragging your mouse across the term, and then click the **Highlighter** button above:

2 Assign the appropriate ICD-10-CM OR ICD-10-PCS code(s):

Abdominal hernia _____

3 Highlight the main term in the following diagnosis statement by clicking and dragging your mouse across the term, and then click the **Highlighter** button above:

4 Assign the appropriate ICD-10-CM OR ICD-10-PCS code(s):

Abnormal nonfasting glucose tolerance test _____

5 Highlight the main term in the following diagnosis statement by clicking and dragging your mouse across the term, and then click the **Highlighter** button above:

6 Assign the appropriate ICD-10-CM OR ICD-10-PCS code(s):

Acute otitis media _____

7 Highlight the main term in the following diagnosis statement by clicking and dragging your mouse across the term, and then click the **Highlighter** button above:

8 Assign the appropriate ICD-10-CM OR ICD-10-PCS code(s):

Hyperplasia of endometrium _____

9 Highlight the main term in the following diagnosis statement by clicking and dragging your mouse across the term, and then click the **Highlighter** button above:

10 Assign the appropriate ICD-10-CM OR ICD-10-PCS code(s):

Traumatic fracture (closed), right humerus (initial encounter)

11 Highlight the main term in the following diagnosis statement by clicking and dragging your mouse across the term, and then click the **Highlighter** button above:

12 Assign the appropriate ICD-10-CM OR ICD-10-PCS code(s):

Congenital fibrocystic disease of the lung _____

13 Highlight the main term in the following diagnosis statement by clicking and dragging your mouse across the term, and then click the **Highlighter** button above:

14 Assign the appropriate ICD-10-CM OR ICD-10-PCS code(s):

Degenerative arthritis _____

15 Highlight the main term in the following diagnosis statement by clicking and dragging your mouse across the term, and then click the **Highlighter** button above:

16 Assign the appropriate ICD-10-CM OR ICD-10-PCS code(s):

Fibrocystic disease of right and left breasts _____ ,

17 Highlight the main term in the following diagnosis statement by clicking and dragging your mouse across the term, and then click the **Highlighter** button above:

18 Assign the appropriate ICD-10-CM OR ICD-10-PCS code(s):

Hereditary epistaxis _____

19 Highlight the main term in the following diagnosis statement by clicking and dragging your mouse across the term, and then click the **Highlighter** button above:

20 Assign the appropriate ICD-10-CM OR ICD-10-PCS code(s):

Personal history of cancer _____

21 Highlight the main term in the following diagnosis statement by clicking and dragging your mouse across the term, and then click the **Highlighter** button above:

22 Assign the appropriate ICD-10-CM OR ICD-10-PCS code(s):

Open biopsy, left axillary lymph node _____

23 Highlight the main term in the following diagnosis statement by clicking and dragging your mouse across the term, and then click the **Highlighter** button above:

24 Assign the appropriate ICD-10-CM OR ICD-10-PCS code(s):

Open cholecystectomy, total _____

25 Highlight the main term in the following diagnosis statement by clicking and dragging your mouse across the term, and then click the **Highlighter** button above:

26 Assign the appropriate ICD-10-CM OR ICD-10-PCS code(s):

Cystoscopy _____

27 Highlight the main term in the following diagnosis statement by clicking and dragging your mouse across the term, and then click the **Highlighter** button above:

28 Assign the appropriate ICD-10-CM OR ICD-10-PCS code(s):

Exploratory laparotomy, open _____

29 Highlight the main term in the following diagnosis statement by clicking and dragging your mouse across the term, and then click the **Highlighter** button above:

30 Assign the appropriate ICD-10-CM OR ICD-10-PCS code(s):

Intravenous right pyelogram _____

31 Highlight the main term in the following diagnosis statement by clicking and dragging your mouse across the term, and then click the **Highlighter** button above:

32 Assign the appropriate ICD-10-CM OR ICD-10-PCS code(s):

Incidental appendectomy (open) _____

33 Highlight the main term in the following diagnosis statement by clicking and dragging your mouse across the term, and then click the **Highlighter** button above:

34 Assign the appropriate ICD-10-CM OR ICD-10-PCS code(s):

Open biopsy of left frontal nasal sinus _____

35 Highlight the main term in the following diagnosis statement by clicking and dragging your mouse across the term, and then click the **Highlighter** button above:

36 Assign the appropriate ICD-10-CM OR ICD-10-PCS code(s):

Percutaneous biopsy of prostate _____

37 Highlight the main term in the following diagnosis statement by clicking and dragging your mouse across the term, and then click the **Highlighter** button above:

38 Assign the appropriate ICD-10-CM OR ICD-10-PCS code(s):

Right frontal craniotomy (open approach) _____

39 Highlight the main term in the following diagnosis statement by clicking and dragging your mouse across the term, and then click the **Highlighter** button above:

40 Assign the appropriate ICD-10-CM OR ICD-10-PCS code(s):

Transurethral biopsy of bladder _____

ANSWER KEY

Copy of

- | | | | | | |
|-----|-------------|-----|----------------------|-----|-------------|
| 1. | 2. K46.9 | 3. | 4. R73.09 | 5. | 6. H66.90 |
| 7. | 8. N85.00 | 9. | 10. S42.301A | 11. | 12. E84.9 |
| 13. | 14. M19.90 | 15. | 16. N60.11
N60.12 | 17. | 18. I78.0 |
| 19. | 20. Z85.9 | 21. | 22. 07B60ZX | 23. | 24. 0FT40ZZ |
| 25. | 26. 0TJB8ZZ | 27. | 28. 0WJG0ZZ | 29. | 30. BT1DZZZ |
| 31. | 32. 0DTJ0ZZ | 33. | 34. 09BT0ZX | 35. | 36. 0VB03ZX |
| 37. | 38. 0N810ZZ | 39. | 40. 0TBB7ZX | | |

- 1 The Medicare Prescription Drug, Improvement, and Modernization Act (MMA) requires ICD-10-CM codes to be updated:
- A. after a 90-day grace period so computer systems can be updated.
 - B. annually; and updated codes must be implemented immediately.
 - C. as the cooperating parties for the ICD-10-CM make monthly changes.
 - D. each April 1 and October 1; and they must be implemented immediately.
- 2 Which originally mandated the reporting diagnosis codes on Medicare claims?
- A. cooperating parties for the ICD-10-CM
 - B. Medicare Catastrophic Coverage Act of 1988
 - C. Medicare Prescription Drug, Improvement, and Modernization Act
 - D. third-party payers, including commercial insurance companies
- 3 Which automates the coding process using computerized or web-based software?
- A. encoder
 - B. grouper
 - C. maximizer
 - D. optimizer
- 4 Which would be used in ICD-10-CM to classify a homicide attempt?
- A. Contact with health services
 - B. External causes
 - C. Factors influencing health status
 - D. Morphology of neoplasms
- 5 Subterms, which are indented two spaces below main terms, are also called _____ modifiers.
- A. essential
 - B. necessary
 - C. nonessential
 - D. secondary

6 To initially locate an ICD-10-CM external causes code, go to the:

- A. Index to External Causes
- B. Index to Diseases and Injuries
- C. Index to Procedures
- D. Table of Drugs and Chemicals

7 ICD-10-PCS includes:

- A. alphabetical lists of outpatient procedures and services.
- B. numerical lists of outpatient procedures and services.
- C. a tabular list of chapters according to anatomic sites and body systems.
- D. codes reported for hospital inpatient procedures and services.

8 The ICD-10-PCS index is arranged:

- A. according to anatomic site
- B. alphabetically
- C. by service or procedure
- D. numerically

9 The cooperating parties for the ICD-10-CM/PCS approve guidelines that have been prepared for coding and reporting using the ICD-10-CM/PCS and consist of which organizations?

- A. AHA, AHIMA, CMS, and NCHS
- B. APA, AHIMA, DHHS, and AHA
- C. MMA, CMS, APA, and NCHS
- D. WHO, DHHS, AHIMA, CMS, and NCHS

10 The guidelines prepared by the cooperating parties for the ICD-10-CM/PCS:

- A. are published by the American Health Information Management Association.
- B. contain coding conventions and rules for the ICD-10-CM and ICD-10-PCS.
- C. include coding and sequencing instructions for ICD-10-CM and ICD-10-PCS.
- D. override the official conventions and rules in ICD-10-CM and ICD-10-PCS.

- _____ 11 ICD-10-CM index subterms are indented _____ spaces with respect to main terms.
- A. two
 - B. four
 - C. five
 - D. six
- _____ 12 Within the ICD-10-CM tabular list, which contain groups of three-character categories?
- A. categories
 - B. sections
 - C. subcategories
 - D. subclassifications
- _____ 13 "Persons with health hazards related to communicable diseases" is an example of a(n):
- A. chapter of Z codes in ICD-10-CM
 - B. ICD-10-CM grouping of external causes codes
 - C. section in the HCPCS level II coding system
 - D. separate index in the ICD-10-CM coding manual
- _____ 14 "Place of occurrence" is an example of a:
- A. chapter of ICD-10-CM Z codes
 - B. grouping of ICD-10-CM external causes codes
 - C. section in the HCPCS level II coding system
 - D. separate index in ICD-10-CM
- _____ 15 To properly assign a code from the neoplasm table when a diagnosis is documented as "neoplasm of the pyloric antrum," the coder should:
- A. assign a code from the Unspecified column.
 - B. contact the state cancer registry for clarification.
 - C. refer to the morphology entry in the index.
 - D. review the pathology report to determine the type of neoplasm.

-
- 16 The ICD-10-CM Table of Drugs and Chemicals contains a main entry for "Drug" that contain codes for:
- A. American Hospital Formulary Services (AHFS) list numbers
 - B. drugs that are not elsewhere classified
 - C. discontinued prescriptions for medications
 - D. side effects of long term medicinal substances
-
- 17 The ICD-10-CM Tabular List of Diseases and Injuries is referenced:
- A. for verification of external causes codes only.
 - B. if the phrase omit *code* is included in the index.
 - C. to verify codes selected and to review instructions.
 - D. when a procedure code is listed as unspecified.
-
- 18 Which connecting term immediately follows the main term to which it refers to in the ICD-10-PCS index?
- A. by
 - B. for
 - C. to
 - D. use
-
- 19 In the ICD-10-PCS, the operative approach is:
- A. considered an integral part of the procedure, and it is coded.
 - B. considered an integral part of the procedure, and it is not coded.
 - C. not considered an integral part of the procedure, and it is coded.
 - D. not considered an integral part of the procedure, and it is not coded.
-
- 20 After locating a portion of or all of a code in the ICD-10-PCS index, the coder's next step is to:
- A. build the code using the appropriate ICD-10-PCS table.
 - B. link the procedure code to a diagnosis code.
 - C. locate the main term in the index.
 - D. review the code description to determine if the "omit code" instruction applies.

ANSWER KEY

Copy of

1. D 2. B 3. A 4. B 5. A 6. A 7. D 8. B 9. A 10. C
11. A 12. B 13. A 14. B 15. D 16. B 17. C 18. D 19. A 20. A