Solution Manual for Introductory and Intermediate Algebra 5th Edition Bittinger Beecher Johnson 0321917898 9780321917898

Full link download: Test Bank:

https://testbankpack.com/p/https-cloudtestbanks-com-p-test-bank-for-introductory-andintermediate-algebra-5th-edition-bittinger-beecher-johnson-0321917898-9780321917898/ Solution Manual: https://testbankpack.com/p/solution-manual-for-introductory-andintermediate-algebra-5th-edition-bittinger-beecher-johnson-0321917898-9780321917898/

Chapter 2

Solving Equations and Inequalities

	26. 4
ExerciseSet2.1	28. 25
RC2. The correct answer is (c).	3016
RC4. The correct answer is (a).	32. $24\frac{7}{10}$
2. $t + 17 = 53$ 35 + 17 ? 53	34. 8.2
35 + 17 ? 53	36. ¹
52 FALSE	4
35 is not a solution.	38. $x + \frac{2}{3} = -\frac{5}{6}$
4. <u>a- 19= 17</u>	$5 \frac{6}{5} \frac{4}{2} \frac{9}{2}$
36 – 19? 17 17 TRUE	$x = -\frac{6}{6} - \frac{6}{6} = -\frac{6}{6}$
36 is a solution.	$x = -\frac{1}{2}$
6. $8y = -72$ 8(-9) $\frac{1}{2}$ -72	40. $y - \frac{3}{4} = \frac{5}{6}$ $y = \frac{10}{6} + \frac{9}{6}$
-72 TRUE -9is a solution.	$y = \frac{\frac{12}{19}}{\frac{12}{12}}$ 12
8. $\frac{y}{2} = 6$	<u>1</u> <u>3</u>
$\frac{8}{\frac{49}{8}}$? 6	42. $-\frac{1}{8} + y = -\frac{1}{4}$ $y = -\frac{6}{8} + \frac{1}{8}$
$6\frac{1}{8}$ FALSE	9 · 9 + 5 ? 86
49is not a solution.	
10. $9x + 5 = 86$	Consider C 2015 Descent Education La

$$y = -\frac{5}{8}$$

44. 2.7

86 TRUE 9is a solution.

12. $\frac{6(y-2)=18}{6(-5-2)?18}$ $\frac{6(-7)}{-42}$ FALSE

-5 is not a solution.

14. 7

16. 34

18. -23

20. -31

22. 23

24. -11

46. 16 48. -10.6

50.
$$5\frac{1}{2} = 4\frac{2}{7} + x$$

$$5\frac{3}{12} - 4\frac{8}{12} = x$$

$$4\frac{15}{12} - 4\frac{8}{12} = x$$

$$\frac{7}{12} = x$$

$$\frac{7}{12} = x$$
52.
$$136\frac{3}{8}$$
54.
$$-5.2$$
56.
$$172.72$$
58.
$$65t \text{ miles}$$
60.
$$x + x = x$$

$$2x = x$$

$$x = 0$$

	enupter 215 of this Equations and H
62. $x + 4 = 5 + x$ 4 = 5	30. $\frac{2}{5}y = -\frac{4}{15}$
No solution	$\frac{5}{2} \cdot \frac{2}{5} y = \frac{5}{2} \cdot -\frac{4}{15}$
	$\begin{array}{cccccccccccccccccccccccccccccccccccc$
$64. \frac{ x +6}{ x +6} = 19 \\ \frac{ x +6}{ x +6} - 6 = 19 - 6$	$y = -\frac{1}{30}$
/x/=13	$y = -\frac{2}{3}$
x represents a number whose distance from 0 is 13. Thus	5
x = -13 or $x = 13$.	32. $-\frac{3}{8}x = -\frac{15}{16}$
The solutions are -13 and 13 .	
	$-\frac{8}{3} \cdot -\frac{3}{8}x = -\frac{8}{3} \cdot -\frac{15}{16}$
Exercise Set	120
2.2	
	$x = \frac{1}{48}$
RC2. The correct answer is (d).	$x = \frac{5}{2}$
RC4. The correct answer is (b).	34. 20
2. 17	362
4. 9	38. 8
6. 7	40. $-\frac{9}{7}y = 12.06$
853	40. $-\frac{1}{7}y = 12.06$
10. 47	$-\frac{7}{9} \cdot -\frac{9}{7}y = -\frac{7}{9} \cdot (12.06)$
127	$y = -\frac{84.42}{9}$
147	y = -9.38
16. 8	42. $\frac{-x}{8} = -16$
1830	
2088	$8 \frac{-x}{8} = 8 (-16)$
22. $\frac{4}{5}x = 16$	-x = -128
$ \begin{array}{cccccccccccccccccccccccccccccccccccc$	$-1 \cdot (-x) = -1 \cdot (-128)$ x = 128
	$\lambda = 120$
$\overline{4} \cdot \overline{5} x = \overline{4} \cdot 16$ $x = 20$	44. $\frac{m}{-3} = 10$
	5
24. $-\frac{3}{8}x = 12^{-7}$	$-3 \cdot \frac{m}{-3} = -3 \cdot 10$
8 3 8	m = -30
$-\frac{1}{3} - \frac{1}{8}x = -\frac{1}{3} \cdot 12$	46. $-x+5$
x = -32	
26. $\frac{-x}{6} = 9$	-x = 54 $x = -54$
	earson Education. Inc.

Copyright C 2015 Pearson Education, Inc.

18

48. -32y

 $28. \qquad \frac{1}{8} = -\frac{y}{5}$

$$\frac{5}{8} = -y$$
$$-\frac{5}{8} = y$$

- 50. 2-5(x+5) = 2-5x-25 = -5x-2352. -2a - 4(5a - 1) = -2a - 20a + 4 = -22a + 454. $\frac{1}{2} \cdot b \cdot 10 \text{ m}^2$, or $5b \text{ m}^2$
- 56. All real numbers
- 58. 4/x/=48/x/=12The distance of x from 0 is 12. Thus, x = 12 or x = -12.
- 60. 5

Exercise Set 2.3

62. a = 1С 64. To "undo" the last step, divide 22.5 by 0.3. $22.5 \div 0.3 = 75$ Now divide 75 by 0.3. $75 \div 0.3 = 250$ The answer should be 250 not 22.5. Exercise Set 2.3 RC2. The correct answer is (a). RC4. The correct answers are (a) and (e). We would usually multiply by 100. 2. 7x + 6 = 137x = 7x = 14. 4y + 10 = 464y = 36*y* = 9 6. 5y - 2 = 535y = 55y = 118. 4x - 19 = 54x = 24x = 610. 5x + 4 = -415x = -45x = -912. -91 = 9t + 8-99 = 9t-11 = t14. -5x - 7 = 108-5x = 115x = -2316. $\frac{3}{2}x - 24 = -36$

24.
$$-5y - 7y = 144$$

 $-12y = 144$
 $y = -12$
26. $-10y - 3y = -39$
 $-13y = -39$
 $y = 3$
28. $x + \frac{4}{4}x = 10$
 $\frac{5}{4}x = 10$
 $x = \frac{4}{5} \cdot 10$
 $x = 8$
30. $6.8y - 2.4y = -88$
 $4.4y = -88$
 $y = -20$
32. $4x - 6 = 6x$
 $-6 = 2x$
 $-3 = x$
34. $5y - 2 = 28 - y$
 $6y = 30$
 $y = 5$
36. $4 - 3x = 6 - 7x$
 $4x = 2$
 $x = \frac{1}{2}$
38. $14 - 6a = -2a + 3$
 $11 = 4a$
 $\frac{11}{4} = a$
40. $-7z + 2z - 3z - 7 = 17$
 $-8z - 7 = 17$
 $8z = 24$
 $-z = -3$
42. $5 + 4x - 7 = 4x - 2 - x$
 $4x - 2 = 3x - 2$
 $x = 0$
44. $5y - 7 + y = 7y + 21 - 5y$
 $6y - 7 = 2y + 21$
 $4y = 28$
 $y = 7$
46. $8x^{-} 4 + 4x = 16 + x$, LCM is 16
 $14x - 4 + 12x = 1 + 16x$
 $26x - 4 = 1 + 16x$
 $10x = 5$
 $x = \frac{1}{2}$

3 5 4 *x* = 5

x = 822. 7x + 18x = 12525x = 125

20.

18. 8x + 3x = 55

11x = 55*x* = 5

8x + 5x = 10413x = 104

3

<u>2</u> <u>3</u>

 $\frac{1}{2}x = -12$

2 $3 \cdot {}_{2}x = {}_{3}(-12)$ x = -8

48.
$$-\frac{2}{2} + x = -\frac{2}{6} - \frac{2}{3}$$
, LCM is 6
 $-9 + 6x = -5 - \frac{8}{6} - \frac{2}{9} + \frac{6x}{6} = -13$
 $-9 + 6x = -13$
 -4
 $x = -\frac{2}{3}$

_

 $\frac{5}{1}$, LCM is 2 $\frac{1}{2} + 4m = 3m$ 50. 2 2 1 + 8m = 6m - 52m = -6m = -3 $1 - \frac{2}{3}y = \frac{9}{5} - \frac{y}{5} + \frac{3}{5}$, LCM is 15 52. 15 - 10y = 27 - 3y + 915 - 10y = 36 - 3y-7y = 21y = -30.96y - 0.79 = 0.21y + 0.4654. 96y - 79 = 21y + 4675y = 125 $y = \frac{125}{75} = \frac{5}{3}$ 1.7t + 8 - 1.62t = 0.4t - 0.32 + 856. 170t + 800 - 162t = 40t - 32 + 8008t + 800 = 40t + 768-32t = -32t = 158. $\frac{5}{y} + \frac{3}{y} = 2 + \frac{1}{y}$, LCM is 16 16 8 4 5y + 6y = 32 + 4y11y = 32 + 4y7y = 32 $y = \frac{32}{7}$ 60. 8(3x+2) = 3024x + 16 = 3024x = 14 $x = \frac{7}{12}$ 9=3(5x-2)62. 9 = 15x - 615 = 15x1 = x64. 17 - t = -t + 6817 = 68FALSE The equation has no solution. 66. $y - \frac{2}{3} = -\frac{2}{3} + y$

$$-\frac{2}{3} = -\frac{2}{3}$$
 TRUE
All real numbers are solutions.

5x + 5(4x - 1) = 20 5x + 20x - 5 = 20 25x - 5 = 20 25x = 25 x = 1 $70. \quad 6b - (3b + 8) = 16$ 6b - 3b - 8 = 163b - 8 = 16

3b = 24b = 8

72. 10 - 3(2x - 1) = 1 $10_{6x+3} = 1$ 13 - 6x = 1-6x = -12x = 274. 3(t-2) = 9(t+2)3t - 6 = 9t + 18-24 = 6t-4 = t76. 7(5x-2) = 6(6x-1)35x - 14 = 36x - 6-8 = x78. 3 - 7x + 10x - 14 = 9 - 6x + 9x - 203x - 11 = 3x - 11-11 = -11TRUE All real numbers are solutions. 80. 11x - 6 - 4x + 1 = 9x - 8 - 2x + 127x - 5 = 7x + 4-5 = 4FALSE The equation has no solution. 82. 5(t+3) + 9 = 3(t-2) + 65t + 15 + 9 = 3t - 6 + 65t + 24 = 3t24 = -2t-12 = t84. 13 - (2c + 2) = 2(c + 2) + 3c13 - 2c - 2 = 2c + 4 + 3c11 - 2c = 5c + 47 = 7c1 = c86. 5[3(7-t) - 4(8+2t)] - 20 = -6[2(6+3t) - 4]5[21 - 3t - 32 - 8t] - 20 = -6[12 + 6t - 4]5[-11 - 11t] - 20 = -6[8 + 6t]-55 - 55t - 20 = -48 - 36t-75 - 55t = -48 - 36t-27 = 19t $-\frac{27}{19} = t$ 88. 6(2x-1) - 12 = 7 + 12(x-1)12x - 6 - 12 = 7 + 12x - 1212x - 18 = 12x - 5-18 = -5FALSE The equation has no solution. 90. 2 + 14x - 9 = 7(2x + 1) - 142 + 14x - 9 = 14x + 7 - 1414x - 7 = 14x - 7-7 = -7TRUE All real numbers are solutions.

0.5

-

8. a)
$$P = I \cdot V = 12 \cdot 115 = 1380$$
 watts
b) $I = \frac{P}{r}$; $V = \frac{P}{r}$
 $V = I$
 $r = x$

$Q = \frac{p-q}{q}$ 44. 2 2Q = p - q2Q + q = pI = P rt46. $\frac{I}{I} = P$ 48. Ax + By = cBy = c - Ax $y = \frac{c - Ax}{B}$ $P = \frac{ab}{ab}$ 50. Pc = ab $c = \frac{ab}{R}$ 52. 4a - 8b - 5(5a - 4b) = 4a - 8b - 25a + 20b = -21a + 12b54. $-\frac{2}{3} - \frac{5}{6} = -\frac{2}{3} + -\frac{5}{6} = -\frac{4}{6} + -\frac{5}{6} = -\frac{9}{6} = -\frac{3}{2}$ 56. $-\frac{5}{12} + \frac{1}{4} = -\frac{5}{12} + \frac{3}{12} = -\frac{2}{12} = -\frac{1}{6}$ 58. $-2\frac{1}{2} + 6\frac{1}{4} = -\frac{5}{2} + \frac{25}{4} = -\frac{10}{4} + \frac{25}{4} = \frac{15}{4} = 3\frac{3}{4}$ 60. 10x + 4 = 3x - 2 + x10x + 4 = 4x - 26x = -6x = -15a = 3(6 - 3a)62. 5a = 18 - 9a14a = 189 $a = \overline{7}$ 64. P = 4m + 7mnP = m(4+7n) $\frac{1}{4+7n} = m$ 66. Not necessarily; $6 = 2 \cdot 2 + 2 \cdot 1$, but $2 \cdot 6$, or 12, can be expressed as $2 \cdot 5 + 2 \cdot 1$.

68.
$$D = \frac{1}{E + F}$$
$$D(E + F) = 1$$
$$E + F = \frac{1}{D}$$
$$F = \frac{1}{D} - E, \text{ or } \frac{1 - DE}{D}$$

Chapter2Mid-ChapterReview

1. The solution of 3 - x = 4x is $\frac{3}{5}$; the solution of 5x = -3

- 2. True; see page 85 in the text.
- 3. True; see page 90 in the text.
- 4. False; see page 102 in the text.

5.
$$x+5 = -3$$

 $x+5 - 5 = -3 - 5$
 $x+0 = -8$
 $x = -8$
6. $-6x = 42$
 $\frac{6x}{-6} = \frac{42}{-6}$
 $1 \cdot x = -7$
 $x = -7$
7. $5y + z = t$
 $5y = t - z$
 $5y = t - z$
 $5y = t - z$
 $5y = \frac{t - z}{5}$
8. $x+5 = 11$
 $x = 6$
The solution is 6.
9. $x+9 = -3$
 $x+9 - 9 = -3 - 9$
 $x = -12$
The solution is -12 .
10. $8 = t + 1$
 $8 - 1 = t + 1 - 1$
 $7 = t$
The solution is 7.
11. $-7 = y + 3$
 $-7 - 3 = y + 3 - 3$
 $-10 = y$
The solution is -10 .
12. $x - 6 = 14$
 $x - 6 + 6 = 14 + 6$
 $x = 20$
The solution is 20.
13. $y - 7 = -2$


is $-\frac{3}{5}$. The equations have different solutions, so they are

not equivalent. The given statement is false.

$$y - 7 + 7 = -2 + 7$$
$$y = 5$$
The solution is 5.

 $-\frac{3}{2}+z=-\frac{3}{4}$ $-\frac{t}{5} = 3$ 14. 22. $-\frac{1}{5} \cdot t = 3$ $-\frac{3}{2}+z+\frac{3}{2}=-\frac{3}{4}+\frac{3}{2}$ $z = -\frac{3}{4} + \frac{6}{4}$ $-5 - \frac{1}{5} \cdot t = -5 \cdot 3$ $z = \frac{3}{4}$ t = -15The solution is -15. The solution is $\frac{3}{4}$. $\frac{3}{4}x = -\frac{9}{8}$ 23. 15. -3.3 = -1.9 + t $\frac{4}{3} \cdot \frac{3}{4}x = \frac{4}{3} - \frac{9}{8}$ -3.3 + 1.9 = -1.9 + t + 1.9-1.4 = t83 $x = -\frac{1}{3 \cdot 2 \cdot 4}$ $x = -\frac{3}{2}$ The solution is -1.4. 16. 7x = 427x - 423 7 7 The solution is $-\frac{1}{2}$. *x* = 6 3x + 2 = 524. The solution is 6. 3x + 2 - 2 = 5 - 217. 17 = -t3x = 3 $17 = -1 \cdot t$ 3*x* 3 $\frac{17}{-1} = \frac{1 \cdot t}{-1}$ $-\frac{1}{3} = -\frac{1}{3}$ x = 1-17 = tThe solution is 1. The solution is -17. 25. 5x + 4 = -1118. 6x = -545x + 4 - 4 = -11 - 4 $\frac{6x}{=}$ $\frac{54}{}$ 5x = -15 $\begin{array}{cc} 6 & 6 \\ x = -9 \end{array}$ 5x - 155 5 The solution is -9. x = -319. -5y = -85The solution is -3. $\frac{-5y}{-5} = \frac{85}{-5}$ 26. 6x - 7 = 26x - 7 + 7 = 2 + 7y = 176x = 9The solution is 17. $\frac{6x}{2} = \frac{9}{2}$ <u>x</u> $_{7} = 3$ 20. $\frac{1}{7} \cdot x = 3$ 21. $\frac{2}{3}x = 12$ $7 \cdot \frac{1}{7}x = 7 \cdot 3$ $\frac{3}{2} \cdot \frac{2}{3}x = \frac{3}{2} \cdot 12$ - x = 21

The solution is 21.



The solution is 2. 27. -4x - 9 = -5 -4x - 9 + 9 = -5 + 9 -4x = 4 $\frac{-4x}{-4} = \frac{4}{-4}$ x = -1The solution is -1.

28. 6x + 5x = 3311x = 3311x - 3311 11 x = 3The solution is 3. 29. -3y - 4y = 49-7y = 49 $\frac{-7y}{-7y} = \frac{49}{-7y}$ -7 -7 y = -7The solution is -7. 30. 3x - 4 = 12 - x3x - 4 + x = 12 - x + x4x - 4 = 124x - 4 + 4 = 12 + 44x = 16 $\underline{4x}$ _ 16 4 4 x = 4The solution is 4. 31. 5 - 6x = 9 - 8x5 - 6x + 8x = 9 - 8x + 8x5 + 2x = 95 + 2x - 5 = 9 - 52x = 4 $\underline{2x}$ _ $\underline{4}$ 2 2 x = 2The solution is 2. $4y - \frac{3}{2} = \frac{3}{4} + 2y$ 32. 4 $4y - \frac{3}{2} = 4 \frac{3}{4} + 2y$ Clearing fractions $4 \cdot 4y - 4 \cdot \frac{1}{2} = 4 \cdot \frac{1}{4} + 4 \cdot 2y$ 16y - 6 = 3 + 8y16y - 6 - 8y = 3 + 8y - 8y8y - 6 = 38y - 6 + 6 = 3 + 68y = 9 $\frac{8y}{8} = \frac{9}{8}$

 $\frac{4}{5} + \frac{1}{6}t = \frac{1}{10}$ 33. $\frac{4}{-}$ $\frac{1}{-}$ 1 $30 \quad 5 + 6^t = 30 \cdot 10$ Clearing fractions $30 \cdot \frac{4}{5} + 30 \cdot \frac{1}{6}t = \frac{30}{10}$ 24 + 5t = 324 + 5t - 24 = 3 - 245t = -21 $\frac{5t}{5} = \frac{21}{5}$ $t = -\frac{21}{5}$ The solution is $-\frac{21}{5}$ 34. 0.21n - 1.05 = 2.1 - 0.14n100(0.21n - 1.05) = 100(2.1 - 0.14n)Clearing decimals 100(0.21n) - 100(1.05) = 100(2.1) - 100(0.14n)21n - 105 = 210 - 14n21n - 105 + 14n = 210 - 14n + 14n35n - 105 = 21035n - 105 + 105 = 210 + 10535n = 315 $\frac{35n}{35} = \frac{315}{35}$ n = 9The solution is 9. 5(3y - 1) = -3535. 15y - 5 = -3515y - 5 + 5 = -35 + 515v = -30 $\frac{15y}{15} = \frac{-30}{15}$ y = -2The solution is -2. 36. 7 - 2(5x + 3) = 17 - 10x - 6 = 11 - 10x = 11 - 10x - 1 = 1 - 1-10x = 0-10x - 0

10 -10

The solution is $\frac{9}{-}$.

$$x = 0$$

The solution is 0.

37.
$$-8 + t = t - 8$$

 $-8 + t - t = t - 8$
 $-t$
 $-8 = -8$

We have an equation that is true for all real numbers. Thus, all real numbers are solutions.

z + 12 = -12 + z38. z + 12 - z = -12 + z - z12 = -12We have a false equation. There are no solutions. 4(3x+2) = 5(2x-1)39. 12x + 8 = 10x - 512x + 8 - 10x = 10x - 5 - 10x2x + 8 = -52x + 8 - 8 = -5 - 82x = -13 $\frac{2x}{2} = \frac{13}{2}$ $x = -\frac{13}{2}$ The solution is $-\frac{13}{2}$. 40. 8x - 6 - 2x = 3(2x - 4) + 66x - 6 = 6x - 12 + 66x - 6 = 6x - 66x - 6 - 6x = 6x - 6 - 6x-6 = -6

We have an equation that is true for all real numbers. Thus, all real numbers are solutions.

41. A = 4b

 $\underline{A} _ \underline{4b}$ 4 4 <u>A</u> = b4 y = x - 1.542. y + 1.5 = x - 1.5 + 1.5y + 1.5 = x43. n = s - mn-s=s-m-sn - s = -m-1(n - s) = -1(-m)-n + s = m, or s - n = m44. 4t = 9w

$$\frac{4t}{4} = \frac{9w}{4}$$

 $t = \frac{9w}{4}$ B = at - c

45.
$$B = at - c$$
$$B + c = at - c + c$$
$$B + c = at$$
$$\frac{B+c}{at} = \frac{at}{at}$$

a a

46.
$$M = \frac{x+y+z}{2}$$
$$2 \cdot M = 2 \quad \frac{x+y+z}{2}$$
$$2M = x+y+z$$
$$2M - x - z = x+y+z - x - 2M - x - z = y$$

47. Equivalent expressions have the same value for all possible replacements for the variable(s). Equivalent equations have the same solution(s).

Z.

48. The equations are not equivalent because they do not have the same solutions. Although 5 is a solution of both equa-

tions, -5 is a solution of $x^2 = 25$ but not of x = 5.

- 49. For an equation x + a = b, add the opposite of a (or subtract a) on both sides of the equation.
- 50. It appears that the student added $\frac{1}{3}$ on the right side of the equation rather than subtracting $\frac{1}{3}$.
- 51. For an equation ax = b, multiply by 1/a (or divide by a) on both sides of the equation.
- 52. Answers may vary. A walker who knows how far and how long she walks each day wants to know her average speed each day.

Exercise Set 2.5

RC2. The correct answer is (b). RC4. The correct answer is (a). RC6. The correct answer is (c). 2. Solve: $p \cdot 76 = 19$ p = 0.25 = 25%Solve: $20.4 = 24\% \cdot a$ 4. 85 = aSolve: $a = 50\% \cdot 50$ 6. a = 25 $57 = p \cdot 300$ 8. Solve: 0.19 = p19% = p10. Solve: 7 = 175% b4 = bSolve: $16 = p \cdot 40$ 12. p = 0.4 = 40%Solve: $p \cdot 150 = 39$ 14. p = 0.26 = 26%16. Solve: $a = 1\% \cdot 1,000,000$

 $\frac{B+c}{a} = t$

18. Solve: $p \cdot 60 = 75$ p = 1.25 = 125% 20. Any number is 100% of itself, so 70 is 100% of 70. We could also do this exercise as follows: Solve: $p \cdot 70 = 70$ p = 1 = 100% $54 = 24\% \cdot b$ 22. Solve: 225 = b24. Solve: $a = 40\% \cdot 2$ a = 0.826. Solve: $40 = 2\% \cdot b$ 2000 = b28. Solve: $8 = 2\% \cdot b$ 400 = b30. Solve: $a = 7.0\% \cdot 8909$ $a \approx 624$ million 32 Solve: $a = 4.4\% \cdot 8909$ $a \approx 392$ million 34. Solve: $a = 0.5\% \cdot 8909$ $a \approx 45$ million Solve: $a = 54.8\% \cdot \$2360$ 36. $a \approx$ \$1293 million 38. Solve: $a = 7.9\% \cdot \$5000$ *a* = \$395 40. Solve: $43 = p \cdot 116$ $0.37 \approx p$ $37\% \approx p$ 42. a) Solve: $a = 20\% \cdot \$75$ a = \$15b) \$75 + \$15 = \$9044. a) Solve: $6.75 = 18\% \cdot b$ 37.50 = bb) 37.50 + 6.75 = 44.2546. Solve: $46.2 = 44\% \cdot b$ b = 105 billion pieces of junk mail 48. Increase, in millions of dollars: 1070 - 950 = 120To find the percent of increase, solve: $120 = p \cdot 950$ $0.126 \approx p$ $12.6\% \approx p$ 50. Decrease: 301 - 273 = 28 To find the percent decrease, solve: $28 = p \cdot 301$ $0.093 \approx p$ $9.3\% \approx p$

52. Increase: 764, 495 – 582, 996 = 181, 499

To find the percent increase, solve:

To find the percent decrease, solve: $3419 = p \cdot 4381$ $0.780 \approx p$ $78.0\% \approx p$ 56. 5x - 2118b <u>3· ø· b</u> <u>3</u> 58. $12b = 2 \cdot b \cdot b = 2$ 60. [3(x+4)-6] - [8+2(x-5)]= [3x + 12 - 6] - [8 + 2x - 10]= 3x + 6 - [2x - 2]= 3x + 6 - 2x + 2= x + 862. Note: 4 ft 8 in. = 56 in. Solve: $56 = 84.4\% \cdot b$ $66 \approx b$ Dana's final adult height will be about 66 in., or 5 ft 6 in. Exercise Set 2.6

54. Decrease: 4381 - 962 = 3419

RC2. Translate the problem to an equation. RC4. Check the answer in the original problem. 2. Solve: c - 89 = 60c = 149 calories 4. Solve: x + (x + 2) = 72x = 35If x = 35, then x + 2 = 37. The lengths of the pieces are 35 in. and 37 in. Solve: 3a + 72,000 = 876,0006. a = \$268,0008. Solve: m + 59 = 385 $m = 326 \, \text{ft}$ 10. Solve: x + (x + 1) = 547x = 273If x = 273, then x + 1 = 274. The numbers are 273 and 274. 12. Solve: a + (a + 1) + (a + 2) = 108a = 35Whitney, Wesley, and Wanda's ages are 35, 36, and 37, respectively. 1

14. Solve:
$$x + \frac{1}{2}(x+1) + 2(x+2) - 7 = 2101$$

 $x = 601$

$$181,499 = p \cdot 582,996 \\ 0.311 \approx p$$

 $31.1\% \approx p$

If x = 601, then x + 1 = 602 and x + 2 = 603. The integers are 601, 602, and 603.

Solve: 2(w + 2) + 2w = 1016. $w = \frac{3}{2}, \text{ or } 1\frac{1}{2}$ 1 If w = 1 -, then w + 2 = 1 - 2 = 3. 2 2 2 1 The length is $3\frac{1}{2}$ in. and the width is $1\frac{1}{2}$ in. Solve: p - 15% p = 33.1518. p = \$39Solve: p + 6.5% p = 117.1520. p = \$110Solve: 84.45 + 0.55m = 25022. m = 301 miSolve: x + 4x + (x + 4x) - 45 = 18024. x = 22.5If x = 22.5, then 4x = 90 and (x + 4x) - 45 = 67.5. The measures of the angles are 22.5° , 90° , and 67.5° . 26. Solve: x + 3x + (x - 15) = 180*x* = 39 If x = 39, then 3x = 117 and x - 15 = 24. The measures of the angles are 39°, 117°, and 24°. Solve: a + 0.06a = 699628. a = \$660030. Solve: b + 0.1b = 7194b = \$654032. Solve: 1.80 + 2.20m = 26m = 11 miSolve: c + 20% c = \$24.9034. c = \$20.7536. Solve: $\frac{t+2t+27}{2} = 34$ *t* = 25 If t = \$25, then 2t = \$50. The prices of the other two shirts were \$25 and \$50.

38. Solve:
$$2x + 85 = \frac{2}{4}x$$

 $x = -68$
40. $-\frac{4}{5} + \frac{3}{8} = -\frac{32}{40} + \frac{15}{40} = -\frac{17}{40}$
42. $-\frac{4}{5} \div \frac{3}{8} = -\frac{4}{5} \cdot \frac{8}{3} = -\frac{32}{15}$

3

54. Let d = the number of dimes. Then 2d = the number of quarters, and d + 10 = the number of nickels.The value of d dimes is 0.10d.

The value of 2d quarters is 0.25(2d).

The value of d + 10 nickels is 0.05(d + 10).

Solve: 0.10d + 0.25(2d) + 0.05(d + 10) = 20

$$d = 30$$

If d = 30, then 2d = 60 and d + 10 = 40.

Susanne got 60 quarters, 30 dimes, and 40 nickels.

Exercise Set 2.7

RC2. $3x-5 \le -x+1$ $4x \le 6$ We see that $3x-5 \le -x+1$ and $2x \le 6$ are not equivalent.

RC4.
$$2-t > -3t+4$$

 $2t > 2$
We see that $2-t > -3t+4$ and $2t > 2$ are equivalent.

2. a) Yes, b) yes, c) yes, d) yes, e) no

8.
$$\xrightarrow{y \ 5}_{5 \ 4 \ 3 \ 2 \ 0 \ 1 \ 2 \ 3 \ 4 \ 5}$$

x 2

10.

14. $\langle \bullet + + + + \bullet + + + + + + \rangle$ 5 4 3 2 0 1 2 3 4 5

44. $-25.6 \div (-16) = 1.6$	18. $x+8 \le -11$ x < -19
46. $-25.6 - (-16) = -25.6 + 16 = -9.6$	$x \leq -19$ $\{x x \leq -19\}$
48. $(-0.02) \div (-0.2) = 0.1$	19
50. $c + (4 + d)$	\leftarrow $+_{40}$ $+_{30}$ $+_{20}$ $+_{10}$ $+_{10}$ $+_{20}$ $+_{30}$ $+_{40}$ $+_{20}$
52. Solve: $3 \cdot 7 + 3m = 78$	Ũ
m = 19	20. $y - 9 > -15$
The student answered 19multiple-choice questions cor-	y > -6

 ${y/y > -6}$

rectly.

28	Chapter 2:Solving Equations and Inequalitie
22. $2x + 4 > x + 7$ x > 3	46. $-4x \le \frac{1}{9}$
$\{x x>3\}$	$x \ge -\frac{36}{1}$
24. $3x + 18 \le 2x + 16$ $x \le -2$	$x/x \ge -\overline{36}$
	48. $-\frac{7}{9} > 63x$
$\{x x \le -2\}$	48. $-\frac{-}{9} > 63x$
26. $9x - 8 < 8x - 9$ x < -1	$\frac{1}{63} - \frac{7}{9} > x$
$\{x \mid x < -1\}$	
28. $-8 + p > 10$	$-\frac{1}{81} > x$
p > 18	$x \ x < -rac{1}{81}$
${p/p > 18}$	81
30. $x - \frac{1}{3} < \frac{5}{6}$	50. $3 + 4y < 35$
2 0	$\begin{array}{l}4y < 32\\y < 8\end{array}$
$x \leq \frac{7}{6}$	$\{y y < 8\}$
$x x \le \frac{7}{6}$	52. $5y - 9 \le 21$ $5y \le 30$
32. $x + \frac{1}{2} > \frac{1}{2}$	$y \leq 6$
	$\{y y \leq 6\}$
$ \begin{array}{ccc} 8 & 2 \\ x > \frac{3}{8} \end{array} $	54. $8y - 6 < -54$
	8y < -48
$x x > \frac{3}{8}$	y < -6
$34. 8x \ge 32$	$\{y y < -6\}$
$x \ge 4$ $\{x x \ge 4\}$	56. $48 > 13 - 7y$ 35 > -7y
	-5 < y
5 4 3 2 0 1 2 3 4 5 1	$\{y y > -5\}$
36. $-16x > -64$	58. $15x + 5 - 14x \le 9$ $x + 5 \le 9$
x < 4	$x \leq 4$
$\{x/x < 4\}$	$\{x x \leq 4\}$
5 4 3 2 0 1 2 3 4 5	60. $8 < 9x + 8$ $8x = 3$
38. $3x < -4$	-8 < x + 5 -13 < x
$x < -\frac{4}{3}$	$\{x/x > -13\}$
$x x < -\frac{4}{3}$	62. $9-8y > 5-7y+2$ 9-8y > 7-7y
40. $-3x \le 15$	x > 3
$x \ge -5$	${x/x > 3}$
$\{x x \ge -5\}$	44. $-5y > -23$
42. $-7x < -21$	y < 5 5 Pearson Education, Inc.
Copyright C 201	J reason Education, ne.



 $0.96y - 0.79 \le 0.21y + 0.46$ 82. $0.4(2x+8) \ge 20 - (x+5)$ 68. $96y - 79 \le 21y + 46$ $75y \le 125$ 5 $y \leq \frac{1}{3}$ 5 $y y \leq \overline{3}$ $\frac{2}{4} + \frac{x}{4} < \frac{4}{4}$ 70. 3 5 15 $15 \frac{2}{3} + \frac{x}{5} < 15 \cdot \frac{4}{15}$ 10 + 3x < 43x < -6x < -2 $\{x|x < -2\}$ $\frac{3x}{4} - \frac{7}{8} \ge -15$ 72. $8 \frac{3x}{4} - \frac{7}{8} \ge 8(-15)$ $6x - 7 \ge -120$ $6x \ge -113$ $x \ge -\frac{113}{6}$ 113 $x x \ge -\frac{1}{6}$ 74. 4(2y - 3) > 288y - 12 > 288y > 40y > 5 $\{y|y > 5\}$ 76. $3(5+3m) - 8 \le 88$ $15 + 9m - 8 \le 88$ $9m + 7 \leq 88$ $9m \leq 81$ $m \leq 9$ $\{m/m \leq 9\}$ 78. 7(5y - 2) > 6(6y - 1)35y - 14 > 36y - 6-8 > v $\{y|y < -8\}$ 80. $5(x+3)+9 \le 3(x-2)+6$

 $0.8x + 3.2 \ge 20 - x - 5$ $0.8x + 3.2 \ge 15 - x$ $8x + 32 \ge 150 - 10x$ $18x \ge 118$ 118 $x \ge \frac{18}{18}$, or 59 $x \ge q$ 59 $x x \ge \overline{0}$ 84. $1 - \frac{1}{3}y \ge \frac{1}{5} - \frac{1}{5} + \frac{1}{5}$ $15 \ 1 - \frac{2}{3}y \ge 15 \ \frac{9}{5} - \frac{y}{5} + \frac{3}{5}$ $15 - 10y \ge 27 - 3y + 9$ $15 - 10y \ge 36 - 3y$ $-21 \ge 7y$ $-3 \ge y$ $\{y|y \leq -3\}$ 86. 8.12 - 9.23 = 8.12 + (-9.23) = -1.1188. $-\frac{3}{4} - \frac{1}{8} = -\frac{3}{4} + -\frac{1}{8} = -\frac{6}{8} + -\frac{1}{8} = -\frac{7}{8}$ 90. $10 \div 2 \cdot 5 - 3^2 + (-5)^2 = 10 \div 2 \cdot 5 - 9 + 25$ $= 5 \cdot 5 - 9 + 25$ = 25 - 9 + 25= 16 + 25= 4192. 9(3+5x) - 4(7+2x) = 27 + 45x - 28 - 8x = -1 + 37x, or 37x - 194. The solutions of |x| < 3 are all points whose distance from 0 is less than 3. This is equivalent to -3 < x < 3. The graph is as follows: 5 4 3 2 0 1 2 3 4 5 96. x+4 > 3+x4 > 3

$$5x + 15 + 9 \le 3x - 6 + 6$$

$$5x + 24 \le 3x$$

$$2x \le -24$$

All real numbers are solutions.

Exercise Set 2.8

 $x \le -12$ $\{x | x \le -12\}$

RC2. $q \leq r$

RC4. $r \ge q$, so we choose $q \le r$.

RC6. $q \ge r$, so we choose $r \le q$.

2. $n \ge 5$

4. 75

6. *a* ≤ 180

8. A > 40 L

10. $T \leq -2^{\circ}$ 12. x < 514. $n \ge 18$ 16. $c \leq 4857.95 18. $c \ge 3.19 20. $\frac{-}{2}n - 5 > 17$ $\frac{73 + 75 + 89 + 91 + s}{5} \ge 85$ 22. Solve: The solution set is $\{s/s \ge 97\}$. 24. Solve: $\frac{5}{5}C + 32 > 98.6$ The solution set is $\{C/C > 37^\circ\}$. Solve: -0.028t + 20.8 < 19.026. $t > 64\frac{2}{7}$ We have $1920 + 64\frac{2}{7} = 1984\frac{2}{7}$, so the solution set is $\{Y | Y \ge 1985\}$, where Y represents the year. 28. Solve: $80 + 16n \le 750$ $n \le 41.875$ At most, 41 people can attend the banquet. 30. Solve: $53 + L \le 165$ The solution set is $\{L/L \le 112 \text{ in.}\}$. 32. Solve: $0.45 + 0.25h \ge 2.20$ $h \ge 7$ Laura parks for at least 7 half hours, or for at least 3.5 hr. 34. Solve: 45 + 30t > 150 $t > 3.5 \, hr$ 36. Solve: $\frac{5+7+8+c}{4} \ge 7$ $c \ge 8$ credits Solve: b + (b - 2) + (b + 3) > 1938. b > 6 cm40. Solve: $16l \ge 264$. $l \ge 16.5$ yd

- 42. Solve: c > 0.8(21, 000)c > \$16, 800
- 44. Solve: $5 \le 0.75r$ (See Exercise 43.) $r \ge 6\frac{2}{3}$ g

48. Solve: $3 + \frac{3}{4}w > 22\frac{1}{2}$ w > 26

The puppy's weight will exceed $22\frac{1}{2}$ lb 26 weeks after its weight is 3 lb.

50. Solve: h + (h + 3) > 27h > 12

George worked more than 12 hr, and Joan worked more than 15 hr.

54. 8x + 3x = 66

11x = 66

x = 6

56. 9x - 1 + 11x - 18 = 3x - 15 + 4 + 17x20x - 19 = 20x - 11

-19 = -11

The equation has no solution.

58. Solve:
$$a = 10\% \cdot 310$$

 $a = 31$
60. Solve: $80 = p \cdot 96$
 $0.83\overline{3} = p$
 $83.\overline{3}\% = p$, or
 $83\frac{1}{3}\% = p$
62. Solve: $4 + 2.5(h - 1) > 16.5$
 $h > 6$ hr

64. Solve: 14 < 4 + 2.50(h - 1) < 245 hr < h < 9hr

Chapter 2 Vocabulary Reinforcement

- 1. Any replacement for the variable that makes an equation true is called a <u>solution</u> of the equation.
- 2. The addition principle for equations states that for any real numbers a, b, and c, a = b is equivalent to a+c = b+c.
- 3. The <u>multiplication principle</u> states that for any real numbers *a*, *b*, and *c*, a = b is equivalent to $a \cdot c = b \cdot c$.
- 4. An <u>inequality</u> is a number sentence with \langle , \leq , \rangle , or \geq as its verb.

5. Equations with the same solution are called <u>equivalent</u> equations. 46. Solve: $\frac{1}{2} \cdot 8 \cdot h \le 12$

 $h \leq 3 \text{ ft}$

Chapter2ConceptReinforcement

1. True; see page 102 in the text.

- 2. True; for any number $n, n \ge n$ is true because n = n is true.
- 3. False; the solution set of $2x 7 \le 11$ is $\{x/x \le 9\}$; the solution set of x < 2 is $\{x/x < 2\}$. The inequalities do not have the same solution set, so they are not equivalent.
- 4. True; if x > y, then $-1 \cdot x < -1 \cdot y$ (reversing the inequality symbol), or -x < -y.

Chapter2StudyGuide

1. 4(x-3) = 6(x+2)4x - 12 = 6x + 124x - 12 - 6x = 6x + 12 - 6x-2x - 12 = 12-2x - 12 + 12 = 12 + 12-2x = 24 $\frac{-2x}{-2} = \frac{24}{-2}$ -2 = -2x = -12The solution is -12.
2. 4 + 3y - 7 = 3 + 3(y - 2)4 + 3y - 7 = 3 + 3y - 6

$$3y - 3 = -3 + 3y$$

$$3y - 3 - 3y = -3 + 3y - 3y$$

$$-3 = -3$$

Every real number is a solution of the equation -3 = -3, so all real numbers are solutions of the original equation.

3.
$$4(x-3)+7 = -5 + 4x + 10$$
$$4x - 12 + 7 = -5 + 4x + 10$$
$$4x - 5 = 5 + 4x$$
$$4x - 5 - 4x = 5 + 4x - 4x$$
$$-5 = 5$$

1

We get a false equation, so the original equation has no solution.

4.
$$A = \frac{1}{bh}$$

$$2 \cdot A = 2 \cdot \frac{1}{2}bh$$

$$2A = bh$$

$$\frac{2A}{h} = \frac{bh}{h}$$

$$\frac{2A}{h} = b$$

5. Graph: x > 1

The solutions of x > 1 are all numbers greater than 1. We shade all points to the right of 1 and use an open circle at

6. Graph: $x \leq -1$

The solutions of $x \le -1$ are all numbers less than or equal to -1. We shade all points to the left of -1 and use a closed circle at -1 to indicate that -1 is part of the graph.

7.
$$6y + 5 > 3y - 7$$

 $6y + 5 - 3y > 3y - 7 - 3y$
 $3y + 5 > -7$
 $3y + 5 - 5 > -7 - 5$
 $3y > -12$
 $3y > -4$
The solution set is $y > 4$.

Chapter 2 Review Exercises

1. x+5 = -17x+5-5 = -17-5x = -22The solution is -22.

2.
$$n-7 = -6$$

 $n-7+7 = -6+7$
 $n = 1$
The solution is 1.

3.
$$x - 11 = 14$$

 $x - 11 + 11 = 14 + 11$
 $x = 25$
The solution is 25.

4.
$$y - 0.9 = 9.09$$

 $y - 0.9 + 0.9 = 9.09 + 0.9$
 $y = 9.99$
The solution is 9.99.

5.
$$\frac{2}{3}x = -\frac{1}{6}$$
$$-\frac{3}{2} \cdot -\frac{2}{3}x = -\frac{3}{2} \cdot -\frac{1}{6}$$
$$1 \cdot x = \frac{3 \cdot 1}{2 \cdot 2 \cdot 3}$$

1 to indicate \overline{t} that 1 is not part of the graph.



The solution is 7.

$$\frac{32}{7.} -\frac{x}{4} = 48$$

$$4 \cdot \frac{1}{4} \cdot (-x) = 4 \cdot 48$$

$$-x = 192$$

$$-1 \cdot (-1 \cdot x) = -1 \cdot 192$$

$$x = -192$$
The solution is -192.
$$\frac{15x}{x} = -35$$

$$\frac{15x}{x} = -35$$

$$\frac{15x}{x} = -35$$

$$\frac{15x}{x} = -\frac{3}{5}$$

$$15 \quad 15$$

$$x = -\frac{3}{3}$$
The solution is $-\frac{7}{3}$.
$$9. \quad \frac{4}{5}y = -\frac{3}{16}$$

$$5 \quad 4 \quad 5 \quad 3$$

$$\frac{7}{4} \cdot \frac{5}{5}y = \frac{3}{4} \cdot -\frac{15}{64}$$

$$15$$
The solution is $-\frac{15}{64}$

$$10. \quad 5 - x = 13$$

$$5 - x - 5 = 13 - 5$$

$$-x = 8$$

$$-1 \cdot (-1 \cdot x) = -1 \cdot 8$$

$$x = -8$$
The solution is -8 .
$$11. \quad \frac{1}{4x} \quad \frac{5}{8} = \frac{3}{8} + \frac{5}{8}$$

$$\frac{1}{4}x - \frac{5}{8} + \frac{5}{8} = \frac{3}{8} + \frac{5}{8}$$

$$\frac{1}{4}x = 1$$

$$4 \cdot \frac{1}{4}x = 4 \cdot 1$$

$$x = 4$$
The solution is 4.
$$12. \quad 5t + 9 = 3t - 1$$

$$5t + 9 - 3t = 3t - 1 - 3t$$

2t + 9 = -1

13.
$$7x - 6 = 25x$$

 $7x - 6 - 7x = 25x - 7x$
 $-6 = 18x$
 $\frac{6}{18} = \frac{18x}{18}$
 $-\frac{6 \cdot 1}{3 \cdot 6} = x$
 $-\frac{1}{3} = x$
The solution is $-\frac{1}{-}$.
14. $14y = 23y - 17 - 10$
 $14y = 23y - 27$ Collecting like terms
 $14y - 23y = 23y - 27 - 23y$
 $-9y = -27$
 $-9y = -27$
 $-9y = -27$
 $-9 = -9$
 $y = 3$
The solution is 3.
15. $0.22y - 0.6 = 0.12y + 3 - 0.8y$
 $0.22y - 0.6 = -0.68y + 3$ Collecting like terms
 $0.22y - 0.6 + 0.68y = -0.68y + 3 + 0.68y$
 $0.9y - 0.6 = 3$
 $0.9y - 0.6 = 3$
 $0.9y - 0.6 + 0.6 = 3 + 0.6$
 $0.9y = 3.6$
 $15x = 0.9y - 0.6 + 0.6 = 3 + 0.6$
 $0.9y = 3.6$
 $0.9y = 3.6$
 $0.9y = 3.6$
 $0.9y = 4$
The solution is 4.
16. $\frac{1}{4}x - \frac{1}{8}x = 3 - \frac{1}{16}x$

$$8^{x-8} = 3 - \frac{1}{16}^{x}$$

$$\frac{1}{8}^{x} = 3 - \frac{1}{16}^{x}$$

$$\frac{1}{x} + \frac{1}{x} = 3 - \frac{1}{16}^{x} + \frac{1}{16}^{x}$$

$$\frac{1}{x} + \frac{1}{x} = 3 - \frac{1}{16}^{x} + \frac{1}{16}^{x}$$

$$\frac{2}{16}^{x} + \frac{1}{16}^{x} = 3$$

$$\frac{16}{3} - \frac{16}{16}^{x} = 3$$

$$\frac{16}{3} - \frac{16}{3} + \frac{16}{3} + 3$$

<u>16 </u>3

2t + 9 - 9 = -1 - 9 2t = -10 $\frac{2t}{2} = \frac{10}{2}$ t = -5

The solution is -5.

 $x = \frac{1}{100}$ The solution is 16. 17. 14y + 17 + 7y = 9 + 21y + 8 21y + 17 = 21y + 17 21y + 17 - 21y = 21y + 17 - 21y 17 = 17 TRUE All real numbers are solutions. 18.

19.

4(x+3) = 3625. Since $4 \le 4$ is true, 4 is a solution. 4x + 12 = 36 $y + \frac{2}{3} \ge \frac{1}{6}$ 26. 4x + 12 - 12 = 36 - 12 $y + \frac{2}{3} - \frac{2}{3} \ge \frac{1}{6} - \frac{2}{3}$ 4x = 24 $\underline{4x}$ _ $\underline{24}$ 4 4 $y \ge \overline{6} - \overline{6}$ x = 6 $y \ge -\frac{3}{6}$ The solution is 6. 3(5x-7) = -66 $y \ge -\frac{1}{2}$ 15x - 21 = -6615x - 21 + 21 = -66 + 2115x = -4527. $9x \ge 63$ 15x - 45 $\frac{9x}{9} \ge \frac{63}{9}$ 15 15 x = -3 $x \ge 7$ The solution is -3. 20. 8(x-2) - 5(x+4) = 20 + x28. 2 + 6y > 148x - 16 - 5x - 20 = 20 + x2 + 6y - 2 > 14 - 23x - 36 = 20 + x6y > 12 3x - 36 - x = 20 + x - x $\frac{6y}{6} > \frac{12}{6}$ 2x - 36 = 202x - 36 + 36 = 20 + 36v > 22x = 56 $\frac{2x}{2} = \frac{56}{2}$ $7 - 3y \ge 27 + 2y$ 29. 2 2 x = 28The solution is 28. $7-5y \ge 27$ $7 - 5y - 7 \ge 27 - 7$ 21. -5x + 3(x + 8) = 16 $-5y \ge 20$ -5x + 3x + 24 = 16-2x + 24 = 16-2x + 24 - 24 = 16 - 24 $y \le -4$ $\frac{-2x = -8}{-2x} = \frac{-8}{-2}$ 30. 3x + 5 < 2x - 6x = 4The solution is 4. x + 5 < -6x + 5 - 5 < -6 - 522. 6(x-2) - 16 = 3(2x-5) + 11x < -116x - 12 - 16 = 6x - 15 + 116x - 28 = 6x - 46x - 28 - 6x = 6x - 4 - 6x31. -4y < 28-28 = -4False $\underline{4y} > \underline{28}$ -4-4There is no solution.

The solution set is $y y \ge -2$. The solution set is $\{x|x \ge 7\}$. The solution set is $\{y/y > 2\}$. $7 - 3y - 2y \ge 27 + 2y - 2y$ $\frac{-5y}{-5} \le \frac{20}{-5}$ Reversing the inequality symbol The solution set is $\{y|y \leq -4\}$. 3x + 5 - 2x < 2x - 6 - 2xThe solution set is $\{x/x < -11\}$. Reversing the inequality symbol

- 23. Since $-3 \le 4$ is true, -3 is a solution.
- 24. Since $7 \le 4$ is false, 7 is not a solution.

$$y > -7$$

The solution set is $y y > 7$.
 $\begin{cases} / & - \end{cases}$

32. 4 - 8x < 13 + 3x4 - 8x - 3x < 13 + 3x - 3x4 - 11x < 134 - 11x - 4 < 13 - 4-11x < 9 $\frac{11x}{2}$ Reversing the inequality symbol -11 -11 9 $x > -\frac{11}{11}$ The solution set is $x > -\frac{9}{11}$. $-4x \ge \frac{1}{3}$ 33. 1 <u>1</u> <u>1</u> $-4 \cdot (-4x) \ge -4 \cdot 3$ Reversing the inequality symbol $x \ge -\frac{1}{12}$ The solution set is $x \ x \ge -\frac{1}{2}$. 34. 4x - 6 < x + 3

$$4x-6-x < x+3-x$$

$$3x-6 < 3$$

$$3x-6+6 < 3+6$$

$$3x < 9$$

$$\frac{3x}{3} < \frac{9}{3}$$

$$x < 3$$

The solution set is $\{x/x < 3\}$. The graph is as follows:

35. In order to be a solution of $-2 < x \le 5$, a number must be a solution of both -2 < x and $x \le 5$. The solution set is graphed as follows:

36. The solutions of y > 0 are those numbers greater than 0.

The graph is as follows:

$$\begin{array}{c} & \stackrel{y \quad 0}{\longleftrightarrow} \\ & \stackrel{y \quad 0}{\longleftrightarrow} \\ & \stackrel{y \quad 0}{\longleftrightarrow} \\ \\ \\ & \stackrel{y \quad 0}{\longleftrightarrow} \\ \\ & \stackrel{y$$

 $\frac{C}{d} = \frac{\pi d}{d}$

37.

38.
$$V = \frac{1}{3}Bh$$

$$3 \cdot V = 3 \cdot \frac{1}{3}Bh$$

$$3V = Bh$$

$$\frac{3V}{h} = \frac{Bh}{h}$$

$$\frac{3V}{h} = B$$
39.
$$A = \frac{a+b}{2}$$

$$2 \cdot A = 2 \cdot \frac{a+b}{2}$$

$$2A = a+b$$

$$2A - b = a + b - b$$

$$2A - b = a$$
40.
$$y = mx + b$$

1

$$y = mx + b$$

$$y - b = mx + b - b$$

$$y - b = mx$$

$$\frac{y - b}{m} = \frac{mx}{m}$$

$$\frac{y - b}{m} = x$$

41. *Familiarize*. Let w = the width, in miles. Then w+90 = the length. Recall that the perimeter P of a rectangle with length l and width w is given by P = 2l + 2w.

Translate. Substitute 1280 for P and w + 90 for l in the formula above.

$$P = 2l + 2w$$

1280 = 2(w + 90) + 2w

Solve. We solve the equation.

$$1280 = 2(w + 90) + 2w$$

$$1280 = 2w + 180 + 2w$$

$$1280 = 4w + 180$$

$$1280 - 180 = 4w + 180 - 180$$

$$1100 = 4w$$

$$\frac{1100}{4} = \frac{4w}{4}$$

275 = wIf w = 275, then w + 90 = 275 + 90 = 365.

Check. The length, 365 mi, is 90 mi more than the width,

Check. The length, 365 mi, is 90 mi more than the width, 275 mi. The perimeter is $2 \cdot 365 \text{ mi} + 2 \cdot 275 \text{ mi} = 730 \text{ mi} + 550 \text{ mi} = 1280 \text{ mi}$. The answer checks.

State. The length is 365 mi, and the width is 275 mi.

42. Familiarize. Let x = the number on the first marker. Copyright c 2015 Pearson Education, Inc. $\frac{C}{\pi} = d$

Then x + 1 = the number on the second marker. *Translate*.

First number plus second number is 691.

 $\begin{array}{ccccc} \downarrow & \downarrow & \downarrow & \downarrow & \downarrow \\ x & + & (x+1) & = 691 \end{array}$

Solve. We solve the equation.

$$x + (x + 1) = 691$$

$$2x + 1 = 691$$

$$2x + 1 - 1 = 691 - 1$$

$$2x = 690$$

$$\frac{2x}{2} = \frac{690}{2}$$

$$x = 345$$

If x = 345, then x + 1 = 345 + 1 = 346.

Check. 345 and 346 are consecutive integers and 345 + 346 = 691. The answer checks.

State. The numbers on the markers are 345 and 346.

43. *Familiarize*. Let c = the cost of the entertainment center in February.

Translate.

Cost in February plus \$332 is Cost in June

$$\begin{array}{cccc} \downarrow & \downarrow & \downarrow & \downarrow & \downarrow \\ c & + & 332 & = & 2449 \end{array}$$

Solve. We solve the equation.

c + 332 = 2449c + 332 - 332 = 2449 - 332c = 2117

Check. \$2117 + \$332 = \$2449, so the answer checks.

State. The entertainment center cost \$2117 in February.

44. *Familiarize*. Let a = the number of subscriptions Ty sold.

Translate.

Commission per subscription	times	number sold	is	Total commission
	Ţ	Ţ	Ţ	.L

4 × a = 108

Solve. We solve the equation.

$$4 \cdot a = 108$$
$$\frac{4 \cdot a}{4} = \frac{108}{4}$$
$$a = 27$$

Check. $4 \cdot 27 = 108$, so the answer checks.

State. Ty sold 27 magazine subscriptions.

45. *Familiarize.* Let x = the measure of the first angle. Then x + 50 = the measure of the second angle, and 2x - 10 = the measure of the third angle. Recall that the sum of measures of the angles of a triangle is 180° .

Translate.

Measure of + measure of + measure of + measure of + third angle is 180° .

Solve. We solve the equation.

$$x + (x + 50) + (2x - 10) = 180$$

$$4x + 40 = 180$$

$$4x + 40 - 40 = 180 - 40$$

$$4x = 140$$

$$\frac{4x}{4x} = \frac{140}{4x}$$

$$4 = 4$$

$$x = 35$$

$$x = 35$$

$$x + 50 = 35 + 50 = 85 \text{ and } 2x - 10$$

If x = 35, then $x + 50 = 2 \cdot 35 - 10 = 70 - 10 = 60$.

Check. The measure of the second angle is 50° more than the measure of the first angle, and the measure of the third angle is 10° less than twice the measure of the first angle. The sum of the measure is $35^{\circ} + 85^{\circ} + 60^{\circ} = 180^{\circ}$. The answer checks.

State. The measures of the angles are 35° , 85° , and 60° .

46. Translate.

Solve. We convert 20% to decimal notation and multiply.

$$a = 20\% \cdot 75$$

 $a = 0.2 \cdot 75$
 $a = 15$
Thus, 15 is 20% of 75.

47. Translate.

15 is what percent of 80?

$\downarrow \downarrow$	\downarrow	\downarrow	\downarrow
15 =	p	•	80

Solve. We solve the equation.

$$15 = p \cdot 80$$
$$\frac{15}{80} = \frac{pM80}{80}$$
$$0.1875 = p$$
$$18.75\% = p$$

Thus, 15 is 18.75% of 80.

48. Translate.

18 is 3% of weat number? $\downarrow \downarrow \downarrow \downarrow \downarrow \downarrow \downarrow$ 18 = 3% · b

Solve. We solve the equation.

$$18 = 3\% \cdot b$$
$$18 = 0.03 \cdot b$$

$$\frac{18}{0.03} = \frac{0.03 \cdot b}{0.03}$$

=

600 = b	I	1	1	I	Ļ	
	Ļ	\downarrow	\downarrow	\downarrow	\downarrow	$\downarrow \downarrow$
	x	+	(x + 50)	+	(2x - 10)	= 180

Thus, 18 is 3% of 600.

49. We subtract to find the increase. 164, 440 - 87, 872 = 76, 568 The increase is 76,568.

Now we find the percent increase.

76, 568 is what percent of 87, 872?

We divide by 87,872 on both sides and then convert to

percent notation.

76, 568 =
$$p \cdot 87, 872$$

76, 568 = $p \cdot 87, 872$
87, 872 = $p \cdot 87, 872$
0.871 $\approx p$
87.1% $\approx p$

The percent increase is about 87.1%.

50. We subtract to find the decrease, in billions.

102.4 - 73.5 = 28.9

Now we find the percent decrease.

28.9is what percent of 102.4?

$$\begin{array}{cccc} \downarrow & \downarrow & \downarrow & \downarrow & \downarrow \\ 28.9 = & p & \cdot & 102.4 \end{array}$$

We divide by 102.4 on both sides and then convert to percent notation.

$$28.9 = p \cdot 102.4$$
$$\frac{28.9}{102.4} = \frac{p \cdot 102.4}{102.4}$$
$$0.282 \approx p$$

$$28.2\% \approx p$$

The percent decrease is about 28.2%.

51. Familiarize. Let p = the price before the reduction.

Translate.

Price beforereduction minus 30% of price is \$154. Ţ Ţ $\downarrow \downarrow \downarrow \downarrow \downarrow \downarrow$ $30\% \cdot p = 154$ р Solve. We solve the equation. $p - 30\% \cdot p = 154$ p - 0.3p = 1540.7p = 154<u>0.7p _ 154</u> 0.7 0.7 p = 220

Solve. We solve the equation. $s + 8\% \cdot s = 78,300$ s + 0.08s = 78,3001.08s = 78,300<u>1.08s</u> <u>78, 300</u> 1.08 1.08 s = 72,500

Check. 8% of \$72, 500 = $0.08 \cdot $72, 500 = 5800 and 72,500 + 5800 = 78,300, so the answer checks.

State. The previous salary was \$72,500.

53. Familiarize. Let a = the amount the organization actually owes. This is the price of the supplies without sales

tax added. Then the incorrect amount is a + 5% of a, or a + 0.05a, or 1.05a.

Translate.

Incorrect amount is \$145.90.

1.05*a* = 145.90

Solve. We solve the equation.

$$\frac{1.05a}{1.05a} = \frac{145.90}{1.05}$$
$$\frac{145.90}{1.05} = \frac{145.90}{1.05}$$

 $a \approx 138.95$ *Check.* 5% of \$138.95 is $0.05 \cdot $138.95 \approx 6.95 , and 138.95 + 6.95 = 145.90, so the answer checks.

State. The organization actually owes \$138.95.

54. Familiarize. Let s represent the score on the next test. Translate.

> The average score is at least 80.

$$\frac{71+7_{5+8}^{\downarrow}+86+s}{5} \qquad \stackrel{\downarrow}{\geq} \qquad 80$$

Solve.

$$\frac{71 + 75 + 82 + 86 + s}{5} \ge 80$$

$$5 \quad \frac{71 + 75 + 82 + 86 + s}{5} \ge 5 \cdot 80$$

$$71 + 75 + 82 + 86 + s \ge 400$$

$$314 + s \ge 400$$

$$s \ge 86$$

Check. As a partial check we show that the average is at least 80 when the next test score is 86.

Check. 30% of \$220 is $0.3 \cdot $220 = 66 and \$220 - \$66 =

Chapter 2:Solving Equations and Inequalities

\$154, so the answer checks.

State. The price before the reduction was \$220.

52. *Familiarize*. Let *s* = the previous salary. *Translate*.

Previous salary	plus	8%	of	previous salary	is \$78, 300.
$\downarrow \\ s$	\downarrow +	↓ 8%	↓ ·	$\downarrow \\ s$	$\downarrow \qquad \downarrow$ = 78,300

$$\frac{71+75+82+86+86}{5} = \frac{400}{5} = 80$$

State. The lowest grade Noah can get on the next test and have an average test score of 80 is 86.

55. *Familiarize*. Let *w* represent the width of the rectangle, in cm. The perimeter is given by P = 2l+2w, or $2 \cdot 43+2w$,

or 86 + 2w. *Translate*.

The perimeter is greater than 120 cm.

$$\begin{array}{ccc} \downarrow & \downarrow & \downarrow \\ 86+2w & > & 120 \end{array}$$

Solve.

86 + 2w > 1202w > 34

$$2w > 34$$

 $w > 17$

Check. We check to see if the solution seems reasonable.

When w = 16 cm, $P = 2 \cdot 43 + 2 \cdot 16$, or 118 cm. When w = 17 cm, $P = 2 \cdot 43 + 2 \cdot 17$, or 120 cm.

When w = 18 cm, $P = 2 \cdot 43 + 2 \cdot 18$, or 122 cm.

It appears that the solution is correct.

State. The solution set is $\{w/w > 17 \text{ cm}\}$.

56. 4(3x-5)+6 = 8+x12x-20+6 = 8+x12x-14 = 8+x12x-14-x = 8+x-x11x-14 = 811x-14+14 = 8+1411x = 22 $\frac{11x}{11} = \frac{22}{11}$ x = 2

The solution is 2. This is between 1 and 5, so the correct answer is C.

57.
$$3x + 4y = P$$
$$3x + 4y - 3x = P - 3x$$
$$4y = P - 3x$$
$$\frac{4y}{2} = \frac{P - 3x}{4}$$
$$\frac{4y}{2} = \frac{P - 3x}{4}$$

Answer A is correct.

58. 2/x/+4 = 50

$$2/x/=46$$

$$|x| = 23$$

The solutions are the numbers whose distance from 0 is 23. Those numbers are -23 and 23.

59. /3x/=60

The solutions are the values of x for which the distance of

 $3 \cdot x$ from 0 is 60. Then we have: 3x = -60 or 3x = 60 x = -20 or x = 20The solutions are -20 and 20.

60.
$$y = 2a - ab + 3$$
$$y - 3 = 2a - ab$$
$$y - 3 = a(2 - b)$$
$$\frac{y - 3}{2 - b} = a$$

Chapter 2 Discussion and Writing Exercises

- 1. The end result is the same either way. If s is the original salary, the new salary after a 5% raise followed by an 8% raise is 1.08(1.05s). If the raises occur in the opposite order, the new salary is 1.05(1.08s). By the commutative and associate laws of multiplication, we see that these are equal. However, it would be better to receive the 8% raise first, because this increase yields a higher salary initially than a 5% raise.
- 2. No; Erin paid 75% of the original price and was offered credit for 125% of this amount, not to be used on sale items. Now 125% of 75% is 93.75%, so Erin would have a credit of 93.75% of the original price. Since this credit can be applied only to nonsale items, she has less purchasing power than if the amount she paid were refunded and she could spend it on sale items.
- 3. The inequalities are equivalent by the multiplication principle for inequalities. If we multiply both sides of one inequality by -1, the other inequality results.
- 4. For any pair of numbers, their relative position on the number line is reversed when both are multiplied by the same negative number. For example, -3 is to the left of 5 on the number line (-3 < 5), but 12 is to the right of -20. That is, -3(-4) > 5(-4).
- 5. Answers may vary. Fran is more than 3 years older than Todd.
- 6. Let *n* represent "a number." Then "five more than a num-

ber" translates to n + 5, or 5 + n, and "five is more than a number" translates to 5 > n.

Chapter 2 Test

1.
$$x + 7 = 15$$

 $x + 7 - 7 = 15 - 7$
 $x = 8$
The solution is 8.
2. $t - 9 = 17$
 $t - 9 + 9 = 17 + 9$
 $t = 26$
The solution is 26.
3. $3x = -18$
 $\frac{3x}{3} = \frac{18}{3}$
 $x = -6$
The solution is -6.

4.
$$-\frac{4}{7}x = -28$$
$$-\frac{7}{4} \cdot -\frac{4}{7}x = -\frac{7}{4} \cdot (-28)$$
$$\frac{7 \cdot 4 \cdot 7}{x} = -\frac{7}{4} \cdot (-28)$$
$$x = -1$$
$$x = 49$$
The solution is 49.
5.
$$3t + 7 = 2t - 5$$

3t + 7 - 2t = 2t - 5 - 2tt + 7 = -5t + 7 - 7 = -5 - 7t = -12

The solution is -12.

6.
$$\frac{1}{2}x - \frac{3}{5} = \frac{2}{5}$$
$$\frac{1}{2}x - \frac{3}{5} + \frac{3}{5} = \frac{2}{5} + \frac{3}{5}$$
$$\frac{1}{2}x = \frac{1}{2}x = 1$$
$$2 \cdot \frac{1}{2}x = 2 \cdot 1$$
$$x = 2$$
The solution is 2.

7.
$$8 - y = 16$$

 $8 - y - 8 = 16 - 8$
 $-y = 8$
 $-1 \cdot (-1 \cdot y) = -1 \cdot 8$
 $y = -8$
The solution is -8 .

8.
$$-\frac{2}{5} + x = -\frac{3}{4}$$
$$-\frac{2}{5} + x + \frac{2}{5} = -\frac{3}{4} + \frac{2}{5}$$
$$x = -\frac{15}{20} + \frac{8}{20}$$
$$x = -\frac{7}{20}$$
The solution is $-\frac{7}{20}$.
9.
$$3(x+2) = 27$$
$$3x+6 = 27$$
$$3x+6 = 27$$
$$3x+6 - 6 = 27 - 6$$
$$3x = 21$$
$$\frac{3x}{21} = \frac{21}{3}$$
$$x = 7$$

The solution is 7.

10.
$$-3x - 6(x - 4) = 9$$

 $-3x - 6x + 24 = 9$
 $-9x + 24 - 24 = 9 - 24$
 $-9x = -15$
 $\frac{-9x}{-9} = \frac{-15}{-9}$
 $x = \frac{3 \cdot 5}{3 \cdot 3}$
 $x = \frac{5}{3}$
The solution is $\frac{5}{3}$.
11. We multiply by 10 to clear the decimals.
 $0.4p + 0.2 = 4.2p - 7.8 - 0.6p$
 $10(0.4p + 0.2) = 10(4.2p - 7.8 - 0.6p)$
 $4p + 2 = 42p - 78 - 6p$
 $4p + 2 = 36p - 78$
 $4p + 2 - 36p = 36p - 78 - 36p$
 $-32p + 2 = -78$
 $-32p + 2 - 2 = -78 - 2$
 $-32p = -80$
 $\frac{-32p}{-32} = \frac{-80}{-32}$
 $p = \frac{5 \cdot 86}{2 \cdot 86}$
 $p = \frac{5}{2}$

The solution is $\frac{5}{2}$. 12. 4(3x - 1) + 11 = 2(6x + 5) - 8

$$12x - 4 + 11 = 12x + 10 - 8$$
$$12x + 7 = 12x + 2$$

$$12x + 7 - 12x = 12x + 2 - 12x$$

 $7 = 2$ FALSE

There are no solutions.

13.
$$-2 + 7x + 6 = 5x + 4 + 2x$$
$$7x + 4 = 7x + 4$$
$$7x + 4 - 7x = 7x + 4 - 7x$$
$$4 = 4$$
TRUE

All real numbers are solutions.

14.
$$x+6 \le 2$$

 $x+6-6 \le 2-6$
 $x \le -4$

The solution set is $\{x|x \leq -4\}$.

14x + 9 > 13x - 415. 14x + 9 - 13x > 13x - 4 - 13xx + 9 > -4x+9-9 > -4-9x > -13The solution set is $\{x/x > -13\}$. $12x \le 60$ 16. $\frac{12x}{12} \le \frac{60}{12}$ $x \leq 5$ The solution set is $\{x|x \leq 5\}$. 17. $-2y \ge 26$ -2y <u>26</u> Reversing the inequality symbol $-2 \leq -2$ $y \leq -13$ The solution set is $\{y|y \leq -13\}$. $-4y \leq -32$ 18. $\frac{-4y}{-4} \ge \frac{32}{-4}$ Reversing the inequality symbol $y \ge 8$ The solution set is $\{y|y \ge 8\}$. $-5x \ge \frac{1}{4}$ 19. $-\frac{1}{5} \cdot (-5x) \le -\frac{1}{5} \cdot \frac{1}{4}$ Reversing the inequality symbol $x \le -\frac{1}{20}$ The solution set is $x x \le -\frac{1}{20}$. 20. 4 - 6x > 404 - 6x - 4 > 40 - 4-6x > 36 $\frac{-6x}{-6x} < \frac{36}{-6x}$ Reversing the inequality symbol -6 -6 x < -6The solution set is $\{x/x < -6\}$. $5 - 9x \ge 19 + 5x$ 21. $5 - 9x - 5x \ge 19 + 5x - 5x$ $5 - 14x \ge 19$ $5 - 14x - 5 \ge 19 - 5$ $-14x \ge 14$ <u>14x 14</u> Reversing the inequality symbol $-14 \leq -14$

 $x \leq -1$

The solution set is $\{x|x \leq -1\}$.

23. 6x - 3 < x + 2 6x - 3 - x < x + 2 - x 5x - 3 < 2 5x - 3 + 3 < 2 + 3 5x < 5 $\frac{5x}{5} < \frac{5}{5}$ x < 1

The solution set is $\{x/x < 1\}$. The graph is as follows:

$$\underbrace{x \quad 1}_{0 \quad 1}$$

24. In order to be a solution of the inequality -2 ≤ x ≤ 2, a number must be a solution of both -2 ≤ x and x ≤ 2. The solution set is graphed as follows:

25. Translate.

We hat number is 24% of 75?

 $\begin{array}{cccc} \downarrow & \downarrow & \downarrow & \downarrow & \downarrow \\ a & = 24\% & \cdot & 75 \end{array}$

Solve. We convert 24% to decimal notation and multiply.

$$a = 24\% \cdot 75$$

 $a = 0.24 \cdot 75$
 $a = 18$
Thus, 18 is 24% of 75.

26. Translate.

15.84 is what percent

Solve.

$$15.84 = p \cdot 96$$

$$\frac{15.84}{96} = \frac{p96}{96}$$

$$0.165 = p$$

$$16.5\% = p$$
Thus, 15.84 is 16.5% of 96.
27. Translate.

800 is 2% of what number? $\downarrow \downarrow b$ 800 = 2% · b

Solve.

$$800 = 2\% \cdot b$$
$$800 = 0.02 \cdot b$$

22. The solutions of $y \leq 9$ are shown by shading the point for

9and all points to the left of 9. The closed circle at 9 indicates that 9is part of the graph.

$$\frac{800}{0.02} = \frac{0.02 \cdot b}{0.02}$$

40,000 = bThus, 800 is 2% of 40,000. 28. We subtract to find the increase.

29.2 - 18.2 = 11

Now we find the percent of increase.

11 is what percent of 18.2?

$$\downarrow \downarrow 11 = p \cdot 18.2$$

We divide by 18.2 on both sides and then convert to percent notation.

$$11 = p \cdot 18.2$$
$$\frac{11}{18.2} = \frac{p \cdot 18.2}{18.2}$$
$$0.604 \approx p$$

$$60.4\% \approx p$$

The percent increase is about 60.4%.

29. Familiarize. Let w = the width of the photograph, in cm. Then w + 4 = the length. Recall that the perimeter

P of a rectangle with length l and width w is given by P = 2l + 2w.

Translate. We substitute 36 for P and w + 4 for l in the formula above.

P = 2l + 2w

$$36 = 2(w + 4) + 2w$$

Solve. We solve the equation.

$$36 = 2(w + 4) + 2w$$
$$36 = 2w + 8 + 2w$$
$$36 = 4w + 8$$
$$36 - 8 = 4w + 8 - 8$$
$$28 = 4w$$
$$\frac{28}{28} = \frac{4w}{48}$$

$$\overline{4} - \overline{4}$$

 $7 = w$

If w = 7, then w + 4 = 7 + 4 = 11.

Check. The length, 11 cm, is 4 cm more than the width, 7 cm. The perimeter is $2 \cdot 11 \text{ cm} + 2 \cdot 7 \text{ cm} = 22 \text{ cm} + 14 \text{ cm} = 36 \text{ cm}$. The answer checks.

State. The width is 7 cm, and the length is 11 cm.

30. *Familiarize*. Let t = the total cost of raising a child to age 17.

Translate.

Cost for child care and K-12 education	is 18% of	Total cost
↓ 41, 500	$\downarrow \downarrow \downarrow \downarrow \downarrow$ = 18% ·	$\downarrow t$

Solve.

State. The total cost of raising a child to age 17 is about \$230,556.

31. Familiarize. Let x = the first integer. Then x + 1 = the

second and x + 2 = the third.

Translate.

	First <u>int</u> eg <u>er</u>	plus	second <u>int</u> eg <u>er</u>	plus	third <u>int</u> eg <u>er</u>	is 7530.	
	$\downarrow \\ x$	•	\downarrow (<i>x</i> +1)				
Solve. x + (x + 1) + (x + 2) = 7530							

$$3x + 3 = 7530$$

$$3x + 3 - 3 = 7530 - 3$$

$$3x = 7527$$

$$\frac{3x}{3} = \frac{7527}{3}$$

$$x = 2509$$

If x = 2509, then x + 1 = 2510 and x + 2 = 2511.

Check. The numbers 2509, 2510, and 2511 are consecutive integers and 2509+2510+2511 = 7530. The answer checks. *State.* The integers are 2509, 2510, and 2511.

32. *Familiarize*. Let x = the amount originally invested. Using the formula for simple interest, I = Prt, the interest earned in one year will be $x \cdot 5\% \cdot 1$, or 5%x. *Translate*.

x + 5% x = 924

Solve. We solve the equation.

$$x + 5\% x = 924$$
$$x + 0.05x = 924$$
$$1.05x = 924$$
$$\frac{1.05x}{1.05} = \frac{924}{1.05}$$

x = 880

Check. 5% of \$880 is $0.05 \cdot $880 = 44 and \$880 + \$44 = \$924, so the answer checks.

State. \$880 was originally invested.

33. *Familiarize*. Using the labels on the drawing in the text, we let x = the length of the shorter piece, in meters, and x + 2 = the length of the longer piece. *Translate*.

$41,500 = 18\% \cdot t$ 41,500 = 0.18t	Length of shorter piece		length of longer piece	is	8 m .
$\frac{41,500}{0} = \frac{0.18t}{0}$	\downarrow	\downarrow	\downarrow	Ļ	\downarrow
0.18 0.18	x	+	(x+2)	=	8

230, 556 $\approx t$

Check. 18% of \$230,556 is about \$41,500, so the answer checks.

Solve. We solve the equation.

$$x + (x + 2) = 8$$

$$2x + 2 = 8$$

$$2x + 2 - 2 = 8 - 2$$

$$2x = 6$$

$$\frac{2x}{2} = \frac{6}{2}$$

$$x = 3$$

If $x = 3$, then $x + 2 = 3 + 2 = 5$.

Check. One piece is 2 m longer than the other and the sum of the lengths is 3 m+5 m, or 8 m. The answer checks. *State.* The lengths of the pieces are 3 m and 5 m.

34. *Familiarize*. Let l = the length of the rectangle, in yd. The perimeter is given by P = 2l + 2w, or $2l + 2 \cdot 96$, or 2l + 192.

Translate.

The perimeter igat least 540 yd.

$$\begin{array}{ccc} \downarrow & \downarrow & \downarrow \\ 2l+192 & \geq & 540 \end{array}$$

Solve.

 $2l + 192 \ge 540$ $2l \ge 348$ $l \ge 174$

Check. We check to see if the solution seems reasonable.

When l = 174 yd, $P = 2 \cdot 174 + 2 \cdot 96$, or 540 yd. When l = 175 yd, $P = 2 \cdot 175 + 2 \cdot 96$, or 542 yd.

It appears that the solution is correct.

State. For lengths that are at least 174 yd, the perimeter will be at least 540 yd. The solution set can be expressed as $\{l|l \ge 174 \text{ yd}\}$.

35. *Familiarize*. Let s = the amount Jason spends in the sixth month.

Translate.

Average spending i<u>nomore than</u> \$95.

$$6 \quad \frac{98+89+110+85+83+s}{6} \leq 6 \cdot 95$$

 $98 + 89 + 110 + 85 + 83 + s \le 570$

State. Jason can spend no more than \$105 in the sixth month. The solution set can be expressed as $\{s/s \le \$105\}$.

36. *Familiarize*. Let c = the number of copies made. For 3 months, the rental charge is $3 \cdot \$225$, or \$675. Expressing

3.2 as 0.032, the charge for the copies is given by

 $\$0.032\cdot c.$

Translate.

ntal trge	plus	copy charge	is no more than	\$4500.

Solve.

$$675 + 0.032c \le 4500$$
$$0.032c \le 3825$$
$$c \le 119,531$$

Check. We check to see if the solution seems reasonable.

When c = 119,530, the total cost is (675 + 0.032(119, 530)), or about (4499.96).

When c = 119,532, the total cost is 675 + 0.032(119,532), or about 4500.02.

It appears that the solution is correct.

State. No more than 119,531 copies can be made. The solution set can be expressed as $\{c/c \le 119, 531\}$.

37.
$$A = 2\pi rh$$

$$\frac{A}{2\pi h} = \frac{2\pi rh}{2\pi h}$$
$$\frac{A}{2\pi h} = r$$
$$y = 8x + b$$
$$y - h = 8r + h$$

38.

$$y - b = 8x + b - b$$
$$y - b = 8x$$
$$\frac{y - b}{8} = \frac{8x}{8}$$
$$\frac{y - b}{8} = x$$

39. We subtract to find the increase, in millions.

70.3 - 40.4 = 29.9

Now we find the percent increase.

29.9is what percent of 40.4?

 $\begin{array}{ccccccc} \downarrow & \downarrow & \downarrow & \downarrow & \downarrow \\ 29.9 & = & p & \cdot & 40.4 \end{array}$

We divide by 40.4 on both sides and then convert to per-

$$465 + s \le 570$$
$$s \le 105$$

Check. As a partial check we show that the average spending is 95 when Jason spends 105 in the sixth month.

$$\frac{98+89+110+85+83+105}{6} = \frac{570}{6} = 95$$

cent notation.

$$29.9 = p \cdot 40.4$$

$$\frac{29.9}{40.4} = \frac{p \cdot 40.4}{40.4}$$

$$0.74 \approx p$$

$$74\% \approx p$$

The percent increase is about 74%. Answer D is correct.

40.

$$c = \frac{1}{a-d}$$

$$(a - d) \cdot c = a - d \cdot \frac{1}{a-d}$$

$$ac - dc = 1$$

$$ac - dc - ac = 1 - ac$$

$$-dc = 1 - ac$$

$$\frac{-dc}{ac} = \frac{1-}{ac}$$

$$-c - c$$

$$d = \frac{1 - ac}{-c}$$

$$\frac{1 - ac}{-c} = \frac{-1}{-1} \cdot \frac{1 - ac}{-c} = \frac{1(1 - ac)}{-1(-c)} = \frac{-1 + ac}{c}, \text{ or }$$

$$\frac{ac - 1}{c}, \text{ we can also express the result as } d = \frac{ac - 1}{c}$$

$$\frac{c}{3/w/-8} = 37$$

$$\frac{3/w/= 45}{w/= 15}$$

The solutions are the numbers whose distance from 0 is 15. They are -15 and 15.

42. Familiarize. Let t = the number of tickets given away.

Translate. We add the number of tickets given to the five people. 1 1 1 1

$$\frac{-1}{3}t + \frac{-1}{4}t + \frac{-1}{5}t + 8 + 5 = t$$

Solve.

$$\frac{1}{3}t + \frac{1}{4}t + \frac{1}{5}t + 8 + 5 = t$$
20 15 12
$$\frac{1}{60}t + \frac{1}{60}t + \frac{1}{60}t + 8 + 5 = t$$

$$\frac{47}{60}t + 13 = t$$

$$13 = t - \frac{47}{60}t$$

$$13 = \frac{60}{60}t - \frac{47}{60}t$$

$$13 = \frac{13}{60}t$$

$$60 \quad 60$$

$$13 = \frac{13}{60}t$$

$$\frac{13}{13} \cdot 13 = \frac{13}{13} \cdot \frac{60}{60}t$$

- 4. 2w 4
- 5. Since -4 is to the right of -6, we have -4 > -6.
- 6. Since 0 is to the right of -5, we have 0 > -5.
- 7. Since -8 is to the left of 7, we have -8 < 7.

8. The opposite of
$$\frac{2}{5}$$
 is $-\frac{2}{5}$ ecause $\frac{2}{5} - \frac{2}{5} = 0$.
5 5 5 5 5

The reciprocal of $\frac{2}{5}$ is $\frac{5}{5}$ because $\frac{2}{5} \cdot \frac{5}{2} = 1$.

- 9. The distance of 3 from 0 is 3, so 3/3 = 3.
- 10. The distance of $-\frac{3}{4}$ from 0 is $\frac{3}{4}$, so $-\frac{3}{4} = \frac{3}{4}$.
- 11. The distance of 0 from 0 is 0, so /0/=0.
- 12. -6.7 + 2.3

One negative number and one positive number. The absolute values are 6.7 and 2.3. The difference of the absolute values is 6.7 - 2.3 = 4.4. The negative number has the larger absolute value, so the sum is negative. -6.7 + 2.3 = -4.4

$$13. \quad -\frac{1}{6} - \frac{7}{3} = -\frac{1}{6} + -\frac{7}{3} = -\frac{1}{6} + -\frac{14}{6} = -\frac{15}{6} = -\frac{15}{6} = -\frac{2}{6} + -\frac{14}{6} = -\frac{15}{6} = -\frac{2}{6} + -\frac{14}{6} = -\frac{15}{6} = -\frac{2}{6} + -\frac{14}{6} = -\frac{15}{6} = -\frac{2}{6} + -\frac{2}{$$

1

1 1

20. $4(-3x-2) = 4(-3x) - 4 \cdot 2 = -12x - 8$ *Check.* $_{3} \cdot 60 = 20$, $_{4} \cdot 60 = 15$, $_{5} \cdot 60 = 12$; then 20 + 15 + 12 + 8 + 5 = 60. The answer checks. *State.* 60 tickets were given away.


CumulativeReviewChapters1-2

1.
$$\frac{y-x}{4} = \frac{12-6}{4} = \frac{6}{4} = \frac{2 \cdot 3}{2 \cdot 2} = \frac{3}{2}$$

2. $\frac{3x}{y} = \frac{3 \cdot 5}{4} = \frac{15}{4}$
3. $x-3=3-3=0$

- 21. $-6(2y 4x) = -6 \cdot 2y (-6)(4x) = -12y (-24x) = -12y + 24x$
- 22. 64 + 18x + 24y = 2 32 + 2 9x + 2 12y = 2(32 + 9x + 12y)
- 23. $16y 56 = 8 \cdot 2y 8 \cdot 7 = 8(2y 7)$
- 24. $5a 15b + 25 = 5 \cdot a 5 \cdot 3b + 5 \cdot 5 = 5(a 3b + 5)$
- 25. 9b + 18y + 6b + 4y = 9b + 6b + 18y + 4y= (9 + 6)b + (18 + 4)y= 15b + 22y
- 26. 3y + 4 + 6z + 6y = 3y + 6y + 4 + 6z= (3 + 6)y + 4 + 6z= 9y + 4 + 6z

38. 27. -4d - 6a + 3a - 5d + 1 = -4d - 5d - 6a + 3a + 1= (-4-5)d + (-6+3)a + 1= -9d - 3a + 128. 3.2x + 2.9y - 5.8x - 8.1y = 3.2x - 5.8x + 2.9y - 8.1y= (3.2 - 5.8)x + (2.9 - 8.1)y= -2.6x - 5.2y29. 7 - 2x - (-5x) - 8 = 7 - 2x + 5x - 8 = -1 + 3x30. -3x - (-x + y) = -3x + x - y = -2x - y31. -3(x-2) - 4x = -3x + 6 - 4x = -7x + 632. 10 - 2(5 - 4x) = 10 - 10 + 8x = 8x33. [3(x+6) - 10] - [5 - 2(x-8)]= [3x + 18 - 10] - [5 - 2x + 16]= [3x+8] - [21 - 2x]= 3x + 8 - 21 + 2x= 5x - 13x + 1.75 = 6.2534. x + 1.75 - 1.75 = 6.25 - 1.75x = 4.5The solution is 4.5. $\frac{5}{2}y = \frac{2}{5}$ 35. $\frac{2}{5} \cdot \frac{5}{2}y = \frac{2}{5} \cdot \frac{2}{5}$ $y = \frac{4}{25}$ The solution is $\frac{4}{25}$. 36. -2.6 + x = 8.3-2.6 + x + 2.6 = 8.3 + 2.6x = 10.9The solution is 10.9. $4^{\frac{1}{2}} + y = 8^{1}$ 37. $4\frac{1}{2} + y - 4\frac{1}{2} = 8\frac{1}{3} - 4\frac{1}{2}$ $y = 8\frac{2}{6} - 4\frac{3}{6}$ $-4\frac{3}{6}$. $\frac{2}{8\frac{2}{6}}=7$ $y = \frac{76}{6} \frac{\text{The}^5}{\underset{\text{wito}}{\text{sol}}}$ $y = 3\frac{5}{6} \frac{1}{10} \frac{1}{3} \frac{1}{6}$ =7 +



 $-\frac{3}{4}x = 36$

8 7 8	4			3
$\frac{8}{6} = 7\frac{8}{6}$	4 3			$ \begin{array}{c} 3 \\ y \\ = \\ 2 \\ 4 \\ 3 \\ y \end{array} $
	•			$\frac{2}{4}$
	4 y -			4 <u>3</u>
	4			
	+ y			$\overline{\frac{2}{4}}$
	= 6			<u>4</u>
	у +			
	2			
	$ \begin{array}{c} 4 \\ + \\ y \\ = \\ 6 \\ y \\ + \\ 2 \\ 0 \\ - \\ 4 \\ y \end{array} $			
	4 y			
			5 v	
			- 4	
			5 y - 4 = 2 y + 2 0	
			2 y	
			+ 2	
		5	0	
		у _		
		5 y - 4 - 2 y = 2 y + 2 0		
		2 v		
		=		
		<i>y</i>		
		2		
		_		
		2 y		
			3 v	
			y _ 4	
			= 2	
			0	
		3 y		
		y - 4		
		+ 4		
		= 2		
		0		
		+ 4		2 2
				3 3

43

y = 8The solution is 8.

44.
$$-3(x - 2) = -15$$
$$-3x + 6 = -15$$
$$-3x + 6 - 6 = -15 - 6$$
$$-3x = -21$$
$$\frac{-3x}{-3} = \frac{-21}{-3}$$
$$x = 7$$

The solution is 7.

45. First we will multiply by the least common multiple of all the denominators to clear the fractions.

$$\frac{1}{3}x - \frac{5}{6} = \frac{1}{2} + 2x$$

$$6 \quad \frac{1}{3}x - \frac{5}{6} = 6 \quad \frac{1}{2} + 2x$$

$$1 \quad 5 \quad 1$$

$$6 \cdot \frac{1}{3}x - 6 \cdot \frac{1}{6} = 6 \cdot \frac{1}{2} + 2x$$

$$2x - 5 = 3 + 12x$$

$$2x - 5 = 3 + 12x$$

$$2x - 5 - 12x = 3 + 12x - 12x$$

$$-10x - 5 = 3$$

$$-10x - 5 + 5 = 3 + 5$$

$$-10x = 8$$

$$\frac{-10x}{-10} = \frac{-8}{-10}$$

$$x = -\frac{10}{10} = -\frac{2 \cdot 4}{\cdot 5}$$

$$x = -\frac{4}{5}$$

The solution is $-\frac{4}{5}$.

46. First we will multiply by 10 to clear the decimals. -3.7x + 6.2 = -7.3x - 5.8

$$10(-3.7x + 6.2) = 10(-7.3x - 5.8)$$

$$-37x + 62 = -73x - 58$$

$$-37x + 62 + 73x = -73x - 58 + 73x$$

$$36x + 62 = -58$$

$$36x + 62 - 62 = -58 - 62$$

$$36x = -120$$

$$36x = -120$$

$$36 = \frac{-120}{36}$$

$$x = -\frac{10}{3} \cdot \text{K2}$$

$$x = -\frac{10}{3}$$
The solution is $-\frac{10}{3}$.

48. 0(x+3)+4 = 00 + 4 = 04 = 0FALSE There is no solution. 49. 3x - 1 < 2x + 1 $3x _ 1 _ 2x < 2x + 1 _ 2x$ x - 1 < 1x - 1 + 1 < 1 + 1x < 2The solution set is $\{x|x < 2\}$. 50. 3y + 7 > 5y + 133y + 7 - 5y > 5y + 13 - 5y-2y + 7 > 13-2y + 7 - 7 > 13 - 7-2y > 6(-2y) < 6Reversing the inequality symbol -2 -2y < -3The solution set is $\{y/y < -3\}$. 51. $5 - y \le 2y - 7$ $5-y-2y \le 2y-7-2y$ $5-3y \leq -7$ $5 - 3y - 5 \le -7 - 5$ $-3y \leq -12$ $\frac{-3y}{-3} \ge \frac{12}{-3}$ Reversing the inequality symbol $y \ge 4$ The solution set is $\{y|y \ge 4\}$. 52. H = 65 - mH - 65 = 65 - m - 65H - 65 = -m $-1(H - 65) = -1 \cdot (-1 \cdot m)$ -H + 65 = m, or

$$65 - H = m$$

$$53. \quad I = Prt$$

$$T = \frac{Prt}{Pr}$$

$$Pr \quad Pr$$

$$I$$

$$\frac{Pr}{Pr} = t$$

$$47. \quad 4(x+2) = 4(x-2) + 16$$

$$4x+8 = 4x-8 + 16$$

4x + 8 = 4x + 8

4x + 8 - 4x = 4x + 8 - 4x8 = 8 TRUE

All real numbers are solutions.

54. Translate.

We hat number is 24% of 105?

$$\begin{array}{cccc}
\downarrow & \downarrow \downarrow \downarrow \downarrow \\
a & = 24\% \cdot 105
\end{array}$$

Solve. We convert 24% to decimal notation and multiply.

 $a = 24\% \cdot 105$

$$a = 0.24 \cdot 105$$

a = 25.2

Thus, 25.2 is 24% of 105.

55. Translate.

39.6 is what percent of 88?

1 1 1 1 Ţ · 88

39.6 = р

Solve. We solve the equation. $39.6 = p \cdot 88$

> $\frac{39.6}{=} = \frac{p \cdot 88}{2}$ 88 88 0.45 = p

Thus, 39.6 is 45% of 88.

45% = p

56. Translate.

\$163.35 is 45% of what number?

$$163.35 = 45\% \cdot b$$

0.45

Solve. $163.35 - 45\% \cdot h$

0.45

$$\frac{163.35}{163.35} = \frac{45\%}{0} \cdot b$$
$$\frac{163.35}{0} = \frac{0.45 \cdot b}{0}$$

363 = b

Thus, \$163.35 is 45% of \$363.

57. *Familiarize*. Let p = the price before the reduction.

Translate.

Price before reduction minus 25% of price is \$18.45.

 $\downarrow \downarrow \downarrow \downarrow$ ↓ ↓ ↓ ↓ 25% · p = 18.45р Solve. We solve the equation.

$$p - 25\% \cdot p = 18.45$$

$$p - 0.25p = 18.45$$

$$0.75p = 18.45$$

$$\frac{0.75p}{18.45} =$$

$$0.75p = 0.75$$

p = 24.6

Check. 25% of \$24.60 is $0.25 \cdot $24.60 = 6.15 and \$24.60-6.15 = 18.45, so the answer checks.

State. The price before the reduction was \$24.60.

58. Familiarize. Let m = the amount Melinda paid for her rollerblades. Then m + 17 = the amount Susan paid for hers.

Translate.

Amount

m + (m + 17) = 1072m + 17 = 1072m + 17 - 17 = 107 - 172m = 90 $\underline{2m} \ \underline{90}$ 2 2 m = 45

The exercise asks only for the amount Melinda paid, but we also find the amount Susan paid so that we can check the answer.

If m = 45, then m + 17 = 45 + 17 = 62.

Check. 62 is 17 more than 45, and 45 + 62 = 107. The answer checks.

State. Melinda paid \$45 for her rollerblades.

59. Familiarize. Let x = the amount originally invested. Using the formula for simple interest, I = P rt, the interest earned in one year will be $x \cdot 8\% \cdot 1$, or 8% x.

Translate.

Amount				amount		
invested	plus	interest	is	after 1 year.		
Ļ	Ļ	\downarrow	↓	\downarrow		
x	+	8% <i>x</i>	=	1134		

Solve.


$$x + 8\%x = 1134$$
$$x + 0.08x = 1134$$
$$1.08x = 1134$$
$$\frac{1.08x}{1.08} = \frac{1134}{1.08}$$

x = 1050

Check. 8% of \$1050 is $0.08 \cdot $1050 = 84 and \$1050 + \$84 =\$1134, so the answer checks.

State. \$1050 was originally invested.

60. Familiarize. Let l = the length of the first piece of wire, in meters. Then l+3 = the length of the second piece and $\frac{4}{5}l =$ the length of the third piece. Translate.



amount Susan paid	is \$107	l + (l+3) + +	5 ¹ 143	=
$\downarrow m$	$\stackrel{\downarrow}{+}$	$\downarrow \\ (m + 17)$	$\stackrel{\downarrow}{=}$	↓ 107

Solve.

$$l + (l + 3) + \frac{4}{5}l = 143$$

$$\frac{5}{5}l + \frac{5}{5}l + \frac{4}{5}l = 143$$

$$\frac{14}{-5}l + 3 = 143$$

$$\frac{14}{5}l + 3 - 3 = 143 - 3$$

$$\frac{14}{5}l + 3 - 3 = 143 - 3$$

$$\frac{14}{5}l = 140$$

$$\frac{5}{14} \cdot \frac{14}{5}l = \frac{5}{14} \cdot 140$$

$$\frac{5 \cdot 10 \cdot 144}{14 \cdot 5}l = \frac{5}{14} \cdot 140$$

$$\frac{1}{5}l = \frac{14}{5} \cdot 10 = \frac{14}{5} \cdot 10$$

$$l = \frac{14}{5} \cdot 10 = \frac{14}{5} \cdot 50 = 40.$$
Evelowing the second piece is 3 m longer than the first second piece is 3 m longer than the first second piece is 3 m longer than the first second piece is 3 m longer than the first second piece is 3 m longer than the first second piece is 3 m longer than the first second piece is 3 m longer than the first second piece is 3 m longer than the first second piece is 3 m longer than the first second piece is 3 m longer than the first second piece is 3 m longer than the first second piece is 3 m longer than the first second piece is 3 m longer than the first second piece is 3 m longer than the first second piece is 3 m longer than the first second piece is 4 m longer than the first second piec

Check. The second piece is 3 m longer than the first piece and the third piece is $\frac{1}{5}$ as long as the first. Also,

50 m + 53 m + 40 m = 143 m. The answer checks. State. The lengths of the pieces are 50 m, 53 m, and 40 m.

61. Familiarize. Let s = Nadia's score on the fourth test.

Translate.

If *l*

The average score is at least 80.

$$\frac{82+7}{Solve. 4} \xrightarrow[6+7]{8+s} \downarrow \qquad \downarrow \qquad \downarrow \\ 80 \qquad \qquad \downarrow \\$$

$$\frac{82+76+78+s}{4} \ge 80$$

$$4 \quad \frac{82+76+78+s}{4} \ge 4 \cdot 80$$

$$82+76+78+s \ge 320$$

$$236+s \ge 320$$

$$s \ge 84$$

Check. As a partial check we show that the average is at least 80 when the fourth test score is 84.

$$\frac{82+76+78+84}{4} = \frac{320}{4} = 80$$

State. Scores greater than or equal to 84 will earn Nadia

at least a B. The solution set is
$$\{s/s \ge 84\}$$
.

$$62. \quad -125 \div 25 \cdot 625 \div 5 = -5 \cdot 625 \div 5$$

Translate. Final salary is \$48, 418.24. ↓ Ţ ↓ 1.0712s = 48, 418.24 Solve. 1.0712s = 48, 418.24 $\frac{1.0712s}{1.0712} = \frac{48,\,418.24}{1.0712}$ s = 45,200Check. 4% of \$45,200 is 0.04 · \$45,200 = \$1808 and 45,200 + 1808 = 47,008. Then 3% of 47,008 is $0.03 \cdot \$47,008 = \1410.24 and \$47,008 + \$1410.24 =\$48, 418.24. The answer checks. State. At the beginning of the year the salary was \$45,200.

. _.

64. First we subtract to find the amount of the reduction.

9in. -6.3 in. =2.7 in.

Translate.

2.7 in. is what percent of 9in.?

$$\begin{array}{ccccccc} \downarrow & \downarrow & \downarrow & \downarrow & \downarrow & \downarrow \\ 2.7 & = & p & \cdot & 9 \end{array}$$

Solve.

$$2.7 = p \cdot 9$$
$$\frac{2.7}{9} = \frac{p \cdot 9}{9}$$
$$0.3 = p$$

30% = p

The drawing should be reduced 30%.

65. 4/x/-13 = 34/x/= 16|x| = 4

The solutions are the numbers whose distance from 0 is 4. They are -4 and 4.

66. First we multiply by 28 to clear the fractions.

$$\frac{2+5x}{4} = \frac{11}{28} + \frac{8x+3}{7}$$

$$28 \quad \frac{2+5x}{4} = 28 \quad \frac{11}{28} + \frac{8x+3}{7}$$

$$28(2+5x) \quad 11 \quad 28(8x+3)$$

$$= -3125 \div 5$$

= -625

Answer C is correct.

63. *Familiarize*. Let s = the salary at the beginning of the year. After a 4% increase the new salary is s + 4% s, or s + 0.04s, or 1.04s. Then after a 3% cost-of-living adjustment the final salary is $1.04s + 3\% \cdot 1.04s$, or $1.04s + 0.03 \cdot 1.04s$, or $1.04s + 0.03 \cdot 1.04s$, or $1.04s + 0.03 \cdot 1.04s$, or 1.0712s.

 $4 = 28 \cdot \frac{28}{28} + \frac{7}{7}$ 7(2 + 5x) = 11 + 4(8x + 3) 14 + 35x = 11 + 32x + 12 14 + 35x = 32x + 23 14 + 3x = 23 3x = 9 x = 3

The solution is 3.

67.
$$p = \frac{2}{m+Q}$$
$$(m+Q) \cdot p = (m+Q) \cdot \frac{2}{m+Q}$$
$$mp + Qp = 2$$
$$Qp = 2 - mp$$
$$Q = \frac{2 - mp}{p}$$