Test Bank for General Chemistry 11th Edition by Ebbing Gammon ISBN 1305580346 9781305580343

Full link download

Test Bank:

https://testbankpack.com/p/test-bank-for-general-chemistry-11th-edition-by-ebbing-gammon-isbn-1305580346-9781305580343/

Solution Manual:

https://testbankpack.com/p/solution-manual-for-general-chemistry-11th-edition-by-ebbing-gammon-isbn-1305580346-9781305580343/

Which of the following is/are postulates of Dalton's atomic theory?

- 1. Atoms combine in fixed ratios of whole numbers.
- 2. Atoms of each element have different properties.
- 3. Elements occur as solids, liquids, or gases.
- a. 1 only
- b. 2 only
- c. 3 only
- d. 1 and 2
- e. 1, 2, and 3


ANSWER: d
POINTS: 1
DIFFICULTY: easy
REFERENCES: 2.1
HAS VARIABLES: False

LEARNING OBJECTIVES: GENE.EBBI.13.24 - List the postulates of atomic theory.

TOPICS: early atomic theory

atomic theory of matter

2. Which of the following statements best describes the particulate representation depicted by the picture?



- a. The figure is a representation of a gas made up of a single element.
- b. The figure is a representation of a molecular solid.
- c. The figure is a representation of a liquid mixture of two elements.
- d. The figure is a representation of a liquid mixture of two compounds.
- e. The figure is a representation of a gas of a compound.

ANSWER: a POINTS: 1

DIFFICULTY: moderate

REFERENCES: 2.1
HAS VARIABLES: True

LEARNING OBJECTIVES: GENE.EBBI.13.25 - Define element, compound, and chemical reaction in the

context of these postulates.

TOPICS: early atomic theory

atomic theory of matter

3. Which of the following is not a correct name–symbol combination?

Chapter 02 - Atoms, Molecules, and Ions a. gallium, Ga b. iron, Fe c. nitrogen, N d. argon, Ar e. sodium, He ANSWER: e 1 **POINTS:** DIFFICULTY: easy 2.1 **REFERENCES:** HAS VARIABLES: True LEARNING OBJECTIVES: GENE.EBBI.13.26 - Recognize the atomic symbols of the elements. TOPICS: early atomic theory atomic theory of matter 4. The symbol for tin is a. T. b. Tn. c. Si. d. Ti. e. Sn. ANSWER: e 1 **POINTS:** DIFFICULTY: easy 2.1 REFERENCES: HAS VARIABLES: False LEARNING OBJECTIVES: GENE.EBBI.13.26 - Recognize the atomic symbols of the elements. TOPICS: early atomic theory atomic theory of matter **KEYWORDS:** atomic symbol OTHER: general chemistry 5. What is the symbol for the element phosphorus? a. Po b. P c. Pt d. K e. Pr ANSWER: b

1

easy

2.1

POINTS:

DIFFICULTY:

REFERENCES:

HAS VARIABLES: False

LEARNING OBJECTIVES: GENE.EBBI.13.26 - Recognize the atomic symbols of the elements.

TOPICS: early atomic theory

atomic theory of matter

KEYWORDS: atomic symbol OTHER: general chemistry

- 6. Which one of the following lists gives the correct symbols for the elements phosphorus, potassium, silver, chlorine, and sulfur?
 - a. P, Po, Ag, Cl, S
 - b. K, Ag, Po, Cl, S
 - c. P, K, Ag, Cl, S
 - d. Ph, K, Ag, S, Cl
 - e. Ph, Po, Ag, Cl, S

ANSWER: c

POINTS: 1

DIFFICULTY: easy

REFERENCES: 2.1

HAS VARIABLES: False

LEARNING OBJECTIVES: GENE.EBBI.13.26 - Recognize the atomic symbols of the elements.

TOPICS: early atomic theory

atomic theory of matter

KEYWORDS: atomic symbol

OTHER: general chemistry

- 7. Which of the following lists gives the atomic symbols for potassium, magnesium, beryllium, and sodium?
 - a. Po, Mn, Br, Na
 - b. P, Mn, Be, Se
 - c. K, Mg, Be, Na
 - d. Pt, Mg, Be, Sc
 - e. K, Mn, Br, Na

ANSWER: c

POINTS: 1

DIFFICULTY: easy

REFERENCES: 2.1

HAS VARIABLES: False

LEARNING OBJECTIVES: GENE.EBBI.13.26 - Recognize the atomic symbols of the elements.

TOPICS: early atomic theory

atomic theory of matter

KEYWORDS: atomic symbol OTHER: general chemistry

- 8. The names of the elements whose symbols are Si, P, Mn, and S are, respectively,
 - a. silicon, phosphorus, manganese, and sulfur.
 - b. silicon, potassium, magnesium, and sulfur.
 - c. silver, phosphorus, magnesium, and sodium.
 - d. silver, potassium, manganese, and sodium.
 - e. silicon, potassium, manganese, and sulfur.

ANSWER: a
POINTS: 1
DIFFICULTY: easy
REFERENCES: 2.1

LEARNING OBJECTIVES: GENE.EBBI.13.26 - Recognize the atomic symbols of the elements.

TOPICS: early atomic theory

atomic theory of matter

KEYWORDS: atomic symbol OTHER: general chemistry

9. Which of the following is the atomic symbol for the element cobalt?

False

a. CO

HAS VARIABLES:

- b. Co
- c. C
- d. co
- e. All of the above

ANSWER: b
POINTS: 1
DIFFICULTY: easy
REFERENCES: 2.1
HAS VARIABLES: False

LEARNING OBJECTIVES: GENE.EBBI.13.26 - Recognize the atomic symbols of the elements.

TOPICS: early atomic theory

atomic theory of matter

KEYWORDS: atomic symbol OTHER: general chemistry

- 10. A series of silicon—hydrogen compounds with the general formula Si_nH_{2n+2} can be represented by the known compounds SiH_4 , Si_2H_6 , and Si_3H_8 . This best illustrates the law of
 - a. multiple proportions.
 - b. conservation of charge.
 - c. definite composition.
 - d. conservation of mass.
 - e. conservation of atoms.

ANSWER: a POINTS: 1

DIFFICULTY: moderate

REFERENCES: 2.1
HAS VARIABLES: False

LEARNING OBJECTIVES: GENE.EBBI.13.27 - Explain the significance of the law of multiple proportions.

TOPICS: early atomic theory

atomic theory of matter

KEYWORDS: Dalton's atomic theory

OTHER: general chemistry

- 11. According to the law of multiple proportions:
 - a. the total mass is the same after a chemical change as before the change.
 - b. it is not possible for the same two elements to form more than one compound.
 - c. the ratio of the masses of the elements in a compound is always the same.
 - d. if the same two elements form two different compounds, they do so in the same ratio.
 - e. none of these

ANSWER: e
POINTS: 1

DIFFICULTY: moderate

REFERENCES: 2.1
HAS VARIABLES: False

LEARNING OBJECTIVES: GENE.EBBI.13.27 - Explain the significance of the law of multiple proportions.

TOPICS: general concepts

matter

KEYWORDS: compound

OTHER: general chemistry

- 12. Which of the following pairs of compounds can be used to illustrate the law of multiple proportions?
 - a. H2O and HCl
 - b. NO and NO₂
 - c. NH₄ and NH₄Cl
 - d. ZnO₂ and ZnCl₂
 - e. CH₄ and CO₂

ANSWER: b
POINTS: 1

DIFFICULTY: moderate

REFERENCES: 2.1
HAS VARIABLES: False

LEARNING OBJECTIVES: GENE.EBBI.13.27 - Explain the significance of the law of multiple proportions.

TOPICS: general concepts

matter

KEYWORDS: compound

OTHER: general chemistry

- 13. Cathode rays are
 - a. anions.
 - b. protons.
 - c. cations.
 - d. positrons.
 - e. electrons.

ANSWER: e
POINTS: 1

DIFFICULTY: easy
REFERENCES: 2.2
HAS VARIABLES: False

LEARNING OBJECTIVES: GENE.EBBI.13.28 - Describe Thomson's experiment in which he discovered the

electron.

TOPICS: early atomic theory

atomic theory of matter

KEYWORDS: discovery of electron | structure of the atom

OTHER: general chemistry

- 14. A subatomic particle is
 - a. a piece of an atom.
 - b. only found in the nucleus of an atom.
 - c. always positively charged.
 - d. larger than the nucleus of an atom.
 - e. always negatively charged.

ANSWER:

POINTS:

DIFFICULTY: easy REFERENCES: 2.1

2.2

HAS VARIABLES: False

LEARNING OBJECTIVES: GENE.EBBI.13.29 - Describe Rutherford's nuclear model and the makeup of the

nucleus.

TOPICS: early atomic theory

atomic theory of matter

15. Experiments were carried out in which a beam of cathode rays was first bent by a magnetic field and then bent back by an electrostatic field until the beam hit the screen exactly where it had been hitting before the

fields were applied. This experiment permitted the direct measurement of

- a. the ratio of mass to charge of an electron.
- b. the charge on the nucleus of an atom.
- c. the charge on the electron.
- d. the mass of the atom.
- e. the mass of the electron.

ANSWER: a POINTS: 1

DIFFICULTY: moderate

REFERENCES: 2.2
HAS VARIABLES: False

LEARNING OBJECTIVES: GENE.EBBI.13.28 - Describe Thomson's experiment in which he discovered the

electron.

TOPICS: early atomic theory

atomic theory of matter

KEYWORDS: discovery of electron | structure of the atom

OTHER: general chemistry

- 16. Who discovered the electron?
 - a. Bohr
 - b. de Broglie
 - c. Rutherford
 - d. Heisenberg
 - e. Thomson

ANSWER: e
POINTS: 1

DIFFICULTY: moderate

REFERENCES: 2.2
HAS VARIABLES: False

LEARNING OBJECTIVES: GENE.EBBI.13.28 - Describe Thomson's experiment in which he discovered the

electron.

TOPICS: early atomic theory

atomic theory of matter

KEYWORDS: discovery of electron | structure of the atom

OTHER: general chemistry

- 17. Which of the following conclusions regarding Rutherford's gold foil experiment is not consistent with the observations?
 - a. The nucleus occupies only a small portion of the space of an atom.
 - b. Most alpha particles travel straight through the gold foil.
 - c. The nucleus occupies a large amount of the atom space.
 - d. The nucleus, like the alpha particles used to bombard the gold foil, is positively charged.

e. Wide angle deflections result from a collision of an alpha particle and a gold atom nucleus.

ANSWER: c
POINTS: 1
DIFFICULTY: easy
REFERENCES: 2.2
HAS VARIABLES: False

LEARNING OBJECTIVES: GENE.EBBI.13.30 - Describe Rutherford's experiment that led to the nuclear

model of the atom.

TOPICS: atomic theory of matter

early atomic theory

- 18. Who discovered the nucleus of an atom?
 - a. Thomson
 - b. de Broglie
 - c. Rutherford
 - d. Bohr
 - e. Heisenberg

ANSWER: c
POINTS: 1
DIFFICULTY: easy
REFERENCES: 2.2
HAS VARIABLES: False

LEARNING OBJECTIVES: GENE.EBBI.13.30 - Describe Rutherford's experiment that led to the nuclear

model of the atom.

TOPICS: early atomic theory

atomic theory of matter

KEYWORDS: nuclear model of atom | structure of the atom

OTHER: general chemistry

- 19. If the Thomson model of the atom had been correct, Rutherford would have observed
 - a. alpha particles bouncing off the foil.
 - b. alpha particles going through the foil with little or no deflection.
 - c. alpha particles greatly deflected by the metal foil.
 - d. positive particles formed in the foil.
 - e. None of the above observations is consistent with the Thomson model of the atom.

ANSWER: b
POINTS: 1

DIFFICULTY: moderate

REFERENCES: 2.2 HAS VARIABLES: False

LEARNING OBJECTIVES: GENE.EBBI.13.30 - Describe Rutherford's experiment that led to the nuclear

model of the atom.

TOPICS: early atomic theory

atomic theory of matter

KEYWORDS: nuclear model of atom | structure of the atom

OTHER: general chemistry

- 20. The nucleus of a ¹⁹¹Ir nuclide contains
 - a. 191 neutrons and 268 electrons.
 - b. 77 protons and 191 neutrons.
 - c. 191 protons and 114 electrons.
 - d. 191 protons, 77 neutrons, and 191 electrons.
 - e. 77 protons and 114 neutrons.

ANSWER: e
POINTS: 1
DIFFICULTY: easy
REFERENCES: 2.3
HAS VARIABLES: True

LEARNING OBJECTIVES: GENE.EBBI.13.31 - Define atomic number, mass number, and nuclide.

TOPICS: early atomic theory

atomic theory of matter

KEYWORDS: atomic symbol OTHER: general chemistry

- 21. If two different nuclides have the same atomic number, it must mean that
 - a. they have the same atomic mass.
 - b. they have the same mass number.
 - c. they have the same number of protons.
 - d. they have the same number of electrons.
 - e. they have the same number of neutrons.

ANSWER: c
POINTS: 1
DIFFICULTY: easy
REFERENCES: 2.3
HAS VARIABLES: False

LEARNING OBJECTIVES: GENE.EBBI.13.31 - Define atomic number, mass number, and nuclide.

TOPICS: early atomic theory

atomic theory of matter

KEYWORDS: nuclear structure OTHER: general chemistry

22. If two different nuclides have the same mass number, it must mean that

- a. the combined number of protons and neutrons are the same.
- b. both have the same number of neutrons.
- c. both have the same number of electrons.
- d. both have the same number of protons.
- e. they are isotopes.

ANSWER: a
POINTS: 1
DIFFICULTY: easy
REFERENCES: 2.3
HAS VARIABLES: False

LEARNING OBJECTIVES: GENE.EBBI.13.31 - Define atomic number, mass number, and nuclide.

TOPICS: early atomic theory

atomic theory of matter

KEYWORDS: nuclear structure OTHER: general chemistry

- 23. The number of protons in a given nucleus determines the
 - a. mass number.
 - b. atomic number.
 - c. number of electrons.
 - d. number of protons.
 - e. number of isotopes.

ANSWER: b
POINTS: 1

DIFFICULTY: easy
REFERENCES: 2.3
HAS VARIABLES: False

LEARNING OBJECTIVES: GENE.EBBI.13.31 - Define atomic number, mass number, and nuclide.

TOPICS: early atomic theory

atomic theory of matter

KEYWORDS: nuclear structure OTHER: general chemistry

- 24. Which nuclide has the same number of protons as ${}^{14}_{7}$ N?
 - a. 19 F
 - b. 15 O
 - c. 12 C
 - d. 31 P
 - e. 15 N

ANSWER: e
POINTS: 1
DIFFICULTY: easy
REFERENCES: 2.3
HAS VARIABLES: False

LEARNING OBJECTIVES: GENE.EBBI.13.32 - Write the nuclide symbol for a given nuclide.

TOPICS: early atomic theory

atomic theory of matter

KEYWORDS: nuclear structure OTHER: general chemistry

- 25. How many electrons does the ion have?
 - a. 18
 - b. 36
 - c. 16
 - d. 34
 - e. 19

ANSWER: a
POINTS: 1
DIFFICULTY: easy
REFERENCES: 2.3
HAS VARIABLES: True

LEARNING OBJECTIVES: GENE.EBBI.13.32 - Write the nuclide symbol for a given nuclide.

TOPICS: early atomic theory

atomic theory of matter

- 26. How many protons are there in the chromium-52 nuclide?
 - a. 29
 - b. 76
 - c. 23
 - d. 24
 - e. 28

ANSWER: d
POINTS: 1

DIFFICULTY: easy
REFERENCES: 2.3
HAS VARIABLES: True

LEARNING OBJECTIVES: GENE.EBBI.13.32 - Write the nuclide symbol for a given nuclide.

TOPICS: early atomic theory

atomic theory of matter

KEYWORDS: atomic symbol

OTHER: general chemistry

- 27. How many neutrons are there in the cobalt-59 nuclide?
 - a. 27
 - b. 2
 - c. 86
 - d. 59
 - e. 32

ANSWER: e

POINTS: 1
DIFFICULTY: easy

REFERENCES: 2.3

HAS VARIABLES: True

LEARNING OBJECTIVES: GENE.EBBI.13.32 - Write the nuclide symbol for a given nuclide.

TOPICS: early atomic theory

atomic theory of matter

KEYWORDS: atomic symbol OTHER: general chemistry

- 28. An atom that has the same number of neutrons as ⁵⁹Niis
 - a. ⁵⁸Zn.
 - b. ⁶⁰Cu.
 - c. ⁵⁷Cr.
 - d. ⁵⁸Mn.
 - e. ⁵⁹Co.

ANSWER: b

POINTS:

DIFFICULTY: easy

REFERENCES: 2.3

HAS VARIABLES: True

LEARNING OBJECTIVES: GENE.EBBI.13.32 - Write the nuclide symbol for a given nuclide.

TOPICS: early atomic theory

atomic theory of matter

KEYWORDS: atomic symbol OTHER: general chemistry

- 29. Which combination of protons, neutrons, and electrons correctly represents a ⁵⁷Fe nuclide?
 - a. 26 protons, 31 neutrons, 57 electrons
 - b. 26 protons, 31 neutrons, 31 electrons
 - c. 26 protons, 31 neutrons, 26 electrons

- d. 57 protons, 26 neutrons, 57 electrons
- e. 57 protons, 26 neutrons, 26 electrons

ANSWER: c
POINTS: 1
DIFFICULTY: easy
REFERENCES: 2.3
HAS VARIABLES: True

LEARNING OBJECTIVES: GENE.EBBI.13.32 - Write the nuclide symbol for a given nuclide.

TOPICS: early atomic theory

atomic theory of matter

KEYWORDS: atomic symbol OTHER: general chemistry

- 30. The species that has the same number of neutrons as $^{37}_{17}\text{Cl}_{18}$
 - a. 36 S.
 - b. 35 Cl.
 - c. $^{40}_{18}$ Ar.
 - d. $^{32}_{16}$ S.
 - e. 31 p

ANSWER: a POINTS: 1

DIFFICULTY: moderate

REFERENCES: 2.3
HAS VARIABLES: False

LEARNING OBJECTIVES: GENE.EBBI.13.32 - Write the nuclide symbol for a given nuclide.

TOPICS: early atomic theory

atomic theory of matter

KEYWORDS: atomic symbol OTHER: general chemistry

- 31. Which of the following nuclides contains more protons than neutrons?
 - a. 1H
 - b. 19 F
 - c. 34 S
 - $d.\,{}^{24}_{12}\,\mathrm{Mg}$
 - e. 4₂He

ANSWER: a POINTS: 1

DIFFICULTY: moderate

REFERENCES: 2.3
HAS VARIABLES: False

LEARNING OBJECTIVES: GENE.EBBI.13.32 - Write the nuclide symbol for a given nuclide.

TOPICS: early atomic theory

atomic theory of matter

- 32. How many neutrons are there in 8 molecules of ¹⁹/₉F₂?
 - a. 160
 - b. 80
 - c. 3
 - d. 304
 - e. 144

ANSWER: a POINTS: 1

DIFFICULTY: difficult
REFERENCES: 2.3
HAS VARIABLES: True

LEARNING OBJECTIVES: GENE.EBBI.13.32 - Write the nuclide symbol for a given nuclide.

TOPICS: early atomic theory | atomic theory of matter

- 33. Suppose atom 1 has the same number of protons as atom 2, and atom 2 has the same number of neutrons as atom 3. Atom 1 does not have the same number of neutrons as atom 3. Which of the following statements is true?
 - a. Atom 3 must have the same number of protons as atom 2.
 - b. Atoms 1 and 2 must be isotopes.
 - c. Atoms 1 and 3 must be isotopes.
 - d. Atom 2 must have the same number of neutrons as atom 1.
 - e. Atom 3 must have the same number of protons as atom 1.

ANSWER: b
POINTS: 1

DIFFICULTY: difficult
REFERENCES: 2.3
HAS VARIABLES: False

LEARNING OBJECTIVES: GENE.EBBI.13.33 - Define and provide examples of isotopes of an element.

TOPICS: early atomic theory

atomic theory of matter

KEYWORDS: nuclear structure OTHER: general chemistry

- 34. Which of the following statements is true concerning the two nuclides ¹⁶O and ¹⁷O?
 - a. They have the same number of neutrons.
 - b. They are isotopes.
 - c. They have the same relative atomic mass.
 - d. They have the same mass number.
 - e. They have different chemical properties.

ANSWER: b
POINTS: 1
DIFFICULTY: easy
REFERENCES: 2.3
HAS VARIABLES: True

LEARNING OBJECTIVES: GENE.EBBI.13.33 - Define and provide examples of isotopes of an element.

TOPICS: early atomic theory

atomic theory of matter

KEYWORDS: isotope

OTHER: general chemistry

- 35. Which of the following atomic symbols represents an isotope of ⁹⁴Mo?
 - a. ⁹³Nb
 - b. 95Tc
 - c. ⁹⁴Tc
 - d. 95Mo
 - e. ⁹⁴Nb

ANSWER: d
POINTS: 1
DIFFICULTY: easy
REFERENCES: 2.3
HAS VARIABLES: True

LEARNING OBJECTIVES: GENE.EBBI.13.33 - Define and provide examples of isotopes of an element.

TOPICS: early atomic theory

atomic theory of matter

KEYWORDS: isotope

OTHER: general chemistry

36. Which of the following represents a pair of isotopes?

Atomic Number		Mass Number	
a. I	17	34	
II	18	34	
b. I	7	14	

II	8	14
c. I	17	35
II	17	37
d. I	17	37
II	18	38
e. I	7	15
II	8	16

ANSWER: c
POINTS: 1
DIFFICULTY: easy
REFERENCES: 2.3
HAS VARIABLES: True

LEARNING OBJECTIVES: GENE.EBBI.13.33 - Define and provide examples of isotopes of an element.

TOPICS: early atomic theory

atomic theory of matter

KEYWORDS: isotope

OTHER: general chemistry

- 37. There are three isotopes of carbon differing with respect to
 - a. electron configuration.
 - b. nuclear charge.
 - c. number of neutrons.
 - d. number of protons.
 - e. atomic number.

ANSWER: c
POINTS: 1
DIFFICULTY: easy
REFERENCES: 2.3
HAS VARIABLES: False

LEARNING OBJECTIVES: GENE.EBBI.13.33 - Define and provide examples of isotopes of an element.

TOPICS: early atomic theory

atomic theory of matter

KEYWORDS: isotope

OTHER: general chemistry

- 38. Which of the following about the isotopes of a particular element is not true?
 - a. Each unique isotope has a different atomic mass.
 - b. Each unique isotope has a different atomic number.
 - c. Each unique isotope has a different number of neutrons.
 - d. Each unique isotope has the same number of protons.
 - e. In neutral atoms of each unique isotope, the number of electrons equals the number of protons.

ANSWER: b
POINTS: 1

DIFFICULTY: moderate

REFERENCES: 2.3
HAS VARIABLES: False

LEARNING OBJECTIVES: GENE.EBBI.13.33 - Define and provide examples of isotopes of an element.

TOPICS: early atomic theory

atomic theory of matter

- 39. The neutral atoms of all the isotopes of the same element have
 - a. different numbers of protons.
 - b. the same number of neutrons.
 - c. the same number of electrons.
 - d. the same mass.
 - e. the same mass number.

ANSWER: c
POINTS: 1
DIFFICULTY: easy
REFERENCES: 2.3
HAS VARIABLES: False

LEARNING OBJECTIVES: GENE.EBBI.13.33 - Define and provide examples of isotopes of an element.

TOPICS: early atomic theory

atomic theory of matter

KEYWORDS: isotope

OTHER: general chemistry

- 40. What is the symbol of the nuclide having 13 protons and 14 neutrons?
 - a. 27Si
 - b. 14Si
 - c. ²⁷Al
 - d. 27Si
 - e. ¹⁴/₁₃A1

ANSWER: c POINTS: 1

DIFFICULTY: moderate

REFERENCES: 2.3
HAS VARIABLES: True

LEARNING OBJECTIVES: GENE.EBBI.13.34 - Write the nuclide symbol of an element. (Example 2.1)

TOPICS: early atomic theory

atomic theory of matter

KEYWORDS: atomic symbol OTHER: general chemistry

- 41. Which of the following has 62 neutrons, 46 protons, and 46 electrons?
 - a. $^{108}_{48}$ Cd $^{2+}$
 - b. 108 Pd
 - c. ¹⁰⁸₄₇ Ag⁺
 - $d._{48}^{110} Cd^{2+}$
 - e. 103 Rh³⁺

ANSWER: b
POINTS: 1

DIFFICULTY: easy
REFERENCES: 2.3
HAS VARIABLES: False

LEARNING OBJECTIVES: GENE.EBBI.13.34 - Write the nuclide symbol of an element. (Example 2.1)

TOPICS: general concepts

atomic theory of matter

- 42. Which of the following elements has the largest atomic mass?
 - a. hafnium
 - b. nickel
 - c. mercury
 - d. argon
 - e. carbon

ANSWER: c

POINTS:

DIFFICULTY: easy
REFERENCES: 2.4
HAS VARIABLES: True

LEARNING OBJECTIVES: GENE.EBBI.13.35 - Define atomic mass unit and atomic weight.


TOPICS: early atomic theory

atomic theory of matter

KEYWORDS: atomic mass unit | atomic weight

OTHER: general chemistry

43. The mass spectrum of an element with two naturally occurring isotopes is shown below. What is the best estimate of the element's atomic mass?



- a. 10 amu
- b. 11 amu
- c. 10.8 amu
- d. 10.2 amu
- e. 10.5 amu

ANSWER: c
POINTS: 1

DIFFICULTY: moderate

REFERENCES: 2.4
HAS VARIABLES: False


LEARNING OBJECTIVES: GENE.EBBI.13.36 - Describe how a mass spectrometer can be used to determine

the fractional abundance of the isotopes of an element.

TOPICS: early atomic theory

atomic theory of matter

44. The mass spectrum of an element with two naturally occurring isotopes is shown below. Its average atomic mass would be best estimated as



- a. less than $26\ \text{amu}$ but greater than $25\ \text{amu}$.
- b. less than $25\ \text{amu}$ but greater than $24\ \text{amu}$.
- c. equal to 24 amu.
- d. equal to 25 amu.
- e. greater than 26 amu.

ANSWER: b
POINTS: 1

DIFFICULTY: moderate

REFERENCES: 2.4
HAS VARIABLES: False

LEARNING OBJECTIVES: GENE.EBBI.13.36 - Describe how a mass spectrometer can be used to determine

the fractional abundance of the isotopes of an element.

TOPICS: early atomic theory

atomic theory of matter

- 45. Lithium has two naturally occurring isotopes, ⁶Li and ⁷Li . The average atomic mass of lithium is 6.941. Which of the following statements concerning the relative abundance of each isotope is correct?
 - a. The abundance of ⁷Li is greater than ⁶Li.
 - b. The abundance of ⁷Li is less than ⁶Li.
 - c. The abundance of ⁶Li is equal to the abundance of ⁷Li.
 - d. Not enough data is provided to determine the correct answer.
 - e. Based on the atomic mass, only ⁷Li occurs naturally.

ANSWER: a POINTS: 1

DIFFICULTY: moderate

REFERENCES: 2.4
HAS VARIABLES: False

LEARNING OBJECTIVES: GENE.EBBI.13.36 - Describe how a mass spectrometer can be used to determine

the fractional abundance of the isotopes of an element.

TOPICS: early atomic theory

atomic theory of matter

- 46. A certain element is listed as having an atomic mass of 63.5 amu. It is probably true that this element contains
 - a. a mixture of isotopes.
 - b. a mixture of neutrons.
 - c. a mixture of isomers.
 - d. a mixture of allotropes.
 - e. a mixture of ions.

ANSWER: a POINTS: 1

DIFFICULTY: moderate

REFERENCES: 2.4
HAS VARIABLES: False

LEARNING OBJECTIVES: GENE.EBBI.13.37 - Determine the atomic mass of an element from the isotopic

masses and fractional abundances. (Example 2.2)

TOPICS: early atomic theory

atomic theory of matter

KEYWORDS: atomic weight

OTHER: general chemistry

47. The average atomic mass of Eu is 151.96 amu. There are only two naturally occurring isotopes of europium, ¹⁵¹Eu with a mass of 151.0 amu and ¹⁵³Eu with a mass of 153.0 amu. The natural abundance of the ¹³¹Eu isotope must be approximately

a. 60%.

b. 20%.

c. 50%.

d. 80%.

e. 40%.

ANSWER: c
POINTS: 1

DIFFICULTY: moderate

REFERENCES: 2.4
HAS VARIABLES: False

LEARNING OBJECTIVES: GENE.EBBI.13.37 - Determine the atomic mass of an element from the isotopic

masses and fractional abundances. (Example 2.2)

TOPICS: early atomic theory

atomic theory of matter

KEYWORDS: atomic weight OTHER: general chemistry

48. Naturally occurring element X exists in three isotopic forms: X-28 (27.979 amu, 92.21% abundance), X-29 (28.976 amu, 4.70% abundance), and X-30 (29.974 amu, 3.09% abundance). Calculate the atomic weight of X.

a. 29.09 amu

b. 28.09 amu

c. 35.29 amu

d. 86.93 amu

e. 25.80 amu

ANSWER: b
POINTS: 1

DIFFICULTY: moderate

REFERENCES: 2.4
HAS VARIABLES: True

LEARNING OBJECTIVES: GENE.EBBI.13.37 - Determine the atomic mass of an element from the isotopic

masses and fractional abundances. (Example 2.2)

TOPICS: early atomic theory

atomic theory of matter

KEYWORDS: atomic weight OTHER: general chemistry

49. Neon has three naturally occuring isotopes. The abundance of ²⁰Ne is 90.48% and ²²Ne is 9.25%. What is

the percent abundance of ²¹Ne?

- a. 9.25%
- b. 0.27%
- c. 49.9%
- d. 33.2%
- e. 81.2%

ANSWER: b
POINTS: 1

DIFFICULTY: easy
REFERENCES: 2.4
HAS VARIABLES: False

LEARNING OBJECTIVES: GENE.EBBI.13.38 - Determine the atomic mass of an element from the isotopic

masses and fractional abundances.

TOPICS: early atomic theory

atomic theory of matter

50. An element, X, has the following isotopic composition: X-200, 90%; X-199, 8.0%; and X-202, 2.0%. Its average atomic mass is closest to

- a. 200 amu.
- b. 203 amu.
- c. 199 amu.
- d. 202 amu.
- e. 201 amu.

ANSWER: a POINTS: 1

DIFFICULTY: moderate

REFERENCES: 2.4
HAS VARIABLES: False

LEARNING OBJECTIVES: GENE.EBBI.13.37 - Determine the atomic mass of an element from the isotopic

masses and fractional abundances. (Example 2.2)

TOPICS: early atomic theory

atomic theory of matter

KEYWORDS: atomic weight OTHER: general chemistry

51. Which of the following concerning atomic mass is/are correct?

- 1. The atomic mass listed on a modern periodic table for each element is the mass of the most abundant isotope.

 The atomic mass listed on a modern periodic table is a relative atomic mass,
 - 10
- 2. based on the definition that ¹²C equals 12 amu.
- 3. Relative atomic masses can only be determined with a mass spectrometer.
- a. 1 only

- b. 2 only
- c. 1 and 2
- d. 2 and 3
- e. 1, 2, and 3

ANSWER: b
POINTS: 1

DIFFICULTY: moderate

REFERENCES: 2.4
HAS VARIABLES: False

LEARNING OBJECTIVES: GENE.EBBI.13.38 - Determine the atomic mass of an element from the isotopic

masses and fractional abundances.

TOPICS: early atomic theory

atomic theory of matter

52. A periodic law based on atomic masses would necessitate Te and I changing places in the periodic table.

This was not done in the early periodic table because

- a. a periodic law based on atomic masses is not valid.
- b. it was thought that the atomic masses might be in error.
- c. iodine behaves chemically like chlorine and bromine.
- d. the tellurium samples could contain a heavy impurity.
- e. iodine contains one naturally occurring isotope, whereas tellurium consists of several isotopes.

ANSWER: c
POINTS: 1

DIFFICULTY: easy REFERENCES: 2.5

HAS VARIABLES: False

LEARNING OBJECTIVES: GENE.EBBI.13.39 - Identify periods and groups on the periodic table.

TOPICS: early atomic theory

periodic table

KEYWORDS: group

OTHER: general chemistry

- 53. The elements in a row of the periodic table are known as
 - a. metals.
 - b. a period.
 - c. metalloids.
 - d. a family.
 - e. a group.

ANSWER: b

POINTS:

DIFFICULTY: easy

REFERENCES: 2.5
HAS VARIABLES: False

LEARNING OBJECTIVES: GENE.EBBI.13.39 - Identify periods and groups on the periodic table.

TOPICS: early atomic theory

periodic table

KEYWORDS: period

OTHER: general chemistry

- 54. Which of the following statements about different elements is incorrect?
 - a. Potassium is an alkali metal.
 - b. Fluorine is a halogen.
 - c. Aluminum is a transition element.
 - d. Barium is an alkaline earth metal.
 - e. Helium is a noble gas.

ANSWER: c
POINTS: 1
DIFFICULTY: easy
REFERENCES: 2.5
HAS VARIABLES: False

LEARNING OBJECTIVES: GENE.EBBI.13.40 - Find the main-group and transition elements on the periodic

table.

TOPICS: early atomic theory

periodic table

OTHER: general chemistry

- 55. Which of the following statements is <u>not</u> true about the element iron?
 - a. It is a metal.
 - b. It is a transition element.
 - c. It is in period 4.
 - d. It has chemical and physical properties most similar to zirconium.
 - e. It is in group VIIIB (group 8).

ANSWER: d
POINTS: 1
DIFFICULTY: easy
REFERENCES: 2.5
HAS VARIABLES: True

LEARNING OBJECTIVES: GENE.EBBI.13.40 - Find the main-group and transition elements on the periodic

table.

TOPICS: early atomic theory

periodic table

56. The elements in groups 1A-8A or 1-2 and 15-18 are known as the

- a. main group.
- b. metalloids or semimetals.
- c. halogens.
- d. transition metals.
- e. inner transition metals.

ANSWER: a
POINTS: 1
DIFFICULTY: easy
REFERENCES: 2.5
HAS VARIABLES: True

LEARNING OBJECTIVES: GENE.EBBI.13.41 - Locate the alkali metal and halogen groups on the periodic

table.

TOPICS: early atomic theory

periodic table

- 57. Choose the group containing the most reactive nonmetals.
 - a. Group 5A
 - b. Group 3A
 - c. Group 7A
 - d. Group 8A
 - e. Group 1A

ANSWER: c POINTS: 1

DIFFICULTY: easy
REFERENCES: 2.5
HAS VARIABLES: False

LEARNING OBJECTIVES: GENE.EBBI.13.41 - Locate the alkali metal and halogen groups on the periodic

table.

TOPICS: early atomic theory

periodic table

KEYWORDS: nonmetal

OTHER: general chemistry

- 58. Which element belongs to the alkali metals?
 - a. rubidium
 - b. germanium
 - c. barium
 - d. iodine
 - e. argon

ANSWER: a POINTS: 1

DIFFICULTY: easy
REFERENCES: 2.5
HAS VARIABLES: True

LEARNING OBJECTIVES: GENE.EBBI.13.41 - Locate the alkali metal and halogen groups on the periodic

table.

TOPICS: early atomic theory

periodic table

- 59. Which of the following statements about different elements is/are true?
 - 1. As is a metalloid and Se is a nonmetal.
 - 2. Cu is a transition element and Ge is a metalloid.
 - 3. Both F and I are halogens.
 - a. 1 only
 - b. 2 only
 - c. 3 only
 - d. 1 and 2
 - e. 1, 2, and 3

ANSWER: e
POINTS: 1
DIFFICULTY: easy
REFERENCES: 2.5
HAS VARIABLES: False

LEARNING OBJECTIVES: GENE.EBBI.13.42 - Recognize the portions of the periodic table that contain the

metals, nonmetals, and metalloids (semimetals).

TOPICS: early atomic theory

periodic table

OTHER: general chemistry

- 60. Which of the following is a metalloid?
 - a. oxygen
 - b. hydrogen
 - c. silicon
 - d. carbon
 - e. copper

ANSWER: c
POINTS: 1
DIFFICULTY: easy
REFERENCES: 2.5

HAS VARIABLES: False

LEARNING OBJECTIVES: GENE.EBBI.13.42 - Recognize the portions of the periodic table that contain the metals, nonmetals, and metalloids (semimetals).

Chapter 02 - Atoms, Molecules, and Ions TOPICS: early atomic theory periodic table **KEYWORDS:** metalloid OTHER: general chemistry 61. All of the following elements are best classified as metalloids except a. Si. b. Te. c. As. d. B. e. Ga. ANSWER: e **POINTS:** 1 DIFFICULTY: easy REFERENCES: 2.5 HAS VARIABLES: False LEARNING OBJECTIVES: GENE.EBBI.13.42 - Recognize the portions of the periodic table that contain the metals, nonmetals, and metalloids (semimetals). TOPICS: early atomic theory periodic table **KEYWORDS**: metalloid OTHER: general chemistry 62. Which formula is best described as a (condensed) structural formula? a. C₂B₁₀H₁₂ b. $C_6H_{11}Cl$ c. CH₃CH₂CH₂CH₂Cl d. C₁₂H₂₂O₁₁ e. C₂H₆O

_

ANSWER:

c

POINTS:

1

DIFFICULTY:

1

REFERENCES:

easy

HAS VARIABLES:

2.6

False

formula

LEARNING OBJECTIVES: GENE.EBBI.13.43 - Determine whether a chemical formula is also a molecular

formula.

TOPICS:

early atomic theory

chemical substance

63. Which of the following is/are information that is unique to a space-filling molecular model?

- 1. The model shows the relative sizes of each element.
- 2. The model shows the charge distribution.
- 3. The model shows the types of bonds (single or multiple) connecting the atoms.
- a. 1 only
- b. 2 only
- c. 3 only
- d. 1 and 2
- e. 1, 2, and 3

ANSWER: a
POINTS: 1
DIFFICULTY: easy
REFERENCES: 2.6

HAS VARIABLES: 2.6

LEARNING OBJECTIVES: GENE.EBBI.13.43 - Determine whether a chemical formula is also a molecular

formula.

TOPICS: early atomic theory

chemical substance

64. In a particular mass of KAu(CN)2, there are 6.66×10^{20} atoms of gold. What is the total number of atoms in this sample?

- a 1.33×10^{21}
- b. 2.00×10^{21}
- c 4.00×10^{21}
- d. 3.33×10^{21}
- $e \ 2.66 \times 10^{21}$

ANSWER: c
POINTS: 1

DIFFICULTY: easy
REFERENCES: 2.6
HAS VARIABLES: True

LEARNING OBJECTIVES: GENE.EBBI.13.43 - Determine whether a chemical formula is also a molecular

formula.

TOPICS: early atomic theory

chemical substance

KEYWORDS: chemical formula OTHER: general chemistry

65. A sample of TNT, $C_7H_5N_3O_6$, has 8.94×10^{21} nitrogen atoms. How many hydrogen atoms are there in this sample of TNT?

$$a 1.79 \times 10^{22}$$

b. 11.92×10^{21}

c. 1.49×10^{22}

d. 8.94×10^{21}

e. 2.09×10^{22}

ANSWER: c POINTS: 1

DIFFICULTY: easy
REFERENCES: 2.6
HAS VARIABLES: True

LEARNING OBJECTIVES: GENE.EBBI.13.43 - Determine whether a chemical formula is also a molecular

formula.

TOPICS: early atomic theory

chemical substance

KEYWORDS: chemical formula OTHER: general chemistry

66. A 2.0-g sample of washing soda, Na₂CO₃ • 10H₂O, has 4.2 × 10²¹ carbon atoms. How many oxygen atoms are present in 2.0g of washing soda?

a. 4.2 x 1022

b. 4.2 x 10²¹

c. 8.4 x 10m

d. 5.5 x 1022

e. 1.3 x 1022

ANSWER: d

POINTS:

DIFFICULTY: easy REFERENCES: 2.6

HAS VARIABLES: True

LEARNING OBJECTIVES: GENE.EBBI.13.43 - Determine whether a chemical formula is also a molecular

formula.

TOPICS: early atomic theory

chemical substance

KEYWORDS: chemical formula OTHER: general chemistry

67. A sample of the mineral troegerite, $(UO_2)_3(AsO_4)_2 \cdot 12H_2O$, has 1.34×10^{21} U atoms. How many arsenic atoms are present in this sample of troegerite?

a
$$2.01 \times 10^{22}$$

b.
$$1.61 \times 10^{22}$$

$$c 2.68 \times 10^{21}$$

d. 6.70×10^{22}

e. 8.93×10^{20}

ANSWER: e
POINTS: 1

DIFFICULTY: easy
REFERENCES: 2.6
HAS VARIABLES: True

LEARNING OBJECTIVES: GENE.EBBI.13.43 - Determine whether a chemical formula is also a molecular

formula.

TOPICS: early atomic theory

chemical substance

KEYWORDS: chemical formula OTHER: general chemistry

68. An ion is formed

- a. by either adding electrons to or subtracting electrons from the atom.
- b. by either adding protons to or subtracting protons from the atom.
- c. by either adding neutrons to or subtracting neutrons from the atom.
- d. All of the above are true.
- e. Two of the above are true.

ANSWER: a POINTS: 1

DIFFICULTY: easy
REFERENCES: 2.6
HAS VARIABLES: False

LEARNING OBJECTIVES: GENE.EBBI.13.44 - Define ion, cation, and anion.

TOPICS: early atomic theory

chemical substance

KEYWORDS: chemical formula | ionic substance

OTHER: general chemistry

- 69. The species Ag⁺, Pt²⁺, and Tl³⁺ are all
 - a. anions.
 - b. isotopes.
 - c. isoelectronic.
 - d. allotropes.
 - e. cations.

ANSWER: e

POINTS: 1

DIFFICULTY: easy

REFERENCES: 2.6
HAS VARIABLES: True

LEARNING OBJECTIVES: GENE.EBBI.13.44 - Define ion, cation, and anion.

TOPICS: early atomic theory

chemical substance

- 70. The species that is formed when a molecule gains or loses an electron is called
 - a. an ion.
 - b. a metalloid.
 - c. an isotope.
 - d. an atom.
 - e. a metal.

ANSWER: a POINTS: 1

DIFFICULTY: easy
REFERENCES: 2.6
HAS VARIABLES: True

LEARNING OBJECTIVES: GENE.EBBI.13.44 - Define ion, cation, and anion.

TOPICS: early atomic theory

chemical substance

- 71. Which of the following statements is true about one formula unit of RuF₂?
 - a. It is composed of one Ru atom and one F2 molecule.
 - b. It is composed of one Ru atom and two F atoms.
 - c. It is composed of one Ru^{2+} ion and one $\operatorname{F2}^{2-}$ ion.
 - d. It is composed of one RuF2 molecule.
 - $^{\rm e.}$ It is composed of one Ru $^{\rm 2+}$ ion and two F $^{\rm -}$ ions.

ANSWER: e

POINTS: 1

DIFFICULTY: easy REFERENCES: 2.6
HAS VARIABLES: True

LEARNING OBJECTIVES: GENE.EBBI.13.45 - Classify compounds as ionic or molecular.

TOPICS: early atomic theory

chemical substance

- 72. Bismuth(III) sulfate is an ionic compound formed from Bi^{3+} and $\mathrm{SO_4}^{2-}$. What is the correct way to represent the formula?
 - a. BiSO4+
 - b. Bi(SO₄)₂

c. Bi³⁺SO₄²⁻

d. Bi₂(SO₄)₃

e. Bi9(SO₄)_{13.5}

ANSWER: d
POINTS: 1

DIFFICULTY: easy
REFERENCES: 2.6
HAS VARIABLES: True

LEARNING OBJECTIVES: GENE.EBBI.13.46 - Write an ionic formula, given the ions...

TOPICS: chemical formulas

- 73. Chemical reactions between nonmetals and nonmetals primarily involve
 - a. sharing of electrons.
 - b. interactions between protons.
 - c. transfer of electrons.
 - d. interactions among protons, electrons, and neutrons.
 - e. interactions between protons and electrons.

ANSWER: a POINTS: 1

DIFFICULTY: easy
REFERENCES: 2.6
HAS VARIABLES: False

LEARNING OBJECTIVES: GENE.EBBI.13.45 - Classify compounds as ionic or molecular.

TOPICS: early atomic theory

chemical substance

KEYWORDS: chemical formula | molecular substance

OTHER: general chemistry

- 74. Which of the following is an ionic compound?
 - a. HOClO
 - b. NH₃
 - c. CH₃OH
 - d. N₂O₃
 - e. NH4CN

ANSWER: e
POINTS: 1

DIFFICULTY: moderate

REFERENCES: 2.6
HAS VARIABLES: False

LEARNING OBJECTIVES: GENE.EBBI.13.45 - Classify compounds as ionic or molecular.

TOPICS: early atomic theory

chemical substance

KEYWORDS: chemical formula | ionic substance

OTHER: general chemistry

- 75. The formula of water, H₂O, suggests
 - a. there is twice as much mass of hydrogen as oxygen in each molecule.
 - b. there are two oxygen atoms and one hydrogen atom per water molecule.
 - c. there is twice as much mass of oxygen as of hydrogen in each molecule.
 - d. there are two hydrogen atoms and one oxygen atom per water molecule.
 - e. none of these

HAS VARIABLES:

ANSWER: d
POINTS: 1
DIFFICULTY: easy
REFERENCES: 2.6

LEARNING OBJECTIVES: GENE.EBBI.13.47 - Define and provide examples for the term formula unit.

TOPICS: early atomic theory

False

chemical substance

KEYWORDS: chemical formula OTHER: general chemistry

- 76. How many oxygen atoms are there in a formula unit of UO₂(C₂H₃O₂)₂ NH₄C₂H₃O₂ 5H₂O?
 - a. 4
 - b. 13
 - c. 23
 - d. 9
 - e. 11

ANSWER: b POINTS: 1

DIFFICULTY: easy
REFERENCES: 2.6
HAS VARIABLES: True

LEARNING OBJECTIVES: GENE.EBBI.13.47 - Define and provide examples for the term formula unit.

TOPICS: early atomic theory

chemical substance

KEYWORDS: chemical formula | ionic substance

OTHER: general chemistry

77. What is the ratio of oxygen atoms to hydrogen atoms in the compound Fe₄(PO₄)₃(OH)₃ • 12H₂O?

Chapter 02 - Atoms,	Molecules, and Ions
a. 15:3	
b. 27:15	
c. 27:27	
d. 18:27	
e. 25:17	
ANSWER:	c
POINTS:	1
DIFFICULTY:	easy
REFERENCES:	2.6
HAS VARIABLES:	True
LEARNING OBJECTIV	ES: GENE.EBBI.13.47 - Define and provide examples for the term formula unit.
TOPICS:	early atomic theory
	chemical substance
KEYWORDS:	chemical formula ionic substance
OTHER:	general chemistry
78. What is the ratio of of a. 8:6	oxygen atoms to hydrogen atoms in the mineral carnotite, K2(UO2)3(VO4)2 • 3H2O?
b. 8:3	
c. 17:3	
d. 9:6	
e. 17:6	
ANSWER:	e
POINTS:	1
DIFFICULTY:	easy
REFERENCES:	2.6
HAS VARIABLES:	False
	ES: GENE.EBBI.13.47 - Define and provide examples for the term formula unit.
TOPICS:	early atomic theory chemical substance
KEYWORDS:	chemical formula ionic substance
OTHER:	general chemistry
	ncorrect concerning the formation of ionic compounds? form anions with a charge of -1.
=	d to form cations with a charge of +1.
	rm cations, while nonmetals tend to form anions.
	tend to form cations with a charge of +3.
	not to form ionic compounds.
ANSWER:	d
POINTS:	u 1
I OINIS.	1

DIFFICULTY: easy
REFERENCES: 2.6
HAS VARIABLES: False

LEARNING OBJECTIVES: GENE.EBBI.13.48 - Specify the charge on all substances, ionic and molecular.

TOPICS: early atomic theory

chemical substance

KEYWORDS: chemical formula | ionic compound

OTHER: general chemistry

- 80. The empirical formula of a salt consisting of Ba²⁺ and OH⁻ ions is
 - a. Ba²⁺OH⁻.
 - b. BaOH.
 - c. Ba2OH.
 - d. Ba₂(OH)₃.
 - e. Ba(OH)₂.

ANSWER: e
POINTS: 1

DIFFICULTY: moderate

REFERENCES: 2.6
HAS VARIABLES: True

LEARNING OBJECTIVES: GENE.EBBI.13.49 - Write an ionic formula, given the ions.

TOPICS: early atomic theory

chemical substance

- 81. Which of the following molecules is a hydrocarbon?
 - a. H₂O
 - b. CH₃CH₂CH₃
 - c. C₆H₁₂O₆
 - d. CH₃CH₂OH
 - e. CH₃OCH₃

ANSWER: b
POINTS: 1

DIFFICULTY: easy
REFERENCES: 2.7
HAS VARIABLES: False

LEARNING OBJECTIVES: GENE.EBBI.13.50 - Explain what makes a molecule a hydrocarbon.

TOPICS: early atomic theory

chemical substance

KEYWORDS: organic compound

OTHER: general chemistry

- 82. Which of the following molecules contains the ether functional group?
 - a. CH₃CH₂NH₂
 - b. CH₃CH₂OCH₂CH₃
 - c. CH₃CH₂OH
 - d. CH₃CH₂COOH
 - e. H₂O

ANSWER: b
POINTS: 1
DIFFICULTY: easy
REFERENCES: 2.7
HAS VARIABLES: False

LEARNING OBJECTIVES: GENE.EBBI.13.51 - Recognize some functional groups of organic molecules.

TOPICS: early atomic theory

chemical substance

KEYWORDS: organic compound OTHER: general chemistry

- 83. Which of the following molecules contains the carboxylic acid functional group?
 - a. CH₃CH₂CH₂OH
 - b. CH₃CH₂COCH₂CH₃
 - c. CH₃NHCH₃
 - d. CH₃OCH₂CH₃
 - e. CH₃CH₂CH₂COOH

ANSWER: e
POINTS: 1
DIFFICULTY: easy
REFERENCES: 2.7
HAS VARIABLES: False

LEARNING OBJECTIVES: GENE.EBBI.13.51 - Recognize some functional groups of organic molecules.

TOPICS: early atomic theory

chemical substance

KEYWORDS: organic compound OTHER: general chemistry

- 84. Which of the following molecules contains the alcohol functional group?
 - a. C₆H₆
 - b. CH₃OH

Chapter 02 - Atoms, Molecules, and Ions c. CH₄ d. CH3OCH3 e. C₂H₂ ANSWER: b **POINTS:** 1 DIFFICULTY: easy 2.7 REFERENCES: False HAS VARIABLES: LEARNING OBJECTIVES: GENE.EBBI.13.51 - Recognize some functional groups of organic molecules. TOPICS: early atomic theory chemical substance **KEYWORDS:** organic compound OTHER: general chemistry 85. How many electrons does a barium ion have? a. 56 b. 8 c. 54 d. 44 e. 2 ANSWER: c1 **POINTS: DIFFICULTY:** easy REFERENCES: 2.8 HAS VARIABLES: True LEARNING OBJECTIVES: GENE.EBBI.13.52 - Learn the rules for predicting the charges of monatomic ions in ionic compounds. **TOPICS:** early atomic theory chemical substance **KEYWORDS**: chemical formula | ionic substance OTHER: general chemistry 86. Which of the following statements is false? a. A crystal of calcium fluoride has equal numbers of calcium ions and fluoride ions. b. A sodium atom is most likely to ionize to form a cation of charge +1. c. A sulfide ion has a total of 18 e⁻. d. A potassium ion has a total of 18 e⁻. e. The charge on a neutral chlorine atom is zero.

1

ANSWER:

POINTS:

Chapter 02 - Atoms, Molecules, and Ions DIFFICULTY: moderate REFERENCES: 2.8 HAS VARIABLES: False LEARNING OBJECTIVES: GENE.EBBI.13.52 - Learn the rules for predicting the charges of monatomic ions in ionic compounds. **TOPICS:** early atomic theory chemical substance **KEYWORDS**: chemical formula | ionic substance OTHER: general chemistry 87. As an ion, sodium has _____electrons? a. 24 b. 14 c. 11 d. 29 e. 10 ANSWER: e **POINTS:** 1 DIFFICULTY: easy 2.8 REFERENCES: HAS VARIABLES: True LEARNING OBJECTIVES: GENE.EBBI.13.52 - Learn the rules for predicting the charges of monatomic ions in ionic compounds. TOPICS: early atomic theory chemical substance **KEYWORDS**: chemical formula | ionic substance OTHER: general chemistry 88. How many electrons does a sulfide ion have? a. 13 b. 22 c. 16 d. 18 e. 2 ANSWER: d **POINTS:** 1 DIFFICULTY: easy *REFERENCES:* 2.8 HAS VARIABLES: True

LEARNING OBJECTIVES: GENE.EBBI.13.52 - Learn the rules for predicting the charges of monatomic ions

in ionic compounds.

TOPICS: early atomic theory

chemical substance

KEYWORDS: chemical formula | ionic substance

OTHER: general chemistry

- 89. Which metals form cations with varying positive charges?
 - a. many transition metals
 - b. Zn and Al
 - c. Group 1 metals
 - d. Group 1 and Group 2 metals
 - e. Group 2 metals

ANSWER: a POINTS: 1

DIFFICULTY: easy
REFERENCES: 2.8
HAS VARIABLES: False

LEARNING OBJECTIVES: GENE.EBBI.13.52 - Learn the rules for predicting the charges of monatomic ions

in ionic compounds.

TOPICS: early atomic theory

chemical substance

KEYWORDS: chemical formula | ionic substance

OTHER: general chemistry

- 90. Which of the following represents a known ion?
 - a. S^{2+}
 - b. Sc^{4+}
 - c. Sn^{2+}
 - d. P⁴⁻
 - e. Na

ANSWER: c
POINTS: 1

DIFFICULTY: moderate

REFERENCES: 2.8
HAS VARIABLES: False

LEARNING OBJECTIVES: GENE.EBBI.13.52 - Learn the rules for predicting the charges of monatomic ions

in ionic compounds.

TOPICS: early atomic theory

chemical substance

KEYWORDS: chemical formula | ionic substance

OTHER: general chemistry

Chapter 02 - Atoms, Molecules, and Ions 91. The formula for the sulfide ion is a. SO3²⁻. b. SO₄²⁻. c. S₂O₃²⁻. d. S²⁻. e. HSO₄-. ANSWER: d 1 **POINTS:** DIFFICULTY: easy 2.8 **REFERENCES:** HAS VARIABLES: True LEARNING OBJECTIVES: GENE.EBBI.13.53 - Apply the rules for naming monatomic ions. TOPICS: early atomic theory chemical substance ionic compound | nomenclature of simple compound **KEYWORDS**: OTHER: general chemistry 92. The correct name for Zn^{2+} is a. monozinc ion. b. zinc ion. c. zinc(2) ion. d. zinc(I) ion. e. zinc. ANSWER: b **POINTS:** 1 DIFFICULTY: easy 2.8 *REFERENCES:* HAS VARIABLES: True LEARNING OBJECTIVES: GENE.EBBI.13.53 - Apply the rules for naming monatomic ions. TOPICS: early atomic theory chemical substance 93. The formula of the chlorite ion is a. Cl₂O₃⁻. b. ClO₄⁻.

d

c. Cl⁻.

d. ClO₂⁻.

e. ClO₃⁻.

ANSWER:

POINTS:

DIFFICULTY: easy
REFERENCES: 2.8
HAS VARIABLES: True

LEARNING OBJECTIVES: GENE.EBBI.13.54 - Learn the names and charges of common polyatomic ions.

TOPICS: early atomic theory

chemical substance

KEYWORDS: ionic compound | nomenclature of simple compound

OTHER: general chemistry

- 94. The name of the SO_4^{2-} ion is
 - a. persulfate.
 - b. thiosulfite.
 - c. sulfite.
 - d. sulfate.
 - e. sulfide.

ANSWER: d

POINTS:

DIFFICULTY: easy

REFERENCES: 2.8

HAS VARIABLES: True

LEARNING OBJECTIVES: GENE.EBBI.13.54 - Learn the names and charges of common polyatomic ions.

TOPICS: early atomic theory

chemical substance

KEYWORDS: ionic compound | nomenclature of simple compound

OTHER: general chemistry

- 95. The formulas of the nitrite, phosphate, and nitrate ions are represented, respectively, as
 - a. N³⁻, PO₃³⁻, NO₃⁻.
 - b. NO⁻, P⁵⁻, NO₃⁻.
 - c. NO₂⁻, P³⁻, NO₃⁻.
 - d. NO₃⁻, PO₂⁻, N³⁻.
 - e. NO₂⁻, PO₄³⁻, NO₃⁻.

ANSWER: e

POINTS:

DIFFICULTY: easy

REFERENCES: 2.8

HAS VARIABLES: False

LEARNING OBJECTIVES: GENE.EBBI.13.54 - Learn the names and charges of common polyatomic ions.

TOPICS: early atomic theory

chemical substance

KEYWORDS: ionic compound | nomenclature

OTHER: general chemistry

- 96. The formulas of the hydroxide ion, the nitrate ion, and the phosphate ion are represented, respectively, as
 - a. OH⁻, NO₂⁻, PO₃³⁻.
 - b. OH⁻, NO₂⁻, PO₄³⁻.
 - c. H⁻, NO₂⁻, P³⁻.
 - d. H⁻, NO₃⁻, P³⁻.
 - e. OH⁻, NO₃⁻, PO₄³⁻.

ANSWER: e

POINTS:

DIFFICULTY: easy

REFERENCES: 2.8

HAS VARIABLES: False

LEARNING OBJECTIVES: GENE.EBBI.13.54 - Learn the names and charges of common polyatomic ions.

TOPICS: early atomic theory

chemical substance

KEYWORDS: ionic compound | nomenclature

OTHER: general chemistry

- 97. All the following ions have the same charge except
 - a. sulfate.
 - b. dichromate.
 - c. chlorate.
 - d. sulfide.
 - e. sulfite.

ANSWER: c

POINTS:

DIFFICULTY: easy

REFERENCES: 2.8

HAS VARIABLES: False

LEARNING OBJECTIVES: GENE.EBBI.13.54 - Learn the names and charges of common polyatomic ions.

TOPICS: early atomic theory

chemical substance

KEYWORDS: ionic compound | nomenclature of simple compound

OTHER: general chemistry

- 98. All the following ions have the same charge except
 - a. oxide.

- b. monohydrogen phosphate.
- c. peroxide.
- d. permanganate.
- e. oxalate.

ANSWER: d
POINTS: 1

DIFFICULTY: easy
REFERENCES: 2.8
HAS VARIABLES: False

LEARNING OBJECTIVES: GENE.EBBI.13.54 - Learn the names and charges of common polyatomic ions.

TOPICS: early atomic theory

chemical substance

KEYWORDS: ionic compound | nomenclature of simple compound

OTHER: general chemistry

- 99. The formulas of the carbonate ion, the ammonium ion, and the chlorate ion are represented, respectively, as
 - a. CO₃²⁻, NH₂⁻, ClO₃⁻.
 - b. CO₃²⁻, NH₄⁺, ClO₃⁻.
 - c. CO₂⁻, NH₄⁺, ClO⁻.
 - d. P^{3-} , NH_3^+ , CIO_{2}^- .
 - e. CO_3^{2-} , NH_3^+ , CIO_2^- .

ANSWER: b

POINTS: 1

DIFFICULTY: easy REFERENCES: 2.8

HAS VARIABLES: 2.8

LEARNING OBJECTIVES: GENE.EBBI.13.54 - Learn the names and charges of common polyatomic ions.

TOPICS: early atomic theory

chemical substance

KEYWORDS: ionic compound | nomenclature of simple compound

OTHER: general chemistry

- 100. The systematic name for BaH₂ is
 - a. barium(II) hydrate.
 - b. barium hydride.
 - c. barium dihydrate.
 - d. barium dihydrogen.
 - e. barium dihydride.

ANSWER: b

POINTS:

DIFFICULTY: moderate

REFERENCES: 2.8
HAS VARIABLES: False

LEARNING OBJECTIVES: GENE.EBBI.13.55 - Name an ionic compound from its formula. (Example 2.4)

TOPICS: early atomic theory

chemical substance

KEYWORDS: ionic compound | nomenclature of simple compound

OTHER: general chemistry

- 101. What is the name of the compound whose formula is Al₂(SO₄)₃?
 - a. aluminum sulfate
 - b. dialuminum tri(sulfur tetraoxygen)
 - c. aluminum sulfide
 - d. aluminum persulfate
 - e. aluminum sulfite

ANSWER: a POINTS: 1

DIFFICULTY: easy
REFERENCES: 2.8
HAS VARIABLES: False

LEARNING OBJECTIVES: GENE.EBBI.13.55 - Name an ionic compound from its formula. (Example 2.4)

TOPICS: early atomic theory

chemical substance

KEYWORDS: ionic compound | nomenclature of simple compound

OTHER: general chemistry

- 102. The correct name for FeO is
 - a. iron(I) oxide.
 - b. iron oxide.
 - c. iron monoxide.
 - d. iron(II) oxide.
 - e. iron(III) oxide.

ANSWER: d
POINTS: 1

DIFFICULTY: easy
REFERENCES: 2.8
HAS VARIABLES: False

LEARNING OBJECTIVES: GENE.EBBI.13.55 - Name an ionic compound from its formula. (Example 2.4)

TOPICS: early atomic theory

chemical substance

KEYWORDS: ionic compound | nomenclature of simple compound

Chapter 02 - Atoms, Molecules, and Ions OTHER: general chemistry 103. What is the formula for the chloride of gadolinium(III)? a. Gd₂(ClO₂)₃ b. Gd(ClO₄)₂ c. Gd₃Cl d. GdCl3 e. Gd(ClO₃)₃ **ANSWER:** d **POINTS:** 1 DIFFICULTY: moderate REFERENCES: 2.8 HAS VARIABLES: True LEARNING OBJECTIVES: GENE.EBBI.13.56 - Write the formula of an ionic compound from its name. (Example 2.5) TOPICS: early atomic theory chemical substance **KEYWORDS**: ionic compound | nomenclature of simple compound OTHER: general chemistry 104. What is the correct formula for manganese(III) oxide? a. MnO b. Mn₂O c. Mn₃O₂ d. Mn₂O₃ e. MnO2 d **ANSWER: POINTS:** 1 moderate DIFFICULTY:

2.8 **REFERENCES:** HAS VARIABLES: True

LEARNING OBJECTIVES: GENE.EBBI.13.57 - Write the formula of an ionic compound from its name.

TOPICS: chemical formulas

105. What is the correct name for Ga₂S₃?

- a. indium(III) sulfide
- b. indium sulfide
- c. diindium trisulfide
- d. indium trisulfide

e. diindium(II) sulfide

ANSWER: a POINTS: 1

DIFFICULTY: moderate

REFERENCES: 2.8
HAS VARIABLES: True

LEARNING OBJECTIVES: GENE.EBBI.13.57 - Write the formula of an ionic compound from its name.

TOPICS: chemical formulas

106. What is the formula for calcium nitride?

- a. CaNO2
- b. $Ca(NO_3)_2$
- c. Ca(NO₂)₂
- d. Ca₃N₂
- e. Ca2N3

ANSWER: d
POINTS: 1

DIFFICULTY: moderate

REFERENCES: 2.8
HAS VARIABLES: False

LEARNING OBJECTIVES: GENE.EBBI.13.56 - Write the formula of an ionic compound from its name.

(Example 2.5)

TOPICS: early atomic theory

chemical substance

KEYWORDS: ionic compound | nomenclature of simple compound

OTHER: general chemistry

107. The formula of calcium sulfide is

- a. CaS.
- b. CaSO₂.
- c. CaSO₃.
- d. CaSO₄.
- e. Ca(SO₄)₂.

ANSWER: a

POINTS:

DIFFICULTY: easy

REFERENCES: 2.8

HAS VARIABLES: True

LEARNING OBJECTIVES: GENE.EBBI.13.56 - Write the formula of an ionic compound from its name.

(Example 2.5)

TOPICS: early atomic theory

chemical substance

KEYWORDS: ionic compound | nomenclature of simple compound

OTHER: general chemistry

108. What is the formula of calcium nitrite?

- a. Ca(NO₂)₂
- b. Ca₃N₂
- c. Ca₂(NO₂)₂
- d. Ca2N3
- e. Ca(NO₂)₃

ANSWER: a
POINTS: 1
DIFFICULTY: easy
REFERENCES: 2.8
HAS VARIABLES: True

LEARNING OBJECTIVES: GENE.EBBI.13.56 - Write the formula of an ionic compound from its name.

(Example 2.5)

TOPICS: early atomic theory

chemical substance

KEYWORDS: ionic compound | nomenclature of simple compound

OTHER: general chemistry

109. The formula for aluminum bromide is

- a. AlB.
- b. AlBr.
- c. Al₂Br₃.
- d. AlBr₂.
- e. AlBr3.

ANSWER: e
POINTS: 1
DIFFICULTY: easy

REFERENCES: 2.8
HAS VARIABLES: True

LEARNING OBJECTIVES: GENE.EBBI.13.56 - Write the formula of an ionic compound from its name.

(Example 2.5)

TOPICS: early atomic theory

chemical substance

KEYWORDS: ionic compound | nomenclature of simple compound

OTHER: general chemistry

110. The chemical formula for iron(III) sulfide is

- a. Fe₂(SO₄)₃.
- b. Fe_2S_3 .
- c. Fe₂(SO₃)₃.
- d. Fe₃(SO₃)₂.
- e. Fe₃(SO₄)₂.

ANSWER: b
POINTS: 1

DIFFICULTY: easy REFERENCES: 2.8 HAS VARIABLES: True

LEARNING OBJECTIVES: GENE.EBBI.13.56 - Write the formula of an ionic compound from its name.

(Example 2.5)

TOPICS: early atomic theory

chemical substance

KEYWORDS: ionic compound | nomenclature of simple compound

OTHER: general chemistry

111. The formula for aluminum sulfate is

- a. Al₃(SO₄)₂.
- b. Al₃S₂.
- c. Al₂(SO₄)₃.
- d. Al₂S₃.
- e. Al₂(SO₃)₃.

ANSWER: c

POINTS:

DIFFICULTY: easy

REFERENCES: 2.8

HAS VARIABLES: True

LEARNING OBJECTIVES: GENE.EBBI.13.56 - Write the formula of an ionic compound from its name.

(Example 2.5)

TOPICS: early atomic theory

chemical substance

KEYWORDS: ionic compound | nomenclature of simple compound

OTHER: general chemistry

112. The formula for copper(II) phosphate is

- a. Co₂(PO₄)₃.
- b. CuPO₄.
- c. Co₃(PO₄)₂.
- d. Cu₂(PO₄)₃.
- e. Cu₃(PO₄)₂.

ANSWER: e
POINTS: 1

DIFFICULTY: easy
REFERENCES: 2.8
HAS VARIABLES: True

LEARNING OBJECTIVES: GENE.EBBI.13.56 - Write the formula of an ionic compound from its name.

(Example 2.5)

TOPICS: early atomic theory

chemical substance

KEYWORDS: ionic compound | nomenclature of simple compound

OTHER: general chemistry

- 113. Choose the name–formula pair that does not match.
 - a. calcium fluoride, CaF₂
 - b. iron(III) oxide, Fe₂O₃
 - c. aluminum oxide, Al₂O₃
 - d. potassium permanganate, K₂MnO₄
 - e. sodium sulfite, Na₂SO₃

ANSWER: d
POINTS: 1
DIFFICULTY: easy
REFERENCES: 2.8
HAS VARIABLES: False

LEARNING OBJECTIVES: GENE.EBBI.13.56 - Write the formula of an ionic compound from its name.

(Example 2.5)

TOPICS: early atomic theory

chemical substance

KEYWORDS: ionic compound | nomenclature of simple compound

OTHER: general chemistry

- 114. Choose the name–formula pair that does <u>not</u> match.
 - a. calcium hydride, CaH₂
 - b. ammonium hydrogen carbonate, NH₄CO₃
 - c. sodium chlorite, NaClO₂

Chapter 02 - Atoms, Molecules, and Ions d. calcium hydroxide, Ca(OH)₂ e. nitric acid, HNO₃ **ANSWER:** b **POINTS:** 1 DIFFICULTY: easy REFERENCES: 2.8 HAS VARIABLES: False LEARNING OBJECTIVES: GENE.EBBI.13.56 - Write the formula of an ionic compound from its name. (Example 2.5) **TOPICS:** early atomic theory chemical substance ionic compound | nomenclature of simple compound **KEYWORDS**: OTHER: general chemistry 115. The formula for aluminum chloride is a. AlCl3. b. AlCl. c. Al₂Cl. d. AlCl₄. e. AlCl2. ANSWER: a POINTS: 1 DIFFICULTY: easy REFERENCES: 2.8 HAS VARIABLES: True LEARNING OBJECTIVES: GENE.EBBI.13.56 - Write the formula of an ionic compound from its name. (Example 2.5) TOPICS: early atomic theory chemical substance **KEYWORDS:** ionic compound | nomenclature of simple compound OTHER: general chemistry 116. The formula for potassium carbonate is a. P₂C. b. K₂CO₃. c. Po₂CO₃.

b

d. P_2CO_3 .

e. K₂C.

ANSWER:

Chapter 02 - Atoms, Molecules, and Ions **POINTS:** 1 DIFFICULTY: easy 2.8 REFERENCES: HAS VARIABLES: False LEARNING OBJECTIVES: GENE.EBBI.13.56 - Write the formula of an ionic compound from its name. (Example 2.5) **TOPICS:** early atomic theory chemical substance ionic compound | nomenclature of simple compound **KEYWORDS**: general chemistry *OTHER:* 117. The formula for magnesium nitride is a. Mg₂N₃. b. Mg_3N_2 . c. MgNO₂. d. Mg(NO₂)₂. e. MgN. ANSWER: b **POINTS:** 1 DIFFICULTY: easy REFERENCES: 2.8 HAS VARIABLES: False LEARNING OBJECTIVES: GENE.EBBI.13.56 - Write the formula of an ionic compound from its name. (Example 2.5) **TOPICS:** early atomic theory chemical substance **KEYWORDS**: ionic compound | nomenclature of simple compound OTHER: general chemistry 118. What is the subscript of potassium in the formula for potassium carbonate? a. 2 b. 5 c. 3 d. 4 e. 1 ANSWER: a 1 **POINTS:** DIFFICULTY: easy REFERENCES: 2.8

True

HAS VARIABLES:

LEARNING OBJECTIVES: GENE.EBBI.13.56 - Write the formula of an ionic compound from its name. (Example 2.5) **TOPICS:** early atomic theory chemical substance ionic compound | nomenclature of simple compound **KEYWORDS:** general chemistry OTHER: 119. What is the formula for sodium peroxide? a. Na₃O₂ b. NaO c. Na₂O d. NaO2 e. Na₂O₂ ANSWER: e **POINTS:** 1 DIFFICULTY: easy REFERENCES: 2.8 HAS VARIABLES: False LEARNING OBJECTIVES: GENE.EBBI.13.56 - Write the formula of an ionic compound from its name. (Example 2.5) **TOPICS:** early atomic theory chemical substance ionic compound | nomenclature of simple compound **KEYWORDS**: OTHER: general chemistry 120. What is the formula for the chlorate of ytterbium(III)? a. Yb(ClO₄)₂ b. YbCl₂ c. Yb₂(ClO₃)₃ d. YbCl₃ e. Yb(ClO₃)₃ ANSWER: e **POINTS:** 1 moderate DIFFICULTY: 2.8 *REFERENCES:* HAS VARIABLES: True

LEARNING OBJECTIVES: GENE.EBBI.13.56 - Write the formula of an ionic compound from its name.

(Example 2.5)

TOPICS: early atomic theory

chemical substance

KEYWORDS: ionic compound | nomenclature of simple compound

OTHER: general chemistry

- 121. What is the formula for the nitride of europium(III)?
 - a. EuN
 - b. Eu₂N₃
 - c. Eu(NO₃)₂
 - d. Eu(NO₃)₃
 - e. Eu(NO₂)₃

ANSWER: a POINTS: 1

DIFFICULTY: moderate

REFERENCES: 2.8
HAS VARIABLES: True

LEARNING OBJECTIVES: GENE.EBBI.13.56 - Write the formula of an ionic compound from its name.

(Example 2.5)

TOPICS: early atomic theory

chemical substance

KEYWORDS: ionic compound | nomenclature of simple compound

OTHER: general chemistry

- 122. The correct name for LiCl is
 - a. monolithium chloride.
 - b. lithium chloride.
 - c. lithium(I) chloride.
 - d. monolithium monochloride.
 - e. lithium monochloride.

ANSWER: b
POINTS: 1

DIFFICULTY: easy
REFERENCES: 2.8
HAS VARIABLES: False

LEARNING OBJECTIVES: GENE.EBBI.13.58 - Name a binary compound from its formula. (Example 2.6)

TOPICS: early atomic theory

chemical substance

KEYWORDS: ionic compound | nomenclature of simple compound

OTHER: general chemistry

123. The chemical name for the model



- a. dinitrogen tetroxide.
- b. nitrogen tetroxide.
- c. nitrogen oxide.
- d. nitric oxide.
- e. nitrogen trioxide

ANSWER: a
POINTS: 1
DIFFICULTY: easy
REFERENCES: 2.8
HAS VARIABLES: False

LEARNING OBJECTIVES: GENE.EBBI.13.59 - Name a binary molecular compound from its molecular

model. (Example 2.8)

TOPICS: early atomic theory

chemical substance

KEYWORDS: binary molecular compound | nomenclature of simple compound

OTHER: general chemistry

124. The chemical name for the binary, non-ionic molecule with the formula HI is

- a. hydrogen iodide.
- b. monohydrogen iodide.
- c. hydride iodide.
- d. hydrogen iodine.
- e. monohydrogen iodine.

ANSWER: a
POINTS: 1
DIFFICULTY: easy
REFERENCES: 2.8

LEARNING OBJECTIVES: GENE.EBBI.13.60 - Name a binary molecular compound from its molecular

model.

True

TOPICS: early atomic theory

chemical substance

125. The formula for hypochlorous acid is

a. HClO₄.

HAS VARIABLES:

- b. HClO.
- c. HCl.
- d. HClO₂.
- e. HClO.

ANSWER: e

DIFFICULTY: easy
REFERENCES: 2.8
HAS VARIABLES: True

LEARNING OBJECTIVES: GENE.EBBI.13.61 - Learn the approach for naming binary acids and oxoacids.

TOPICS: early atomic theory

chemical substance

KEYWORDS: acid | nomenclature of simple compound

OTHER: general chemistry

126. Which name-formula pair is incorrect?

- a. HNO3, nitric acid
- b. H₃PO₄, phosphoric acid
- c. HClO, hypochlorous acid
- d. HCl, hydrochloric acid
- e. HBr, perchloric acid

ANSWER: e
POINTS: 1
DIFFICULTY: easy
REFERENCES: 2.8
HAS VARIABLES: True

LEARNING OBJECTIVES: GENE.EBBI.13.61 - Learn the approach for naming binary acids and oxoacids.

TOPICS: early atomic theory

chemical substance

127. Which name–formula pair is incorrect?

- a. hypochlorous acid, HClO₂
- b. titanium(IV) carbide, TiC
- c. strontium nitride, Sr₃N₂
- d. magnesium sulfate heptahydrate, MgSO₄·7H₂O
- e. dinitrogen tetroxide, N2O4

ANSWER: a POINTS: 1

DIFFICULTY: difficult
REFERENCES: 2.8
HAS VARIABLES: False

LEARNING OBJECTIVES: GENE.EBBI.13.61 - Learn the approach for naming binary acids and oxoacids.

TOPICS: early atomic theory

chemical substance

KEYWORDS: nomenclature of simple compound

Chapter 02 - Atoms, Molecules, and Ions *OTHER:* general chemistry

128. The oxoanion that comes from nitric acid is a. N₂O₃⁻. b. NO₃⁻. c. HNO₃-. d. NO-. e. NO₂-. ANSWER: b **POINTS:** 1 DIFFICULTY: easy REFERENCES: 2.8 HAS VARIABLES: True LEARNING OBJECTIVES: GENE.EBBI.13.62 - Write the name and formula of an anion from the acid. (Example 2.9) TOPICS: early atomic theory chemical substance **KEYWORDS:** acid | nomenclature of simple compound OTHER: general chemistry 129. For the following balanced chemical equation, which substance represents the catalyst? $2CO(g) + 2NO(g) \xrightarrow{\mathbb{R}h(s)} 2CO_2(g) + N_2(g)$ a. NO(g)b. CO(g)c. $CO_2(g)$ d. $N_2(g)$ e. Rh(s)ANSWER: e **POINTS:** 1 DIFFICULTY: easy 2.9 REFERENCES: HAS VARIABLES: False LEARNING OBJECTIVES: GENE.EBBI.13.63 - Identify the reactants and products in a chemical equation. **TOPICS:** early atomic theory chemical equation **KEYWORDS**: writing equation

130. What is the balanced chemical equation that represents the following reaction?

general chemistry

OTHER:









a. $6H + 2N \rightarrow 2NH_3$

b. $6H + 2N \rightarrow 2HN_3$

c. $2N + 2H_3 \rightarrow 2H_3N$

d. $6H + 2N \rightarrow 2N_3H$

e. $3H_2 + N_2 \rightarrow 2NH_3$

ANSWER: e

POINTS: 1

DIFFICULTY: easy

2.9 REFERENCES:

HAS VARIABLES: False

LEARNING OBJECTIVES: GENE.EBBI.13.63 - Identify the reactants and products in a chemical equation.

TOPICS: early atomic theory

chemical equation

KEYWORDS: writing equation *OTHER:* general chemistry

131. In the following chemical equation, what is the reactant?

 $CuSO_4 \cdot 5H_2O(s) \rightarrow CuO(s) + SO_3(g) + 5H_2O(l)$

a. $CuSO_4 \cdot 5H_2O(s)$

b. $H_2O(l)$

 c . CuO(s)

d. $SO_3(g)$

e. $CuSO_4(s)$

ANSWER: a

POINTS: 1

DIFFICULTY: easy

REFERENCES: 2.9 HAS VARIABLES: False

LEARNING OBJECTIVES: GENE.EBBI.13.63 - Identify the reactants and products in a chemical equation.

TOPICS: early atomic theory

chemical equation

KEYWORDS: writing equation OTHER: general chemistry

132. Which is a correct balanced chemical equation corresponding to the following description of a chemical reaction?

Hydrochloric acid reacts with magnesium metal to produce aqueous magnesium chloride and hydrogen gas.

- a. $2HCl(aq) + Mg(s) \rightarrow MgCl_2(aq) + 2H(g)$
- b. $2HCl(aq) + Mg(s) \rightarrow MgCl_2(aq) + H_2(g)$
- ^c· $2HCl(aq) + Mg(s) \rightarrow MgCl(aq) + H_2(g)$
- d. $2HCl(aq) + Mg(aq) \rightarrow MgCl_2(s) + H_2(g)$
- e. $HCl(aq) + Mg(s) \rightarrow MgCl(aq) + H(g)$

ANSWER: b
POINTS: 1

DIFFICULTY: moderate

REFERENCES: 2.9
HAS VARIABLES: False

LEARNING OBJECTIVES: GENE.EBBI.13.64 - Write chemical equations using appropriate phase

labels, symbols of reactions conditions, and the presence of a catalyst.

TOPICS: early atomic theory

chemical equation

KEYWORDS: balancing chemical equation

OTHER: general chemistry

- 133. Sulfuric acid reacts with aqueous sodium hydroxide to produce aqueous sodium sulfate and liquid water. Which is the correct balanced chemical equation for this reaction description?
 - a. $H_2SO_4(aq) + 2NaOH(aq) \rightarrow Na_2S(aq) + 2H_2O(l) + 2O_2(g)$
 - b. $H_2S(aq) + 2NaOH(aq) \rightarrow Na_2S(aq) + 2H_2O(l)$
 - c. $H_2SO_4(aq) + NaOH(aq) \rightarrow NaSO_4(aq) + H_2O(g)$
 - d. $H_2SO_4(aq) + 2NaOH(aq) \rightarrow Na_2SO_4(aq) + 2H_2O(l)$
 - e. $H_2SO_4(aq) + (NaOH)_2(aq) \rightarrow Na_2SO_4(aq) + 2H_2O(l)$

ANSWER: d
POINTS: 1

DIFFICULTY: moderate

REFERENCES: 2.9 HAS VARIABLES: False

LEARNING OBJECTIVES: GENE.EBBI.13.64 - Write chemical equations using appropriate phase

labels, symbols of reactions conditions, and the presence of a catalyst.

TOPICS: early atomic theory

chemical reaction

- 134. How many of the following statements are true concerning chemical equations?
 - I. Coefficients can be fractions.
- II. Subscripts can be fractions.
- III. Coefficients represent the relative masses of the reactants and/or products.
- IV. Changing the subscripts to balance an equation can be done only once.
- V. Atoms are conserved when balancing chemical equations.

a. 3

b. 4

c. 2

d. 5

e. 1

ANSWER: c
POINTS: 1

DIFFICULTY: moderateREFERENCES: 2.10HAS VARIABLES: False

LEARNING OBJECTIVES: GENE.EBBI.13.65 - Master techniques for balancing chemical equations.

(Example 2.12)

TOPICS: early atomic theory

chemical equation

KEYWORDS: balancing chemical equation

OTHER: general chemistry

135. When the following equation is balanced with lowest whole-number coefficients, what is the coefficient for NO(g)?

$$\underline{\hspace{1cm}}$$
 NH₃(g) + $\underline{\hspace{1cm}}$ O₂(g) \rightarrow $\underline{\hspace{1cm}}$ NO(g) + $\underline{\hspace{1cm}}$ H₂O(g)

a. 3

b. 2

c. 5

d. 4

e. 1

ANSWER: d
POINTS: 1

DIFFICULTY: moderateREFERENCES: 2.10HAS VARIABLES: False

LEARNING OBJECTIVES: GENE.EBBI.13.65 - Master techniques for balancing chemical equations.

(Example 2.12)

TOPICS: early atomic theory

chemical equation

KEYWORDS: balancing chemical equation

OTHER: general chemistry

136. The complete combustion of propane, C₃H₈, yields carbon dioxide and water:

$$-C3 H8 + -O_2 \rightarrow -CO_2 + -H_2O$$

The smallest whole-number coefficient of oxygen in the balanced equation is

a. 6.

b. 3.	
c. 7.	
d. 4.	
e. 5.	
ANSWER:	e
POINTS:	1
DIFFICULTY:	easy
REFERENCES:	2.10
HAS VARIABLES:	True
LEARNING OBJECTIV	YES: GENE.EBBI.13.65 - Master techniques for balancing chemical equations. (Example 2.12)
TOPICS:	early atomic theory chemical equation
KEYWORDS:	balancing chemical equation
OTHER:	general chemistry
137. The products of the	e combustion of acetaldehyde with oxygen are shown in the following equation:
CH3CHO +O2 —	\rightarrow CO ₂ + H ₂ O
When properly balanced	d, the equation indicates thatmolecules of O ₂ are required to burn 2 molecules of
CH ₃ CHO.	
a. 2	
b. 6	
c. 4	
d. 3	
e. 5	
ANSWER:	e
POINTS:	1
DIFFICULTY:	moderate
REFERENCES:	2.10
HAS VARIABLES:	False
LEARNING OBJECTIV	YES: GENE.EBBI.13.65 - Master techniques for balancing chemical equations. (Example 2.12)
TOPICS:	early atomic theory chemical equation
KEYWORDS:	balancing chemical equation
OTHER:	general chemistry
$-C8 H_{18} + -O_{2} \rightarrow -$	bustion of octane, C_8H_{18} , yields carbon dioxide and water: $CO_2 + - H_2O$ nber coefficient of oxygen in the balanced equation is
The billullest willole fluil	1001 00011101011 01 0x15011 111 tilo ottuttood oquation 15

a. 24.

Chapter 02 - Atoms, Molecules, and Ions

Chapter 02 - Atoms,	Molecules, and Ions
b. 26.	
c. 22.	
d. 23.	
e. 25.	
ANSWER:	e
POINTS:	1
DIFFICULTY:	moderate
REFERENCES:	2.10
HAS VARIABLES:	True
LEARNING OBJECTIVE	ES: GENE.EBBI.13.65 - Master techniques for balancing chemical equations. (Example 2.12)
TOPICS:	early atomic theory chemical equation
KEYWORDS:	balancing chemical equation
OTHER:	general chemistry
$(CH_3)_2N_2H_2 + N_2$	llowing reaction provided the lift for the moon lander: $O_4 \rightarrow N_2 + H_2O + CO_2$ lanced, the smallest whole-number coefficient of nitrogen is
a. 5.	
b. 4.	
c. 1.	
d. 3.	
e. 2.	
ANSWER:	d
POINTS:	1
DIFFICULTY:	difficult
REFERENCES:	2.10
HAS VARIABLES:	False
LEARNING OBJECTIVE	ES: GENE.EBBI.13.65 - Master techniques for balancing chemical equations. (Example 2.12)
TOPICS:	early atomic theory chemical equation
KEYWORDS:	balancing chemical equation
OTHER:	general chemistry
140. Treatment of sodium diborane:	m borohydride with sulfuric acid is a convenient method for the preparation of
	\rightarrow B ₂ H ₆ + Na ₂ SO ₄
-	lanced, the lowest whole number coefficient for hydrogen is
a. 5.	
b. 2.	

Chapter 02 - Atoms, N	Tolecules, and Ions
c. 4.	
d. 1.	
e. 3.	
ANSWER:	b
POINTS:	1
DIFFICULTY:	difficult
REFERENCES:	2.10
HAS VARIABLES:	False
LEARNING OBJECTIVES	S: GENE.EBBI.13.65 - Master techniques for balancing chemical equations. (Example 2.12)
TOPICS:	early atomic theory chemical equation
KEYWORDS:	balancing chemical equation
OTHER:	general chemistry
a. the total volume of	•
b. the density of the sy	
c. the temperature of t	·
d. the total number of	·
	molecules in the system.
ANSWER:	d
POINTS:	1
DIFFICULTY:	easy
REFERENCES:	2.10
HAS VARIABLES:	False
LEARNING OBJECTIVES	S: GENE.EBBI.13.65 - Master techniques for balancing chemical equations. (Example 2.12)
TOPICS:	early atomic theory chemical equation
KEYWORDS:	balancing chemical equation
OTHER:	general chemistry
142. The complete combushown in the following eq	stion of phenylhydrazine, C ₆ H ₅ NHNH ₂ , with the oxidizer dinitrogen tetraoxide is uation:
	$O_4 \rightarrow \underline{\hspace{1cm}} CO_2 + \underline{\hspace{1cm}} H_2O + \underline{\hspace{1cm}} N_2$
-	anced, the sum of all the coefficients (using smallest whole numbers) is
a. 30.	
b. 20.	
c. 25.	
d. 10.	

Chapter 02 - Atoms,	Molecules, and Ions
e. 15.	
ANSWER:	b
POINTS:	1
DIFFICULTY:	difficult
REFERENCES:	2.10
HAS VARIABLES:	False
LEARNING OBJECTIVE	ES: GENE.EBBI.13.65 - Master techniques for balancing chemical equations. (Example 2.12)
TOPICS:	early atomic theory chemical equation
KEYWORDS:	balancing chemical equation
OTHER:	general chemistry
-	bustion of pentane yields carbon dioxide and water. When the equation \rightarrow CO ₂ (g) +H ₂ O(l)
	the coefficient of CO_2 to the coefficient of O_2 is
a. 8:5.	
b. 8:6.	
c. 6:5.	
d. 5:6.	
e. 5:8.	
ANSWER:	e
POINTS:	1
DIFFICULTY:	moderate
REFERENCES:	2.10
HAS VARIABLES:	False
	ES: GENE.EBBI.13.65 - Master techniques for balancing chemical equations. (Example 2.12)
TOPICS:	early atomic theory chemical equation
KEYWORDS:	balancing chemical equation
OTHER:	general chemistry
	between sodium carbonate and hydrochloric acid, producing sodium chloride, carbon ch is the correct set of coefficients, respectively, for the balanced reaction?
c. 5 10 10 5 5	
d. 1 2211	
e. none of these	
ANSWER:	d

POINTS:	1
DIFFICULTY:	difficult
REFERENCES:	2.10
HAS VARIABLES:	False
LEARNING OBJECTI	VES: GENE.EBBI.13.65 - Master techniques for balancing chemical equations. (Example 2.12)
TOPICS:	early atomic theory chemical equation
KEYWORDS:	balancing chemical equation
OTHER:	general chemistry
145. When the equatio	n
	$N_2O_4 \rightarrow \underline{\hspace{1cm}} N_2 + \underline{\hspace{1cm}} H_2O + \underline{\hspace{1cm}} CO_2$
is balanced, the sum of a. 13.	fall the coefficients (simplest whole number) is
b. 12.	
c. 9.	
d. 10.	
e. 11.	
ANSWER:	b
POINTS:	1
DIFFICULTY:	difficult
REFERENCES:	2.10
HAS VARIABLES:	False
LEARNING OBJECTI	VES: GENE.EBBI.13.65 - Master techniques for balancing chemical equations. (Example 2.12)
TOPICS:	early atomic theory chemical equation
KEYWORDS:	balancing chemical equation
OTHER:	general chemistry
146. When the equatio	n
$\underline{\hspace{1cm}}$ C ₅ H ₆ N ₂ OS(s) + $\underline{\hspace{1cm}}$	$O_2(g) \rightarrow \underline{CO_2(g) + \underline{H_2O(l) + \underline{N_2(g) + \underline{SO_2(g)}}}$
is balanced, the sum of a. 19.	fall the coefficients (simplest whole number) is
b. 20.	
c. 24.	
d. 18. e. 21.	
e. 21. ANSWER:	d
POINTS:	l
DIFFICULTY:	difficult

REFERENCES: 2.10
HAS VARIABLES: False

LEARNING OBJECTIVES: GENE.EBBI.13.65 - Master techniques for balancing chemical equations.

(Example 2.12)

TOPICS: early atomic theory

chemical equation

KEYWORDS: balancing chemical equation

OTHER: general chemistry

147. Ammonia can be made by reaction of water with magnesium nitride:

 $\underline{\hspace{1cm}}$ Mg₃N₂(s) + $\underline{\hspace{1cm}}$ H₂O(l) \rightarrow Mg(OH)₂(s) + $\underline{\hspace{1cm}}$ NH₃(g)

When the equation is properly balanced, the sum of the coefficients is

- a. 6.
- b. 14.
- c. 12.
- d. 9.
- e. 8.

ANSWER: c
POINTS: 1

DIFFICULTY: moderateREFERENCES: 2.10HAS VARIABLES: False

LEARNING OBJECTIVES: GENE.EBBI.13.65 - Master techniques for balancing chemical equations.

(Example 2.12)

TOPICS: early atomic theory

chemical equation

KEYWORDS: balancing chemical equation

OTHER: general chemistry

148. Which one of the following equations is properly balanced?

a.
$$Sn + 4HNO_3 \rightarrow SnO_2 + 4NO_2 + 2H_2O$$

b.
$$2Na_2SO_4 + 3Bi(NO_3)_3 \rightarrow Bi_2(SO_4)_3 + 9NaNO_3$$

c.
$$CH_3CHO + 3O_2 \rightarrow 2CO_2 + 2H_2O$$

d.
$$NH_4NO_3 \rightarrow 2H_2O + N_2$$

e.
$$Na_2CO_3 + 2H_2SO_4 \rightarrow Na_2SO_4 + 2H_2O + CO_2$$

ANSWER: a
POINTS: 1
DIFFICULTY: easy
REFERENCES: 2.10
HAS VARIABLES: False

LEARNING OBJECTIVES: GENE.EBBI.13.66 - Determine if a chemical reaction is balanced.

TOPICS: early atomic theory

chemical equation

KEYWORDS: balancing chemical equation

OTHER: general chemistry

149. Which of the following chemical equations is not balanced?

- a. $NH_4NO_3 \rightarrow N_2O + 2H_2O$
- b. $C_{12}H_{22}O_{11} \rightarrow 12C + 11H_2O$
- c. $2NH4SCN + Ba(OH)_2 \cdot 8H_2O \rightarrow 2NH_3 + 10H_2O + Ba(SCN)_2$
- d. $(NH_4)_2Cr_2O_7 \rightarrow N_2O + Cr_2O_3 + 4H_2O$
- e. $2Mg + CO_2 \rightarrow 2MgO + C$

ANSWER: d
POINTS: 1
DIFFICULTY: easy
REFERENCES: 2.10
HAS VARIABLES: False

LEARNING OBJECTIVES: GENE.EBBI.13.66 - Determine if a chemical reaction is balanced.

TOPICS: early atomic theory

chemical equation

KEYWORDS: balancing chemical equation

OTHER: general chemistry

150. Which of the following equations is not balanced?

- a. $2Sb_2OS_2 + 10O_2 \rightarrow 2Sb_2O_5 + 4SO_3$
- b. $(NH_4)_2Cr_2O_7 \rightarrow N_2 + 4H_2O + Cr_2O_3$
- c. $C_{12}H_{22}O_{11} + 12O_2 \rightarrow 12CO_2 + 11H_2O$
- d. $2NaCl + Pb(NO_3)_2 \rightarrow PbCl_2 + 2NaNO_3$
- e. $Fe_3O_4 + 3CO \rightarrow 3Fe + 3CO_2$

ANSWER: e
POINTS: 1
DIFFICULTY: easy
REFERENCES: 2.10
HAS VARIABLES: False

LEARNING OBJECTIVES: GENE.EBBI.13.66 - Determine if a chemical reaction is balanced.

TOPICS: early atomic theory

chemical equation

KEYWORDS: balancing chemical equation

OTHER: general chemistry

	ment(s) about a nucleus. n atom's central core. ositively charged.
	tains most of an atom's mass.
a. 1 only	
b. 2 only	
c. 3 only	
d. 1 and 3	
e. 2 and 3	
ANSWER:	d
POINTS:	1
DIFFICULTY:	Easy
REFERENCES:	2.2
HAS VARIABLES:	False
LEARNING OBJECTIVES	: GENE.EBBI.13.30 - Describe Rutherford's experiment that led to the nuclear model of the atom.
TOPICS:	The Structure of the Atom
a. Protons b. Electrons c. Bosons d. Positrons e. Neutrons ANSWER: POINTS:	b 1
DIFFICULTY:	Easy
REFERENCES:	2.2
HAS VARIABLES:	False
LEARNING OBJECTIVES	: GENE.EBBI.13.28 - Describe Thomson's experiment in which he discovered the electron.
TOPICS:	The Structure of the Atom
153. An important class of hydrogen, oxygen, and nitr a. organic compounds b. radioactive isotones c. radioactive isotopes	molecular substances that contain carbon combined with other elements, such as rogen, is
d. inorganic compound e. stable isotopes	ls
ANSWER: a	

POINTS: 1 DIFFICULTY: Moderate **REFERENCES:** 2.7 HAS VARIABLES: False **TOPICS: Organic Compounds** 154. Which of the following is/are true about urea? 1. Urea is a molecular compound in human urine. 2. Urea can be synthesized from ammonia and cyanic acid. 3. Urea belongs to the hydrocarbon group. a. 1 only b. 2 only c. 3 only d. 1 and 2 e. 1, 2, and 3 ANSWER: d **POINTS:** 1 DIFFICULTY: Moderate 2.7 REFERENCES: HAS VARIABLES: False LEARNING OBJECTIVES: GENE.EBBI.13.51 - Recognize some functional groups of organic molecules. TOPICS: Organic Compounds 155. A is the symbolic representation of a chemical reaction in terms of chemical formulas. a. chemical bond b. chemical reagent c. chemical energy d. chemical reactant e. chemical equation ANSWER: e **POINTS:** 1 DIFFICULTY: Easy 2.9 REFERENCES: HAS VARIABLES: False LEARNING OBJECTIVES: GENE.EBBI.13.63 - Identify the reactants and products in a chemical equation. **TOPICS:** Writing Chemical Equations

Chapter 02 - Atoms, Molecules, and Ions