

**Test Bank for Intermediate Algebra Everyday Explorations 5th Edition  
Kaseberg Cripe and Wildman 1111989338 9781111989330**

Full link download

Test Bank


<https://testbankpack.com/p/test-bank-for-intermediate-algebra-everyday-explorations-5th-edition-kaseberg-cripe-and-wildman-1111989338-9781111989330/>

1. Using the table, determine  $f(-5)$ .

$x$	$f(x) = x^2 + 3x + 2$
-4	6
-3	2
-2	0
-1	0
0	2
1	6
2	12
3	20
4	30


- A) 42  
B) 6  
C) 20  
D) 1  
E) 12
2. Find the  $x$ -intercepts of the parabola:  $y = 4x^2 - 36$
- A) (3,0), (-2,0)  
B) (3,0)  
C) (0,-3), (0,3)  
D) (-3,0), (3,0)  
E) (0,-3), (-3,0)

3. Using the graph, find the y-intercept point.




- A) (4, 0)
- B) (0, 4)
- C) (3, 1)
- D) (1, 3)
- E) no y-intercept

4. Using the graph, find the equation for the axis of symmetry.



- A)  $y = 3$
- B)  $y = 4$
- C)  $x = 1$
- D)  $x = 4$
- E)  $x = 0$

5. Using the graph, find the vertex.



- A) (1, 4)
- B) (4, 0)
- C) (0, 4)
- D) (3, 1)
- E) (1, 3)

6. Find the minimum or maximum of the quadratic function:


$$y = x^2 - 10x + 10$$

- A) Minimum: -15
- B) Minimum: 35
- C) Minimum: 5
- D) Minimum: 15
- E) Maximum: -17

7. Find the  $x$ -intercepts of the parabola:  $y = 4x^2 - 64$

- A) (4,0), (-3,0)
- B) (4,0)
- C) (0,-4), (0,4)
- D) (-4,0), (4,0)
- E) (0,-4), (-4,0)

8. Using the graph, find the equation for the axis of symmetry.




- A)  $x = \frac{1}{2}$
- B)  $x = 1$
- C)  $y = 3$
- D)  $y = 1$
- E)  $y = \frac{1}{2}$


9. Find the vertex and axis of symmetry, and then graph the parabola given by:

$$y = -2x^2 + 6x$$


A) Vertex:  $(\frac{3}{2}, \frac{9}{2})$ ; Axis of symmetry:  $x = \frac{3}{2}$




B) Vertex:  $(\frac{1}{2}, -\frac{25}{4})$ ; Axis of symmetry:  $x = \frac{1}{2}$



C) Vertex:  $(\frac{3}{2}, \frac{-9}{4})$ ; Axis of symmetry:  $x = \frac{1}{2}$



10. Using the graph, find the vertex.



- A)  $\left(3, \frac{1}{2}\right)$
- B)  $\left(\frac{1}{2}, 3\right)$
- C)  $\left(0, 2\frac{1}{2}\right)$
- D)  $\left(2\frac{1}{2}, 0\right)$
- E)  $(1, 3)$

11. Find the minimum or maximum of the quadratic function:

$$y = 4x^2 + 8x$$

- A) Minimum:  $-4$
- B) Minimum:  $-1$
- C) Minimum:  $12$
- D) Minimum:  $4$
- E) Minimum:  $-3$

12. Find the  $x$ -intercepts of the parabola:  $y = x^2 - 2x - 15$

- A)  $(3,0), (5,0)$
- B)  $(3, 5)$
- C)  $(0,-3), (5, 0)$
- D)  $(-3,0), (5, 0)$
- E)  $(0,-3), (0,5)$

13. Using a table and graph, find the equation for the axis of symmetry.


$$f(x) = -x^2 - 6x - 4$$

- A)  $y = -3$
- B)  $y = 5$
- C)  $y = -4$
- D)  $x = -3$
- E)  $x = 5$


14. Find the vertex and axis of symmetry, and then graph the parabola given by:

$$y = -x^2 + 2x - 3$$


A) Vertex:  $(1, -2)$ ; Axis of symmetry:  $x = 1$



B) Vertex:  $(2, -1)$ ; Axis of symmetry:  $x = 2$



C) Vertex:  $(1, -1)$ ; Axis of symmetry:  $x = 1$





15. Find the vertex of the following equation.

$$f(x) = -x^2 + 4x - 10$$

- A) (0, -10)
- B) (-10, 0)
- C) (2, -6)
- D) (-6, 2)
- E) (-6, -10)

16. Find the minimum or maximum of the quadratic function:

$$y = -9x^2 + 6x - 8$$

- A) Maximum: -7
- B) Maximum: 2
- C) Maximum: 9
- D) Maximum: -9
- E) Minimum: 3

17. Find the  $x$ -intercepts of the parabola:  $y = 8x^2 + 13x - 6$

- A)  $(2,0), \left(\frac{3}{8}, 0\right)$
- B)  $\left(2, \frac{3}{8}\right)$
- C)  $(0,-2), \left(\frac{3}{8}, 0\right)$
- D)  $(-2,0), \left(\frac{3}{8}, 0\right)$
- E)  $(0,-2), \left(0, \frac{3}{8}\right)$

18. The vertex of a parabola is  $(-7, -1)$  and opens upward. What is the equation of the axis of symmetry of the parabola?

- A)  $y = -1$
- B)  $x = 7$
- C)  $x = -7$
- D)  $y = 1$
- E)  $x = -1$

19. Find the minimum or maximum of the quadratic function:

$$y = -5x^2 + 10x - 1$$

- A) Maximum: 4
- B) Maximum: 1
- C) Maximum: 6
- D) Maximum:  $-4$
- E) Minimum:  $-5$

20. **Physics:** The height,  $s$ , in feet, of a rock thrown upward at an initial speed of 76 ft/s from a cliff 40 ft above the ocean beach is given by the function

$$s(t) = -16t^2 + 76t + 40, \text{ where } t \text{ is the time in seconds.}$$

Find the maximum height above the beach that the rock will attain.

- A) 130.25 ft
- B) 2.4 ft
- C) 130 ft
- D) 139.25 ft
- E) 122.25 ft

21. Use first and second differences to find out whether each sequence may be described with a linear function, a quadratic function, or neither. Use the table method to fit a linear or quadratic equation.

1, 8, 11, 37, 640, . . .

- A) linear;  $y = 2x + 1$
- B) quadratic;  $y = 2x^2$
- C) quadratic;  $y = 2x^2 + 1$
- D) linear;  $y = 2x$
- E) neither

22. Use first and second differences to find out whether each sequence may be described with a linear function, a quadratic function, or neither. Use the table method to fit a linear or quadratic equation.

8, 24, 48, 80, 120, . . .

- A) linear;  $y = 4x$
- B) quadratic;  $y = 4x^2 + x$
- C) quadratic;  $y = 4x^2 + 4x$
- D) linear;  $y = 16x^2$
- E) neither

23. Use first and second differences to find out whether each sequence may be described with a linear function, a quadratic function, or neither. Use the table method to fit a linear or quadratic equation.

8, 15, 22, 29, 36, . . .

- A) linear;  $y = 7x$
- B) quadratic;  $y = 7x^2 + 1$
- C) linear;  $y = 7x + 1$
- D) quadratic;  $y = 7x^2 - 1$
- E) neither

24. Use first and second differences to find out whether each sequence may be described with a linear function, a quadratic function, or neither. Use the table method to fit a linear or quadratic equation.

5, 12, 21, 32, 45, . . .

- A) linear;  $y = 4x$
- B) quadratic;  $y = x^2 + 4x$
- C) linear;  $y = x$
- D) quadratic;  $y = x^2 + x$
- E) neither

25. Use first and second differences to find out whether each sequence may be described with a linear function, a quadratic function, or neither. Use the table method to fit a linear or quadratic equation.

35, 42, 47, 50, 51, . . .

- A) quadratic;  $y = -x^2 + 10x + 26$
- B) linear;  $y = 10x + 26$
- C) linear;  $y = -10x + 26$
- D) quadratic;  $y = x^2 + 10x + 26$
- E) neither

26. Use first and second differences to find out whether each sequence may be described with a linear function, a quadratic function, or neither. Use the table method to fit a linear or quadratic equation.

2, 2, 3, 4, 6, 9, . . .

- A) quadratic;  $y = 2x$
- B) linear;  $y = 2x$
- C) linear;  $y = 4x$
- D) quadratic;  $y = 3x$
- E) neither

27. Use first and second differences to find out whether each sequence may be described with a linear function, a quadratic function, or neither. Use the table method to fit a linear or quadratic equation.

21, 25, 29, 33, 37, . . .

- A) quadratic;  $y = 4x^2 + 17$
- B) linear;  $y = 4x + 2$
- C) linear;  $y = 4x + 17$
- D) quadratic;  $y = 4x^2 + 2$
- E) neither

28. Use first and second differences to find out whether each sequence may be described with a linear function, a quadratic function, or neither. Use the table method to fit a linear or quadratic equation.

6,13,27,34,37 , . . .

- A) linear;  $y = 6x$
- B) quadratic;  $y = 7x$
- C) linear;  $y = 8x$
- D) quadratic;  $y = 6x$
- E) neither

29. Add the following. Use a vertical format.

$$(3x^2 + 3x + 2) + (4x^2 + 5x - 8)$$

- A)  $7x^2 + 2x - 6$
- B)  $7x^2 + 8x + 6$
- C)  $7x + 8x^2 - 6$
- D)  $7x^2 + 8x - 6$
- E)  $7x^2 + 8x - 2$

30. Add the following. Use a vertical format.

$$(5r^3 - 10r^2 + 11r) + (-14 - 5r + 3r^2)$$

- A)  $5r^3 + 7r^2 + 6r - 14$
- B)  $5r^3 - 7r^2 + 6r + 14$
- C)  $5r^3 - 7r^2 + 6r - 14$
- D)  $5r^3 + 7r^2 - 6r - 14$
- E)  $5r^3 - 7r^2 + 6r - 3$

31. Add the following. Use a horizontal format.

$$(-10x^2 + 3x + 4) + (3x^2 + 4x - 11)$$

- A)  $-7x^2 - x - 7$
- B)  $-7x^2 + 7x + 7$
- C)  $-7x + 7x^2 - 7$
- D)  $-7x^2 + 7x - 7$
- E)  $-7x^2 - x + 15$

32. Add the following. Use a horizontal format.

$$(5y^3 - 5y^2 + 7y) + (-11 - 2y + 2y^2)$$

- A)  $7y^3 + 3y^2 + 5y - 11$
- B)  $5y^3 - 3y^2 + 5y + 11$
- C)  $5y^3 - 3y^2 + 5y - 11$
- D)  $5y^3 - 3y^2 - 5y - 11$
- E)  $7y^3 - 7y^2 + 5y - 4$

33. Subtract the following. Use a vertical format.

$$(3x^2 + 11x + 4) - (5x^2 - 6x + 7)$$

- A)  $-2x^2 + 11x - 3$
- B)  $-2x^2 + 17x + 3$
- C)  $-2x + 17x^2 + 3$
- D)  $-2x^2 + 5x - 3$
- E)  $-2x^2 + 17x - 3$

34. Subtract the following. Use a vertical format.

$$(5y^2 - 8y + 5) - (-10 + 2y - 2y^3)$$

- A)  $2y^3 + 5y^2 + 10y - 15$
- B)  $-2y^3 - 5y^2 + 10y + 15$
- C)  $2y^3 + 5y^2 - 10y + 15$
- D)  $2y^3 - 5y^2 - 10y - 15$
- E)  $-2y^3 + 3y^2 + 6y - 5$

35. Subtract the following. Use a vertical format.

$$(10x^2 + 10x - 4) - (4x + 14x^2 - 10)$$

- A)  $-4x^2 + 6x + 6$
- B)  $-4x^2 + 24x - 6$
- C)  $-4x + 6x^2 - 6$
- D)  $-4x^2 - 6x + 6$
- E)  $-4x^2 + 6x - 6$

36. Subtract the following. Use a horizontal format.

$$(2x^3 + 7x + 8) - (-12x^2 + 2x - 2)$$

- A)  $2x^3 - 12x^2 - 5x + 10$
- B)  $2x^3 - 12x^2 + 5x + 10$
- C)  $2x^3 + 12x^2 + 5x + 10$
- D)  $2x^3 - 12x^2 - 5x - 10$
- E)  $14x^3 + 5x - 6$

37. Given  $P(x) = x^2 - 3xy + y^2$  and  $R(x) = 6x^2 - 6y^2$ , find  $P(x) + R(x)$ .

- A)  $6x^2 - 3xy - 3y^2$
- B)  $7x^2 - 3xy - 3y^2$
- C)  $7x^2 - 2xy - 3y^2$
- D)  $6x^2 - 2xy - 2y^2$
- E)  $7x^2 - 3xy - 5y^2$

38. Given  $P(x) = 7x^2 + 6y^2$  and  $R(x) = -13x^2 + 6xy - 7y^2$ , find  $P(x) - R(x)$ .

- A)  $-6x^2 - 6xy + 13y^2$
- B)  $20x^2 - 6xy + 12y^2$
- C)  $-6x^2 - 6xy + 12y^2$
- D)  $20x^2 - 6xy + 13y^2$
- E)  $-6x^2 - 7xy + 12y^2$

39. Multiply:

$$(x^2 - 7x + 4)(x - 2)$$

- A)  $x^3 - 9x^2 + 18x - 8$
- B)  $x^3 - 9x^2 + 18x + 8$
- C)  $x^3 - 9x^2 - 18x - 8$
- D)  $x^3 + 9x^2 + 18x - 8$
- E)  $x^3 + 9x^2 - 18x - 8$

40. Multiply:

$$(x^2 - 4x + 5)(5x - 3)$$

- A)  $5x^3 - 23x^2 + 37x - 15$
- B)  $5x^3 - 23x^2 + 37x + 15$
- C)  $5x^3 - 23x^2 - 37x - 15$
- D)  $5x^3 + 23x^2 + 37x - 15$
- E)  $5x^3 + 23x^2 - 37x - 15$

41. Multiply:

$$(-7x^2 + 7x - 2)(2x - 3)$$

- A)  $-14x^3 - 35x^2 - 25x + 6$
- B)  $-14x^3 + 35x^2 - 25x - 6$
- C)  $-14x^3 + 35x^2 - 25x + 6$
- D)  $-14x^3 - 35x^2 + 25x + 6$
- E)  $-14x^3 + 35x^2 + 25x - 6$

42. Multiply:

$$(7y^3 + 4y^2 + 5)(5y - 1)$$

- A)  $35y^4 - 13y^3 + 4y^2 + 25y - 5$
- B)  $35y^4 + 13y^3 - 4y^2 + 25y - 5$
- C)  $35y^4 + 13y^3 + 4y^2 + 25y - 5$
- D)  $35y^4 - 13y^3 - 4y^2 + 25y - 5$
- E)  $35y^4 + 13y^3 + 4y^2 - 25y - 5$

43. Multiply:

$$(y^3 + 2y^2 - 2y + 1)(y + 4)$$

- A)  $y^4 + 6y^3 + 6y^2 + 7y + 4$
- B)  $y^4 - 6y^3 + 6y^2 - 7y + 4$
- C)  $y^4 - 6y^3 + 6y^2 + 7y + 4$
- D)  $y^4 + 6y^3 + 6y^2 - 7y + 4$
- E)  $y^4 + 6y^3 - 6y^2 - 7y - 4$



44. Multiply:

$$(x+7)(x+2)$$

- A)  $x^2 + 9x + 14$
- B)  $x^2 + 9x - 14$
- C)  $x^2 + 14$
- D)  $x^2 - 9x + 14$
- E)  $x^2 + 5x + 14$

45. Multiply:

$$(x-2)(x+5)$$

- A)  $x^2 - 3x - 10$
- B)  $x^2 + 3x + 10$
- C)  $x^2 - 10$
- D)  $x^2 + 3x - 10$
- E)  $x^2 - 2x - 10$

46. Multiply:

$$(x-4)(x-3)$$

- A)  $x^2 - 7x + 12$
- B)  $x^2 + 12x + 12$
- C)  $x^2 + 12$
- D)  $x^2 - 7x - 12$
- E)  $x^2 - 4x - 12$

47. Multiply:

$$(y+7)(3y+1)$$

- A)  $3y^2 + 21y + 7$
- B)  $3y^2 + 7$
- C)  $3y^2 + 22y - 7$
- D)  $3y^2 + 22y + 7$
- E)  $3y^2 - 22y + 7$

48. Multiply:

$$(5a-2)(a+3)$$

- A)  $5a^2 - 13a + 6$
- B)  $5a^2 + 13a + 6$
- C)  $5a^2 - 2a - 6$
- D)  $5a^2 - 13a - 6$
- E)  $5a^2 + 13a - 6$

49. Multiply:

$$(4y-2)(y-3)$$

- A)  $4y^2 + 14y + 6$
- B)  $4y^2 - 14y + 6$
- C)  $4y^2 - 2y - 6$
- D)  $4y^2 + 14y - 6$
- E)  $4y^2 - 14y - 6$

50. Multiply:

$$(7y-3)(3y-3)$$

- A)  $21y^2 - 9y + 9$
- B)  $21y^2 - 30y + 9$
- C)  $21y^2 + 30y + 9$
- D)  $21y^2 - 30y - 9$
- E)  $21y^2 - 9y - 9$

51. Multiply:

$$(2a+2b)(a-6b)$$

- A)  $2a^2 + 10ab - 12b^2$
- B)  $2a^2 - 10ab + 12b^2$
- C)  $2a^2 + 2ab - 12b^2$
- D)  $2a^2 - 10ab - 12b^2$
- E)  $2a^2 - 12ab - 12b^2$

52. Multiply:

$$3(3x - 2y)(3x + 5y)$$

- A)  $27x^2 + 27xy - 30y^2$
- B)  $9x^2 + 9xy + 10y^2$
- C)  $27x^2 - 27xy + 30y^2$
- D)  $27x^2 - 27xy - 30y^2$
- E)  $9x^2 - 9xy + 10y^2$

53. Multiply:

$$(xy + 9)(xy - 4)$$

- A)  $x^2y^2 + 5xy - 36$
- B)  $x^2y^2 + 9xy + 36$
- C)  $x^2y^2 - 4xy + 36$
- D)  $x^2y^2 - 5xy - 36$
- E)  $x^2y^2 - 36$

54. Multiply:

$$(4x^2 - 4y)(2x^2 - y)$$

- A)  $8x^4 - 8x^2y + 4y^2$
- B)  $8x^4 - 12x^2y + 4y^2$
- C)  $8x^4 - 4x^2y + 4y^2$
- D)  $8x^4 + 12x^2y - 4y^2$
- E)  $8x^4 + 4y^2$

55. Multiply:

$$(x^2 + 5x - 2)(x^2 - 7x + 9)$$

- A)  $x^4 - 2x^3 - 28x^2 - 59x - 18$
- B)  $x^4 - 2x^3 - 28x^2 + 59x + 18$
- C)  $x^4 - 2x^3 - 28x^2 - 59x + 18$
- D)  $x^4 - 2x^3 - 28x^2 + 59x - 18$
- E)  $x^4 + 2x^3 - 28x^2 + 59x - 18$

56. Multiply:

$$(a - 4)(4a - 2)(a + 8)$$

- A)  $4a^3 + 14a^2 - 136a - 64$
- B)  $4a^3 + 14a^2 - 136a + 64$
- C)  $4a^3 + 14a^2 + 136a - 64$
- D)  $4a^3 + 14a^2 + 136a + 64$
- E)  $4a^3 - 14a^2 - 136a - 64$

57. Identify answers that are perfect square trinomials or differences of squares.

$$(6x + 3)(4x + 3)$$

- A)  $6x^2 + 18x + 9$
- B)  $24x^2 + 30x + 9$
- C)  $24x^2 - 30x + 9$
- D)  $24x^2 + 30x - 9$
- E)  $24x^2 + 9x - 30$

58. Identify answers that are perfect square trinomials or differences of squares.

$$(a - 7b)(2a + 5b)$$

- A)  $2a^2 + 9ab - 35b^2$
- B)  $2a^2 - 9ab + 35b^2$
- C)  $2a^2 - 14ab - 35ab^2$
- D)  $2a^2 - 9ab - 35b^2$
- E)  $2a^2 + 5ab - 35b^2$

59. Identify answers that are perfect square trinomials or differences of squares.

$$(2a + 4b)(a - 3b)$$

- A)  $2a^2 + 2ab - 12b^2$
- B)  $2a^2 - 2ab + 12b^2$
- C)  $2a^2 + 4ab - 12b^2$
- D)  $2a^2 - 2ab - 12b^2$
- E)  $2a^2 - 6ab - 12b^2$

60. Factor:

$$a^2 + 4a + 4$$

- A)  $(a + 2)(a - 2)$
- B)  $(a - 2)^2$
- C)  $(a + 2)^2$
- D)  $(2 + a)(2 - a)$
- E) Nonfactorable

61. Factor:

$$a^2 - 10a + 25$$

- A)  $(a + 5)(a - 5)$
- B)  $(a - 5)^2$
- C)  $(a + 5)^2$
- D)  $(5 + a)(5 - a)$
- E) Nonfactorable

62. Factor:

$$x^2 - 6x - 9$$

- A)  $(x + 3)(x - 3)$
- B)  $(x - 3)^2$
- C)  $(x + 3)^2$
- D)  $(3 + x)(3 - x)$
- E) Nonfactorable

63. Factor:

$$x^2 + 8xy + 16y^2$$

- A)  $(x + 4y)(x - 4y)$
- B)  $(x - 4y)^2$
- C)  $(x + 4y)^2$
- D)  $(4y + x)(4y - x)$
- E) Nonfactorable

64. Factor:

$$a^2 - 25$$

- A)  $(a + 5)(a - 5)$
- B)  $(a - 5)^2$
- C)  $(a + 5)^2$
- D)  $(5 + a)(5 - a)$
- E) Nonfactorable

65. Factor:

$$25c^2 - 9$$

- A)  $(3 + 5c)(3 - 5c)$
- B)  $(5c - 3)^2$
- C)  $(5c + 3)^2$
- D)  $(5c + 3)(5c - 3)$
- E) Nonfactorable

66. Factor:

$$b^{12} - 4$$

- A)  $(b^6 + 2)(b^6 - 2)$
- B)  $(b^6 - 2)^2$
- C)  $(b^6 + 2)^2$
- D)  $(2 + b^6)(2 - b^6)$
- E) Nonfactorable

67. Factor:

$$25x^2 - 9y^2$$

- A)  $(3y + 5x)(3y - 5x)$
- B)  $(5x - 3y)^2$
- C)  $(5x + 3y)^2$
- D)  $(5x + 3y)(5x - 3y)$
- E) Nonfactorable

68. Factor:

$$36b^2c^2 - 49$$

- A)  $(7 + 6bc)(7 - 6bc)$
- B)  $(6bc - 7)^2$
- C)  $(6bc + 7)^2$
- D)  $(6bc + 7)(6bc - 7)$
- E) Nonfactorable

69. Multiply:

$$(9x^2 - 3)(x^2 - 3)$$

- A)  $9x^4 - 27x^2 - 9$
- B)  $9x^4 - 30x^2 + 9$
- C)  $9x^4 - 3x^2 - 9$
- D)  $9x^4 + 30x^2 + 9$
- E)  $9x^4 + 9$

70. Multiply:

$$(8x^2 - 8y)(2x^2 - y)$$

- A)  $16x^4 - 16x^2y + 8y^2$
- B)  $16x^4 - 24x^2y + 8y^2$
- C)  $16x^4 - 8x^2y + 8y^2$
- D)  $16x^4 + 24x^2y - 8y^2$
- E)  $16x^4 + 8y^2$

71. Factor the following expression:

$$x^3 - 512$$

- A)  $(x + 8)(x^2 - 8x + 64)$
- B)  $(x - 8)(x^2 + 8x + 64)$
- C)  $(x + 8)(x^2 + 8x - 64)$
- D)  $(x - 8)(x^2 - 8x + 64)$
- E) Nonfactorable

72. Factor the following expression:

$$y^3 + 729$$

- A)  $(y - 9)(y^2 + 9y + 81)$
- B)  $(y + 9)(y^2 - 9y + 81)$
- C)  $(y + 9)(y^2 + 9y - 81)$
- D)  $(y - 9)(y^2 + 9y - 81)$
- E) Nonfactorable

73. Factor the following expression:

$$64a^3 + 125$$

- A)  $(4a + 5)(16a^2 - 20a + 25)$
- B)  $(4a - 5)(16a^2 - 20a + 25)$
- C)  $(4a + 5)(16a^2 + 20a + 25)$
- D)  $(4a - 5)(16a^2 + 20a + 25)$
- E) Nonfactorable

74. Factor the following expression:

$$27x^3 - 64y^3$$

- A)  $(3x - 4y)(9x^2 + 16y^2)$
- B)  $(3x - 4y)(9x^2 + 12xy + 16y^2)$
- C)  $(3x - 4y)(9x^2 - 12xy + 16y^2)$
- D)  $(3x + 4y)(9x^2 - 12xy + 16y^2)$
- E) Nonfactorable

75. Solve:

$$(x + 4)(x - 2) = 0$$

- A) 4, 2
- B) 4, -2
- C) -4, 2
- D) -4, -2
- E) No solution



76. Solve:

$$x^2 + 11x + 18 = 0$$

- A) 2, 9
- B) 2, -9
- C) -2, 9
- D) -2, -9
- E) No solution

77. Solve:

$$x^2 - 13x = -36$$

- A) 4, 9
- B) 4, -9
- C) -4, 9
- D) -4, -9
- E) No solution

78. Solve:

$$y^2 - 25 = 0$$

- A) 5, -5
- B) 0, 25
- C) 0, 5
- D) 5
- E) No solution

79. Solve:

$$49a^2 - 9 = 0$$

- A)  $0, \frac{3}{7}$
- B)  $0, \frac{9}{49}$
- C)  $\frac{3}{7}, -\frac{3}{7}$
- D)  $\frac{3}{7}$
- E) No solution

80. Solve:

$$z^2 + 3z = 0$$

- A)  $-3$
- B)  $0,3$
- C)  $0,-3$
- D)  $-3,3$
- E) No solution

81. Solve:

$$6a^2 - 24a = 0$$

- A)  $4$
- B)  $0,4$
- C)  $0,-4$
- D)  $4,-4$
- E) No solution

82. Solve:

$$b(b+2) = 0$$

- A)  $-2$
- B)  $0,2$
- C)  $0,-2$
- D)  $-2,2$
- E) No solution

83. Solve:

$$z(5z+2) = 0$$

- A)  $-\frac{2}{5}$
- B)  $0, \frac{2}{5}$
- C)  $0, -\frac{2}{5}$
- D)  $-5, 2$
- E) No solution

84. Solve:

$$c^2 - 12c + 20 = 0$$

- A) 2, 10
- B) 2, -10
- C) -2, 10
- D) -2, -10
- E) No solution

85. Solve:

$$5x^2 - 23x - 10 = 0$$

- A) -2, 5
- B)  $\frac{2}{5}, 5$
- C)  $-\frac{2}{5}, 5$
- D)  $-\frac{2}{5}, -5$
- E) No solution

86. Solve:

$$11y^2 - 50y = 25$$

- A) -5, 5
- B)  $\frac{5}{11}, 5$
- C)  $-\frac{5}{11}, 5$
- D)  $-\frac{5}{11}, -5$
- E) No solution

87. Identify the function whose graph will make a steeper parabola.

$$f(x) = 3.78x^2 \text{ or } g(x) = \pi x^2$$

- A)  $f(x)$
- B)  $g(x)$
- C) They are equal.

88. Identify the function whose graph will make a steeper parabola.

$$g(x) = \pi x^2 \text{ or } h(x) = 4x^2$$

- A)  $g(x)$
- B)  $h(x)$
- C) none

89. Identify the function whose graph will make a steeper parabola.

$$k(x) = 4.3x^2 \text{ or } g(x) = \pi x^2$$

- A)  $g(x)$
- B)  $k(x)$
- C) none

90. Identify the function whose graph will make a steeper parabola.

$$g(x) = 2.514x^2 \text{ or } h(x) = 2.62x^2$$

- A)  $g(x)$
- B)  $h(x)$
- C) none

91. Identify the function whose graph will make a steeper parabola.

$$f(x) = \frac{2}{5}x^2 \text{ or } g(x) = \frac{4}{7}x^2$$

- A)  $f(x)$
- B)  $g(x)$
- C) They are equal.

92. Describe the shift of  $y = (2x)^2$  by  $y = (2x + 4)^2$ .

- A) shift 4 units to the left
- B) shift 2 units to the left
- C) shift 4 units to the right
- D) shift 2 units to the right
- E) shift 4 units up

93. Describe the shift of  $y = x^2$  in terms of the value of  $r$  in  $y = (x - r)^2$  if  $r$  is positive.
- A) shift  $r$  units to the left
  - B) shift  $r$  units up
  - C) shift  $r$  units to the right and  $r$  units up
  - D) shift  $r$  units to the right
  - E) shift  $r$  units down
94. A graph has the same shape as  $y = x^2$ . Its vertex is  $(0, -6)$ . What is its equation?  
(There are two possibilities.)
- A)  $y = x^2 - 7$  or  $y = -x^2 + 6$
  - B)  $y = x^2 + 7$  or  $y = -x^2 - 6$
  - C)  $y = x^2 - 6$  or  $y = -x^2 - 6$
  - D)  $y = x^2 - 6$  or  $y = -x^2 + 8$
  - E)  $y = x^2 - 7$  or  $y = x^2 + 6$

## Answer Key

1. E
2. D
3. B
4. C
5. E
6. A
7. D
8. A
9. A
10. B
11. A
12. D
13. D
14. A
15. C
16. A
17. D
18. C
19. A
20. A
21. E
22. C
23. C
24. B
25. A
26. E
27. C
28. E
29. D
30. C
31. D
32. C
33. E
34. C
35. A
36. C
37. E
38. D
39. A
40. A
41. C
42. B
43. D
44. A

45. D
46. A
47. D
48. E
49. B
50. B
51. D
52. A
53. A
54. B
55. D
56. B
57. B
58. D
59. D
60. C
61. B
62. E
63. C
64. A
65. D
66. A
67. D
68. D
69. B
70. B
71. B
72. B
73. A
74. B
75. C
76. D
77. A
78. A
79. C
80. C
81. B
82. C
83. C
84. A
85. C
86. C
87. A
88. B
89. B
90. B

- 91. B
- 92. B
- 93. D
- 94. C