Test Bank for Linear Algebra with Applications 2nd Edition Holt 1464193347 9781464193347

Full link download Solution Manual

https://testbankpack.com/p/solution-manual-for-linear-algebra-with-applications-2nd-edition-holt-1464193347-9781464193347/

Test Bank

https://testbankpack.com/p/test-bank-for-linear-algebra-with-applications-2nd-edition-holt-1464193347-9781464193347/

Chapter 2

Euclidean Space

2.1 Vectors

1. Determine 3u + v - 2w, where

$$\mathbf{u} = \begin{bmatrix} 2 \\ 1 \end{bmatrix}, \mathbf{v} = \begin{bmatrix} -3 \\ 2 \end{bmatrix}, \text{ and } \mathbf{w} = \begin{bmatrix} -1 \\ 3 \end{bmatrix}$$

Ans:
$$\begin{bmatrix} 5 \\ -1 \\ 0 \end{bmatrix}$$

2. Express the given vector equation as a system of linear equations.

$$x_1 \begin{bmatrix} 3 \\ -2 \end{bmatrix} + x_2 \begin{bmatrix} 2 \\ 5 \end{bmatrix} = \begin{bmatrix} 4 \\ 1 \end{bmatrix}$$

Ans:
$$3x_1 + 2x_2 = 4$$

$$-2x_1 + 5x_2 = 1$$

3. Express the given vector equation as a system of linear equations.

$$\begin{bmatrix} 2 \\ 0 \\ + x_2 \end{bmatrix} + \begin{bmatrix} -1 \\ 4 \\ + x_3 \end{bmatrix} = \begin{bmatrix} 5 \\ 3 \\ = \begin{bmatrix} -1 \\ 2 \\ \end{bmatrix}$$

$$\begin{bmatrix} 5 \\ 3 \\ = \begin{bmatrix} 1 \\ 2 \\ \end{bmatrix}$$

Ans:
$$2x_1 - x_2 + 5x_3 = -1$$

 $4x_2 + 3x_3 = 2$
 $5x_1 + 7x_2 = 1$

4. Express the given system of linear equations as a single vector equation.

$$-x_1 + x_3 = 3$$

$$\begin{bmatrix} 1 \\ | 2 \\ | -3 \\ | 6 \end{bmatrix}$$

$$Ans: x_1 \begin{vmatrix} | +x_2 \\ | -1 \\ | 0 \end{bmatrix} \begin{vmatrix} | +x_3 \\ | 1 \end{bmatrix} \begin{vmatrix} | -1 \\ | 3 \end{bmatrix}$$

 $x_1 + 2x_2 - 3x_3 = 6$

5. Express the given system of linear equations as a single vector equation.

$$2x_1 + x_2 - 2x_3 = 1$$

$$-x_1 + x_2 + x_3 = 1$$

$$7x_1 + 3x_2 - x_3 = 1$$

6. The general solution to a linear system is given. Express this solution as a linear combination of vectors.

$$x_{1} = 3 - s_{1}$$

$$x_{2} = s_{1}$$

$$Ans: \begin{bmatrix} x_{1} \\ x_{2} \end{bmatrix} = \begin{bmatrix} 3 \\ 0 \end{bmatrix} + s \begin{bmatrix} -1 \\ 1 \end{bmatrix}$$

7. The general solution to a linear system is given. Express this solution as a linear combination of vectors.

$$x_1 = 3 - s_1 + 3s_2$$

 $x_2 = s_1$
 $x_3 = 3 + s_2$
 $x_4 = s_2$

8. Find the unknowns in the given vector equation.

$$\begin{bmatrix}
1 \\
2 \\
a
\end{bmatrix} + 4 \\
\begin{bmatrix}
-2
\end{bmatrix} = \begin{bmatrix}
-6
\end{bmatrix}$$

Ans:
$$a = 1$$
, $b = -1$

9. Find the unknowns in the given vector equation.

$$2\begin{bmatrix} 1 \\ a \end{bmatrix} - \begin{bmatrix} a \\ 0 \end{bmatrix} + 3\begin{bmatrix} -1 \\ c \end{bmatrix} = \begin{bmatrix} -3 \\ 4 \end{bmatrix}$$

$$\begin{vmatrix} b & 1 & 0 & -3 \end{vmatrix}$$

Ans:
$$a = 2, b = -1, c = 0$$

10. Express **b** as a linear combination of the other vectors, if possible.

$$\mathbf{a}_1 = \begin{bmatrix} 4 \\ 2 \end{bmatrix}, \ \mathbf{a}_2 = \begin{bmatrix} -1 \\ 4 \end{bmatrix}, \ \mathbf{b} = \begin{bmatrix} 14 \\ -2 \end{bmatrix}$$

Ans:
$$3a_1 - 2a_2 = b$$

11. Express **b** as a linear combination of the other vectors, if possible.

$$\mathbf{a}_{1} = \begin{bmatrix} 1 \\ 1 \end{bmatrix}, \mathbf{a}_{2} = \begin{bmatrix} -1 \\ 2 \end{bmatrix}, \mathbf{a}_{3} = \begin{bmatrix} 3 \\ 1 \end{bmatrix}, \mathbf{b} = \begin{bmatrix} -1 \\ 3 \end{bmatrix}$$

$$2 \qquad 1 \qquad |1 \qquad -1|$$

$$Ans:-2a_1 + 2a_2 + a_3 = b$$

True or **False**: If **u** and **v** are vectors, and c and d are scalars, then c(du + v) = (cd)u + v.

Ans: False

13. **True** or **False**: If \mathbf{u} , \mathbf{v} , and \mathbf{w} are vectors, then $\mathbf{u} - (\mathbf{v} + \mathbf{w}) = (\mathbf{u} - \mathbf{v}) + (\mathbf{u} - \mathbf{w})$.


Ans: False

14. **True** or **False**: If u + v = w, then v = w - u.

Ans: True

15. Sketch the graph of $\mathbf{u} = \begin{bmatrix} 1 \\ 2 \end{bmatrix}$ and $\mathbf{v} = \begin{bmatrix} 3 \\ 1 \end{bmatrix}$, and then use the Parallelogram Rule to sketch the

graph of u + v.



16. Determine how to divide a total mass of 18 kg among the vectors

$$\begin{bmatrix} 2 \\ \end{bmatrix} \begin{bmatrix} 5 \\ \end{bmatrix} \begin{bmatrix} -3 \\ \end{bmatrix}$$

$$\mathbf{u} = \begin{vmatrix} -1 \\ \end{bmatrix}, \mathbf{u} = \begin{vmatrix} 0 \\ \end{bmatrix}, \mathbf{u} = \begin{vmatrix} 2 \\ \end{bmatrix}$$
 so that the center of mass is

$$\begin{bmatrix} 1 & \begin{bmatrix} & 3 \end{bmatrix} & 2 & \begin{bmatrix} 2 \end{bmatrix} & \begin{bmatrix} 3 & \begin{bmatrix} -4 \end{bmatrix} \end{bmatrix}$$

$$\begin{bmatrix} 2 \\ 9 \end{bmatrix}$$

Ans: Place 10 kg at \mathbf{u}_1 , 1 kg at \mathbf{u}_2 , and 7 kg at \mathbf{u}_3 .

17. Find an example of a linear system with two equations and three variables that has

$$\begin{bmatrix} x_1 \\ x_2 \end{bmatrix} = \begin{bmatrix} 3 \\ 3 \end{bmatrix} + s \begin{bmatrix} 2 \\ 3 \end{bmatrix}$$
 as the general solution.

Ans: A possible answer is

$$x_1 + x_2 - 5x_3 = 5$$

$$x_1 - x_2 - x_3 = -1$$

2.2 Span

1. Find four vectors that are in the span of the given vectors.

$$\mathbf{u}_1 = \begin{bmatrix} 2 \\ 3 \end{bmatrix}, \, \mathbf{u}_2 = \begin{bmatrix} 1 \\ -1 \end{bmatrix}$$

$$\begin{bmatrix}
0 \\
 \end{bmatrix} \begin{bmatrix}
2 \\
 \end{bmatrix} \begin{bmatrix}
1 \\
 \end{bmatrix}$$
Ans: For example, $\begin{bmatrix} 1 \\
 \end{bmatrix} \begin{bmatrix}
1 \\
 \end{bmatrix} \begin{bmatrix}
1 \\
 \end{bmatrix}$, and $\begin{bmatrix} 1 \\
 \end{bmatrix} \begin{bmatrix}
1 \\
 \end{bmatrix} \begin{bmatrix}
1 \\
 \end{bmatrix} \begin{bmatrix}
1 \\
 \end{bmatrix} \begin{bmatrix}
1 \\
 \end{bmatrix}$

2. Find five vectors that are in the span of the given vectors.

$$\mathbf{u}_1 = \begin{bmatrix} -1 \\ 4 \end{bmatrix}, \mathbf{u}_2 = \begin{bmatrix} 2 \\ 1 \end{bmatrix}, \mathbf{u}_3 = \begin{bmatrix} 5 \\ 5 \end{bmatrix}$$

$$\lceil 0 \rceil \lceil -1 \rceil \lceil 2 \rceil \lceil 5 \rceil \qquad \lceil 6 \rceil$$

Ans: For example, $\begin{vmatrix} 0 \end{vmatrix}$, $\begin{vmatrix} 4 \end{vmatrix}$, $\begin{vmatrix} 1 \end{vmatrix}$, $\begin{vmatrix} 5 \end{vmatrix}$, and $\begin{vmatrix} 10 \end{vmatrix}$

3. Determine if **b** is in the span of the other given vectors. If so, write **b** as a linear combination of the other vectors.

$$\mathbf{a}_1 = \begin{bmatrix} 2 \\ 2 \end{bmatrix}, \ \mathbf{a}_2 = \begin{bmatrix} -1 \\ 3 \end{bmatrix}, \ \mathbf{b} = \begin{bmatrix} 3 \\ -1 \end{bmatrix}$$

Ans:
$$b = a_1 - a_2$$

4. Determine if **b** is in the span of the other given vectors. If so, write **b** as a linear combination of the other vectors.

$$\mathbf{a}_1 = \begin{bmatrix} 1 \\ 1 \\ 1 \end{bmatrix}, \ \mathbf{a}_2 = \begin{bmatrix} 1 \\ 2 \\ 3 \end{bmatrix}, \ \mathbf{b} = \begin{bmatrix} 3 \\ 2 \\ 0 \end{bmatrix}$$

Ans: **b** is not in the span of \mathbf{a}_1 and \mathbf{a}_2 .

5. Find A, \mathbf{x} , and \mathbf{b} such that $A\mathbf{x} = \mathbf{b}$ corresponds to the given linear system.

$$x_1 + x_2 - 2x_3 = 1$$
 $-x_1 + 2x_2 + 4x_3 = 8$

Ans:
$$A = \begin{bmatrix} 1 & 1 & -2 \end{bmatrix}$$
, $\mathbf{x} = \begin{bmatrix} x_1 \\ x_2 \end{bmatrix}$, and $\mathbf{b} = \begin{bmatrix} 1 \\ 1 \end{bmatrix}$

6. Find A, \mathbf{x} , and \mathbf{b} such that $A\mathbf{x} = \mathbf{b}$ corresponds to the given linear system.

$$x_{1} - x_{3} = 1$$

$$2x_{2} + 4x_{3} = 3$$

$$-x_{1} + 5x_{3} = 1$$

$$\begin{bmatrix} 1 & 0 & -1 \end{bmatrix} & \begin{bmatrix} x_{1} \end{bmatrix} & \begin{bmatrix} 1 \end{bmatrix}$$

$$Ans: A = \begin{bmatrix} 0 & 2 & 4 \end{bmatrix}, \mathbf{x} = \begin{bmatrix} x \end{bmatrix}, \text{ and } \mathbf{b} = \begin{bmatrix} 3 \end{bmatrix}$$

$$\begin{bmatrix} -1 & 0 & 5 \end{bmatrix} & \begin{bmatrix} \frac{2}{x_{3}} \end{bmatrix}$$

7. Express the given system of linear equations as a vector equation.

$$2x_{1} - x_{3} + x_{4} = 1$$

$$x_{1} + 2x_{2} + 4x_{3} - x_{4} = 0$$

$$\begin{bmatrix} 2 \end{bmatrix} \begin{bmatrix} 0 \end{bmatrix} \begin{bmatrix} -1 \end{bmatrix} \begin{bmatrix} 1 \end{bmatrix} \begin{bmatrix} 1 \end{bmatrix}$$

$$Ans: x_{1} + x_{2} + x_{3} + x_{4} = 1$$

$$\begin{bmatrix} 1 \end{bmatrix} \begin{bmatrix} 2 \end{bmatrix} \begin{bmatrix} 4 \end{bmatrix} \begin{bmatrix} -1 \end{bmatrix} \begin{bmatrix} 0 \end{bmatrix}$$

8. Determine if the columns of the given matrix span R^2 .

$$\begin{bmatrix} 4 & 2 \\ 1 & 0 \end{bmatrix}$$

Ans: Yes, the columns span R^2 .

9. Determine if the columns of the given matrix span R^3 .

$$\begin{bmatrix} 1 & 1 \\ 1 & 2 \\ 1 & 3 \end{bmatrix}$$

Ans: No, the columns do not span \mathbb{R}^3 .

10. Determine if the system $Ax = \mathbf{b}$ (where \mathbf{x} and \mathbf{b} have the appropriate number of components) has a solution for all choices of \mathbf{b} .

$$A = \begin{bmatrix} 1 & 2 \\ -2 & 1 \end{bmatrix}$$

Ans: Yes, a solution exists.

11. Find all values of h such that the vectors span \mathbb{R}^2 .

$$\mathbf{a}_1 = \begin{bmatrix} h \\ 2 \end{bmatrix}, \ \mathbf{a}_2 = \begin{bmatrix} 2 \\ h \end{bmatrix}$$

Ans: All real numbers, except $h \neq \pm 2$.

12. For what value(s) of h do the given vectors span \mathbb{R}^3 ?

$$\lceil 1 \rceil \lceil 4 \rceil \lceil 7 \rceil$$

Ans: All real numbers, except $h \neq 5$.

13. **True** or **False**: Suppose a matrix A has n rows and m columns, with m < n. Then the columns of A do not span R^n .

Ans: True

14. **True** or **False**: Suppose a matrix A has n rows and m columns, with m > n. Then the columns of A span \mathbb{R}^n .

Ans: False

15. **True** or **False**: If the columns of a matrix A with n rows and m columns do not span R^n , then there exists a vector \mathbf{b} in R^n such that $A\mathbf{x} = \mathbf{b}$ does not have a solution.

Ans: True

16. **True** or **False**: If the columns of a matrix A with n rows and m columns spans \mathbb{R}^n , then $m \ge n$.

Ans: True

2.3 Linear Independence

1. Determine if the given vectors are linearly independent.

$$\mathbf{u} = \begin{bmatrix} 4 \\ 2 \end{bmatrix}, \ \mathbf{v} = \begin{bmatrix} 1 \\ 2 \end{bmatrix}$$

Ans: Linearly independent

2. Determine if the given vectors are linearly independent.

$$\lceil 1 \rceil \qquad \lceil 2 \rceil \qquad \lceil 0 \rceil$$

$$\mathbf{u} = \begin{vmatrix} 2 & \mathbf{v} \\ & & & & & & & & & & & & & & & \\ & & & & & & & & & & & & & \\ & & & & & & & & & & & & & \\ & & & & & & & & & & & & & \\ & & & & & & & & & & & & & \\ & & & & & & & & & & & & \\ & & & & & & & & & & & & \\ & & & & & & & & & & & \\ & & & & & & & & & & & \\ & & & & & & & & & & & \\ & & & & & & & & & & & \\ & & & & & & & & & & \\ & & & & & & & & & & \\ & & & & & & & & & & \\ & & & & & & & & & & \\ & & & & & & & & & \\ & & & & & & & & & \\ & & & & & & & & & \\ & & & & & & & & & \\ & & & & & & & & & \\ & & & & & & & & \\ & & & & & & & & \\ & & & & & & & & \\ & & & & & & & & \\ & & & & & & & & \\ & & & & & & & & \\ & & & & & & & & \\ & & & & & & & & \\ & & & & & & & & \\ & & & & & & & & \\ & & & & & & & & \\ & & & & & & & & \\ & & & & & & & \\ & & & & & & & \\ & & & & & & & \\ & & & & & & & \\ & & & & & & & \\ & & & & & & & \\ & & & & & & & \\ & & & & & & & \\ & & & & & & & \\ & & & & & & & \\ & & & & & & & \\ & & & & & & \\ & & & & & & \\ & & & & & & \\ & & & & & & \\ & & & & & & \\ & & & & & & \\ & & & & & & \\ & & & & & & \\ & & & & & & \\ & & & & & \\ & & & & & & \\ & & & & & & \\ & & & & & & \\ & & & & & & \\ & & & & & & \\ & & & & & & \\ & & & & & & \\ & & & & & & \\ & & & & & & \\ & & & & & & \\ & & & & & \\ & & & & & & \\ & & & & & & \\ & & & & & & \\ & & & & & \\ & & & & & & \\ & & & & & & \\ & & & & & & \\ & & & & & & \\ & & & & & & \\ & & & & & \\ & & & & & & \\ & & & & & \\ & & & & & \\ & & & & & & \\ & & & & & \\ & & & & & \\ & & & & & \\ & & & & & \\ & & & & & \\ & & & & & \\ & & & & & \\ & & & & & \\ & & & & & \\ & & & & & \\ & & & & \\ & & & & \\ & & & & \\ & & & & & \\ & & & & \\ & & & & & \\ & & & \\ & & & & \\ & & & \\ & & & & \\ & & & & \\ & & & \\ & & & & \\ &$$

Ans: Not linearly independent

3. Determine if the given vectors are linearly independent.

$$\mathbf{u} = \begin{bmatrix} 1 \\ 0 \\ 2 \end{bmatrix}, \mathbf{v} = \begin{bmatrix} 0 \\ 2 \\ 0 \end{bmatrix}, \mathbf{w} = \begin{bmatrix} 2 \\ 4 \\ 1 \end{bmatrix}$$

$$\begin{vmatrix} 3 \\ -2 \end{vmatrix} = \begin{vmatrix} 0 \\ 0 \end{vmatrix}$$

Ans: Linearly independent

4. Determine if the columns of the given matrix are linearly independent.

$$\begin{bmatrix} 3 & 2 \\ -2 & -3 \end{bmatrix}$$

Ans: Linearly independent

5. Determine if the columns of the given matrix are linearly independent.

$$A = \begin{bmatrix} 2 & -1 & 2 \\ 1 & 2 & 0 \\ 3 & 2 & 2 \end{bmatrix}$$

Ans: Linearly independent

6. Determine if the columns of the given matrix are linearly independent.

$$A = \begin{bmatrix} 1 & 2 & 3 \\ 4 & 5 & 6 \\ 7 & 8 & 9 \end{bmatrix}$$

Ans: Not linearly independent

7. Determine if the homogeneous system Ax = 0 has any nontrivial solutions, where

$$A = \begin{bmatrix} 3 & -1 \\ 2 & 2 \\ 0 & 1 \end{bmatrix}. \setminus$$

Ans: Ax = 0 has only the trivial solution.

8. Determine if the homogeneous system Ax = 0 has any nontrivial solutions, where

$$A = \begin{bmatrix} 1 & 2 & 3 \\ 0 & 1 & 1 \\ 1 & 0 & 1 \end{bmatrix}$$

Ans: Ax = 0 has nontrivial solutions.

9. Determine by inspection (that is, with only minimal calculations) if the given vectors form a linearly dependent or linearly independent set. Justify your answer.

$$\mathbf{u} = \begin{bmatrix} 9 \\ -4 \end{bmatrix}, \mathbf{v} = \begin{bmatrix} 2 \\ 20 \end{bmatrix}, \mathbf{w} = \begin{bmatrix} 1 \\ -4 \end{bmatrix}$$

Ans: Linearly dependent, by Theorem 2.14

10. Determine if one of the given vectors is in the span of the other vectors.

$$\mathbf{u} = \begin{bmatrix} 2 \\ 1 \\ 3 \end{bmatrix}, \mathbf{v} = \begin{bmatrix} 2 \\ 2 \\ 1 \end{bmatrix}, \mathbf{w} = \begin{bmatrix} 0 \\ 1 \\ -2 \end{bmatrix}$$

Ans: Yes, since w = -u + v.

11. **True** or **False**: Suppose matrix A has n rows and m columns, with n < m. Then the columns of A are linearly dependent.

Ans: True

12. **True** or **False**: Suppose a matrix A has n rows and m columns, with $n \ge m$. Then the columns of A are linearly independent.

Ans: False

13. **True** or **False**: Suppose there exists a vector \mathbf{x} such that $A\mathbf{x} = \mathbf{b}$. Then the columns of A are linearly independent.

Ans: False

14. **True** or **False**: If $Ax \neq 0$ for every $x \neq 0$, then the columns of A are linearly independent.

Ans: True

15. **True** or **False**: If $\{u_1, u_2\}$, $\{u_1, u_3\}$, and $\{u_2, u_3\}$ are all linearly independent, then $\{u_1, u_2, u_3\}$ is linearly independent.

Ans: False