Test Bank for Advanced Nutrition and Human Metabolism 7th Edition Gropper Smith Carr 1305627857 9781305627857

Full link download:

Test Bank:

https://testbankpack.com/p/test-bank-for-advanced-nutrition-and-human-metabolism-7th-edition-gropper-smith-carr-1305627857-9781305627857/

Solution Manual:

https://testbankpack.c om/p/solutionmanual-for-advancednutrition-and-humanmetabolism-7thedition-groppersmith-carr-1305627857-9781305627857/

Chapter 02 The Digestive System Mechanism for Nourishing the Body

MUII TICHOICE

WOLTICHOICE
1. Within the lamina propria, lying just below the epithelium, is the mucosa-associated lymphoid tissue (MALT which
(A) controls secretions from the mucosal glands
(B) contains white blood cells and protects against ingested microorganisms
(C) initiates peristalsis
(D) secretes mucus, hormones, and digestive juices into the lumen
Answer: (B)
2. Which structural component of the gastrointestinal tract lies within the muscularis externa and controls the contractions that cause motility?

- (A) muscularis mucosae
- (B) submucosal plexus
- (C) myenteric plexus

(D) lumen
Answer: (C)
3. Which structure is <i>not</i> considered an accessory organ?
(A) pancreas
(B) liver
(C) gallbladder
(D) spleen
Answer: (D)
4. Bile is most important for the digestion and absorption of
(A) carbohydrates
(B) proteins
(C) fats
(D) vitamins
Answer: (C)
5. A decrease in the function of the parotid glands is most likely to result in
(A) a lack of triglyceride digestion
(B) bolus that is difficult to form
(C) saliva that is too thin, that is, a high water to mucus ratio
(D) diarrhea due to malabsorption
Answer: (B)
6. What is the name of the digestive enzyme in saliva that digests starch?
(A) lipase
(B) synthetase
(C) amylase
(D) lactase

Answer: (C)
7. Which substance is <i>not</i> a component of saliva?
(A) mucus
(B) enzymes
(C) water
(D) proteases
Answer: (D)
8. Endocrine cells of the pancreas are found in which structure?
(A) the pancreatic duct
(B) the islets of Langerhans
(C) the sphincter of Oddi
(D) the beta cells
Answer: (B)
9. Delayed gastric emptying is known as
(A) cholecystitis
(B) cholelithiasis
(C) gastritis
(D) gastroparesis
Answer: (D)
10. What product produced by neck cells in the oxyntic gland of the stomach protects the epithelium from mechanical and chemical damage?
(A) amylase
(B) pepsin
(C) gastrin
(D) mucus

11. Which cells, found both in the oxyntic glands and pyloric glands of the stomach, secrete hydrochloric acid and intrinsic factor?
(A) neck cells
(B) parietal cells
(C) chief cells
(D) enteroendocrine cells
Answer: (B)
12. Which cells, found in oxyntic glands in the body of the stomach, secrete pepsinogens?
(A) neck cells
(B) parietal cells
(C) chief cells
(D) enteroendocrine cells
Answer: (C)
13. Which specialized cell of the gastric epithelium secretes a hormone?

Answer: (D)

(A) neck	
(B) parietal	
(C) chief (D)	
G-cell	
Answer: (D)	
14. The chief cells secrete	
(A) gastrin	
(B) mucus	
(C) zymogens	
(D) hydrochloric acid	
Answer: (C)	
15. The parietal cells secrete	
(A) hydrochloric acid and intrinsic factor	
(B) intrinsic factor and gastrin	
(C) gastrin and zymogens	
(D) zymogens and hydrochloric acid	
Answer: (A)	
16. Gastrin stimulates which cells?	
(A) oxyntic cells	
(B) parietal and chief cells	
(C) pancreatic exocrine cells	
(D) alpha cells	
Answer: (B)	
17. When the pH of the stomach is increased to avoid GERD, over time, the stomach may not be acidic enough what is the most likely outcome?	ıgh.

(B) (A) lack of carbohydrate digestion
decreased protein digestion
(C) destruction of bacteria in the stomach
(D) gastric ulcer
Answer: (B)
18. Which glycoproteins bind water and are gel-forming?
(A) mucins
(B) proteoglycans
(C) prostaglandins
(D) zymogens
Answer: (A)
19. The product(s) of pepsin's action is/are
(A) disaccharides
(B) amylose
(C) short-chain fatty acids
(D) hydrolyzed proteins
Answer: (D)
20. Pepcid, a drug that is classified as an H ₂ receptor blocker, acts by
(A) inhibiting the secretion of hydrogen ions by the parietal cells
(B) inhibiting the release of acetylcholine by the vagus nerve
(C) inhibiting the binding of gastrin to the parietal cells
(D) inhibiting the binding of histamine to the parietal cells
Answer: (D)
21. Which medication inhibits hydrogen release into the gastric juice, which reduces GI mucosal irritation?
(A) Pepcid

(C) (B)	Nexium
	Tums
(D)	Tagamet
Ans	swer: (B)
22.	Which process allows gastric expansion with food intake with minimal impact on intragastric pressure?
(A)	peristalsis
(B)	receptive relaxation
(C)	segmentation
(D)	pendular movement
Ans	swer: (B)
23.	Pyloric glands are located predominantly
	at the juncture of the esophagus and the stomach
	in the fundus and the body of the stomach
	in the antrum of the stomach
	in the cardiac portion of the stomach
	swer : (C)
24.	Which phrase best describes the function of the crypt of Lieberkühn?
(A)	mucus secretion
(B)	glucose oxidation
(C)	cellular differentiation
(D)	amylase secretion
Ans	swer: (C)
	The pancreas is a digestive system accessory organ with two types of active tissue-the ductless endocrine s that secrete insulin and glucagon and the
(A)	liver-like cells that produce bile

(D) (B)	ductless absorptive tissue that controls bicarbonate
(C)	acinar exocrine cells that produce digestive enzymes
	erythropoietic cells that produce red blood cells
Ans	wer: (C)
	Pancreatic juice that enters the duodenum through the sphincter of Oddi contains all of the following EPT
(A)	digestive enzymes
(B)	intrinsic factor
(C)	anions such as bicarbonate and chloride
(D)	cations such as sodium, potassium, and calcium
Ans	wer:(B)
	In which part of the brain is the swallowing center located?
	the hypothalamus
	the medulla oblongata
	the thalamus
	the pons
Ans	ewer: (B)
	In which organ are enzymes produced that are responsible for digestion of 50 percent of carbohydrate and tein and 90 percent of fat?
(A)	liver
(B)	esophagus
(C)	pancreas
(D)	gallbladder
Ans	wer: (C)
29.	Which hormone's major action is to alkalize intestinal contents by stimulating secretion of bicarbonate

from the pancreas and by inhibiting gastric acid secretion and gastric emptying? (A) gastrin

- (E)
- (B) secretin
- (C) cholecystokinin

(D) GRP
Answer: (B)
30. Dumping syndrome may be caused by
(A) bacterial infections
(B) viral infections
(C) partial removal of the stomach to treat obesity
(D) gall stones
Answer: (C)
31. The hormone primarily responsible for contraction of the gallbladder and release of bile into the duodenum is
(A) gastrin
(B) secretin
(C) cholecystokinin
(D) GRP
Answer: (C)
32. Bile salts are synthesized from cholesterol in the
(A) canaliculi
(B) common bile duct
(C) hepatocytes
(D) gallbladder
Answer: (C)
33. The surface coat of microvilli is known as
(A) the glycocalyx
(B) the crypts of Lieberkühn
(C) motilin

(D) proteases
Answer: (A)
34. The total bile acid pool in the human body is 2.5 to 5 g. What percentage of bile is reabsorbed in the distal ileum? (A) 10 percent
(B) 30 percent
(C) 65 percent
(D) 90 percent
Answer: (D)
35. A large gall stone blocking the cystic duct might result in
(A) a reduction in the production of bile by the liver
(B) an increase in bile production by the liver
(C) enhancement of fat digestion
(D) interference with fat digestion
Answer: (D)
36. Which substance is enterohepatically circulated?
(A) pancreatic enzymes
(B) bile
(C) glucose
(D) CCK
Answer: (B)
37. In general, in which portion of the gastrointestinal tract does most absorption occur?
(A) esophagus
(B) stomach
(C) small intestine
(D) colon

Answer: (C)
38. A common cause of peptic ulcer disease (PUD) is the bacterium
(A) Escherichia coli
(B) Helicobacter pylori
(C) Staphylococcus aureus
(D) Enterobacter aerogenes
Answer: (B)
39. Which structure helps to prevent the migration of bacteria from the large intestine back into the small intestine? (A) the cecum
(B) the appendix
(C) the ileocecal valve
(D) the ileum Answer : (C)
40. Which hormone(s) is/are responsible for decreasing sodium absorption in the colon?
(A) glucocorticoids
(B) mineralocorticoids
(C) vasopressin
(D) glucagon
Answer: (C)
41. Which division of the nervous system decreases digestive tract motility and secretions?
(A) parasympathetic
(B) somatic
(C) adrenergic
(D) sympathetic

Answer	: ((D)	١

42. Which hormone diminishes gastric acid secretion?

	somatostatin	
(B)	gastrin	
(C)	cholecystokinin	
(D)	pancreatic polypeptide	
Answer: (A)		
43.	Which hormone stimulates gall bladder contraction?	
(A)	motilin	
(B)	gastrin	
(C)	cholecystokinin	
(D)	secretin	
Answer: (C)		
44.	A deficiency in secretion of cholecystokinin might lead to which problem?	
(A)	a reduction in gastric acid production	
(B)	difficulty digesting fats	
(C)	difficulty digesting proteins	
(D)	a buildup of intestinal gas	
Ans	wer:(B)	
	When diagnosing lactose intolerance, is measured in the breath following oral consumption of 50 g ose. (A) methane	
	hydrogen	
	carbon dioxide	
	sulfur	
(2)	Juliui.	

(B) Answer : (B)		
46. Lactose intolerance is <i>least</i> common in		
(A) European Americans		
African Americans		
(C) American Indians		
(D) Asian Americans		
Answer: (A)		
47. Taking antihistamines might lead to a(n)		
(A) increase in stomach acid production		
(B) increase in bile release		
(C) decrease in stomach acid secretion		
(D) reduction in pancreatic enzyme production		
Answer: (C)		
48. Which hormone decreases appetite?		
(A) peptide YY		
(B) motilin		
(C) secretin		
(D) pancreatic polypeptide		
Answer: (A)		
49. Among the regulatory peptide molecules, some are recognized as true hormones. Which substance is a paracrine rather than a hormone?		
(A) somatostatin		
(B) secretin		
(C) cholecystokinin		
(D) gastrin		

(C) Answer : (A)
50. Secretin is released from the enteroendocrine S-cell in the
(A) proximal small intestine
(B) gastric mucosa
esophagus (D)
colon
Answer: (A)
TRUEFALSE
51. Secretin stimulates HCl release.
(A) True
(B) False
Answer: (B)
52. CCK stimulates pancreatic zymogen release.
(A) True
(B) False
Answer: (A)
53. Leptin secretion stimulates the desire to eat.
(A) True
(B) False
Answer: (B)
54. CCK stimulates the release of bile.
(A) True

(B) False

Answer: (A)

(A) True
(B) False
Answer: (B)
57. Ghrelin increases satiety.
(A) True
(B) False
Answer : (B)
EQ. Castrin stimulatos gastrie acid socration
58. Gastrin stimulates gastric acid secretion.
(A) True
(B) False
Answer : (A)
59. Peptide YY stimulates gastric acid secretion.
(A) True
(B) False
Answer: (B)
60. Secretin stimulates gastric emptying.
(A) True
(B) False
Answer: (B)
C4 Chantabain fatha aide a anatadha intartinal barta in tarta an
61. Short-chain fatty acids secreted by intestinal bacteria improve colonic and splanchnic blood flow.
(A) True
(B) False

56. Eating a meal stimulates ghrelin secretion.

Answer: (A)
62. The predominant component of saliva is amylase.
(A) True
(B) False
Answer: (B)
63. The fundus of the stomach lies below the gastroesophageal sphincter.
(A) True
(B) False
Answer: (B)
64. Villi are s-designed to increase the absorptive surface area of the small
(A) True (B)
False
Answer: (A)
65. Pancreatitis occurs when zymogens become activated within the pancreas.
(A) True
(B) False
Answer: (A)
МАТСН
66. <i>Digestive Substances:</i> Match the substance important for digestion with its site of production.

67. Match the corresponding action to the hormone. Each choice is used only once.

MATCH

SHORTANSWER

- **68.** Discuss the role of drug therapies such as Tagamet, Zantac, and Pepcid in the treatment of peptic ulcers. **Answer:** The answer should include the following items:
- **69.** Describe the beneficial effects of secretions released by colonic bacteria. **Answer:** The answer should include the following items:
- **70.** What happens to reabsorbed bile acids after transported back to the liver? **Answer**: The answer should include the following items:

Answer: Reabsorbed bile acids are reconjugated to amino acids and secreted into bile along with the newly synthesized bile acids.

- **71.** Describe the mechanisms by which resin-type drugs and functional foods containing phytostanols lower high blood cholesterol levels. **Answer:** The answer should include the following items:
- **72.** Broad-spectrum antibiotics are capable of killing many different bacteria, including many of those that naturally live in the intestines. Develop a hypothesis regarding the effects of broadspectrum antibiotics on the beneficial effects of gut flora. **Answer:** The answer should include the following items:
- **73.** What are probiotics and prebiotics? Give examples of each.**Answer**: The answer should include the following items:

Answer: Probiotics are live microorganisms (that is, active cultures of specific strains of bacteria) that when administered in adequate amounts confer health benefits to its hosts. Prebiotics (discussed in more detail in Chapter 4) are substances that are not digested by human digestive enzymes but confer health benefits to the host by acting as substrates for the growth and/or activity of one or more species of healthful bacteria in the colon.

Answer: The most common probiotic bacteria are lactic acid bacteria, usually strains of Lactobacillus and Bifidobacterium genera. To be considered a probiotic, the product must contain 100 million live active bacteria per gram. At present, probiotics are mostly consumed as yogurt with live cultures and as fermented or cultured milk and milk products (such as buttermilk and kefir). In the United States, yogurt is often fermented by Lactobacillus bulgaricus and Streptococcus thermophilus, and milk is usually fermented by L. acidophilus and L. casei. Other bacteria used to manufacture dairy products include Leuconostoc esntheroides, L. mesenteroides, and Lactococcus lactis. Other food sources of probiotics include miso, tempeh, and some soy beverages/products.

- **74.** Discuss three of the five mechanisms by which probiotics may be helpful in diarrheal illnesses. **Answer:** The answer should include three of the following items:
- **75.** How might an imbalance of the hormones ghrelin and leptin lead to obesity? **Answer:** The answer should include the following items:

Answer: Because ghrelin acts on the hypothalamus to stimulate appetite, and leptin suppresses food intake, an imbalance could affect an individual's ability to control his or her appetite leading to obesity.

- **76.** Bariatric surgery involves removal or bypass of a large portion of the stomach. Speculate on how the production of ghrelin following bariatric surgery might affect appetite and explain your reasoning. **Answer:** The answer should include the following items:
- **77.** Discuss the functions and significance of the folds of Kerckring, the villi, and the microvilli. **Answer**: The answer should include the following items:

MULTICHOICE

78. RYGB surgery involves
(A) creating a pouch after the proximal and distal portions of the stomach are separated
(B) placing a band on the stomach and creating a pouch
(C) removing 85 percent of the stomach surgically
(D) connecting the esophagus directly to the duodenum
Answer: (A)
79. The most common bariatric procedure performed in the United States is
(A) gastric banding
(B) sleeve gastrectomy
(C) RYGB
(D) biliopancreatic diversion
Answer: (C)
80. Which nutritional deficiency occurs frequently following RYGB?
(A) vitamin D
(B) protein
(C) fat
(D) vitamin C
Answer: (B)
81. Deficiency of which vitamin is associated with neurological deficiencies?
(A) vitamin D
(B) vitamin C
(C) vitamin A
(D) thiamin

Answer: (D)				
82.	Deficiency of vitamin B12 occurs due to			
(A)	inflammation of the GI tract			
(B)	insufficient intrinsic factor			
(C)	a change in diet			
(D)	excessive stomach acid			

Answer: (B)