

# Test Bank for Nesters Microbiology A Human Perspective 8th Edition Anderson Salm Allen 9780073522593

Full link download

Test Bank:

<https://testbankpack.com/p/test-bank-for-nesters-microbiology-a-human-perspective-8th-edition-anderson-salm-allen-9780073522593/>

Solution Manual:

<https://testbankpack.com/p/solution-manual-for-nesters-microbiology-a-human-perspective-8th-edition-anderson-salm-allen-9780073522593/>

Chapter 02 - The Molecules of Life

## Chapter 02 The Molecules of Life

### Multiple Choice Questions

1. In addition to investigations with bacteria that led to him being considered the Father of Microbiology, Pasteur also
- A. found that some molecules can exist as stereoisomers.
  - B. created aspartame.
  - C. separated organic acids using a microscope.
  - D. discovered polarized light.
  - E.** found that some molecules can exist as stereoisomers AND separated organic acids using a microscope.

*Bloom's Level: 1. Remember*

*Learning Outcome: 02.01*

*Section: 02.01*

*Topic: Chemistry*

2. The negatively charged component of the atom is the
- A. proton.
  - B. nucleus.
  - C. neutron.
  - D.** electron.

*Bloom's Level: 1. Remember*

*Learning Outcome: 02.01*

*Section: 02.01*

*Topic: Chemistry*

3. The part of the atom that is most involved in chemical reactivity is the
- A. proton.
  - B. neutron.
  - C. electron.**
  - D. nucleus.

*Bloom's Level: 2. Understand*

*Learning Outcome: 02.01*

*Section: 02.01*

*Topic: Chemistry*

4. Electrons

- A. are found in areas outside the nucleus known as orbitals.
- B. may gain or lose energy.
- C. may move from one orbital to another.
- D. are located farthest from the nucleus and have the least energy.
- E. are found in areas outside the nucleus known as orbitals, may gain or lose energy, and may move from one orbital to another.**

*Bloom's Level: 1. Remember*

*Learning Outcome: 02.01*

*Section: 02.01*

*Topic: Chemistry*

**Check All That Apply Questions**

## Chapter 02 - The Molecules of Life

5.

The atomic number for an atom of a specific element is equal to (Check all that apply)

X

the number of electrons in a single atom of that element.

the number of electrons plus neutrons in a single atom of that element.

X the number of protons in a single atom of that element.

the number of neutrons and protons in a single atom of that element.

*Bloom's Level: 1. Remember*

*Learning Outcome: 02.01*

*Section: 02.01*

*Topic: Chemistry*

### Multiple Choice Questions

6. Sharing of electrons between 2 atoms forms a(n)

A. hydrogen bond.

B. ionic bond.

C. covalent bond.

D. strong bond.

**E.** covalent bond AND strong bond.

*Bloom's Level: 2. Understand*

*Learning Outcome: 02.03*

*Section: 02.02*

*Topic: Chemistry*

Chapter 02 - The Molecules of Life

7. If electrons are gained or lost in the formation of a bond, the bond is termed

- A. covalent.
- B. hydrogen.
- C.** ionic.
- D. nonpolar.

*Bloom's Level: 2. Understand*

*Learning Outcome: 02.03*

*Section: 02.02*

*Topic: Chemistry*

8. Charged atoms are termed

- A.** ions.
- B. neutrons.
- C. molecules.
- D. polymers.

*Bloom's Level: 1. Remember*

*Learning Outcome: 02.03*

*Section: 02.02*

*Topic: Chemistry*

9. Water

- A. is a polar molecule.
- B. is referred to as a universal solvent.
- C. makes up over 70% (by wt.) of an organism.
- D. is often a product or reactant in chemical reactions.
- E.** All of the choices are correct.

*Bloom's Level: 2. Understand*

*Learning Outcome: 02.05*

*Section: 02.03*

*Topic: Chemistry*

10. pH

- A. is a measure of the hydrogen ion concentration.
- B. utilizes a scale from 5 to 8.
- C. is a linear (not logarithmic) scale.
- D.

is an abbreviation for "power of helium."

E.

is a measure of the hydrogen ion concentration, utilizes a scale from 5 to 8, AND is a linear (not logarithmic) scale.

*Bloom's Level: 2. Understand*

*Learning Outcome: 02.06*

*Section: 02.03*

*Topic: Chemistry*

11. The subunits (building blocks) of proteins are

- A. nucleotides.
- B. phospholipids.
- C. amino acids.
- D. carbohydrates.

*Bloom's Level: 1. Remember*

*Learning Outcome: 02.10*

*Section: 02.04*

*Topic: Chemistry*

12. If the side chains of amino acids contain carboxyl (-COOH) groups, they

- A. contribute a positive charge to the amino acid at pH 10.
- B. contribute a negative charge to the amino acid at pH 10.
- C. have no effect on the charge of the amino acid at pH 10.
- D. are considered acidic amino acids.
- E. contribute a negative charge to the amino acid at pH 10 AND are considered acidic amino acids.

*Bloom's Level: 3. Apply*

*Learning Outcome: 02.10*

*Section: 02.04*

*Topic: Chemistry*

13. Amino acids that contain many methyl (-CH<sub>3</sub>) groups

A. are considered hydrophilic.

**B.**

are non-polar.

C. carry a positive charge.

D. carry a negative charge.

E. are considered hydrophilic AND carry a positive charge.

*Bloom's Level: 3. Apply*  
*Learning Outcome: 02.10*  
*Section: 02.04*  
*Topic: Chemistry*

14. D-amino acids are associated with

A. radioactive isotopes.

B. human proteins.

C. plant proteins.

**D.** bacterial cell walls.

*Bloom's Level: 1. Remember*  
*Learning Outcome: 02.10*  
*Section: 02.04*  
*Topic: Chemistry*

15. The most important feature of a protein is its

A. secondary structure.

B. side group.

**C.** shape.

D. electric charge.

*Bloom's Level: 2. Understand*  
*Learning Outcome: 02.11*  
*Section: 02.04*  
*Topic: Chemistry*

16. The helices and sheets of amino acids form a protein's
- A. primary structure.
  - B.** secondary structure.
  - C. tertiary structure.
  - D. quaternary structure.

*Bloom's Level: 1. Remember*

*Learning Outcome: 02.11*

*Section: 02.04*

*Topic: Chemistry*

17. Acidic or basic amino acids are
- A. readily soluble in water.
  - B. readily soluble in lipids.
  - C. able to form ions.
  - D. considered hydrophilic.
  - E.**

readily soluble in water, able to form ions, AND considered hydrophilic.

*Bloom's Level: 2. Understand*

*Learning Outcome: 02.10*

*Section: 02.04*

*Topic: Chemistry*

18. The N terminal in a protein
- A. is the end characterized by a free carboxyl group.
  - B.** is the end characterized by a free amino group.
  - C. is typically found in the middle of a protein.
  - D. refers to that area of a protein that is bound to another protein.

*Bloom's Level: 1. Remember*

*Learning Outcome: 02.10*

*Section: 02.04*

*Topic: Chemistry*

19. Protein denaturation can
- A. occur due to certain chemicals.
  - B. occur due to pH changes.
  - C. occur due to high temperature.
  - D. cause the protein to no longer function.
  - E.** All of the choices are correct.

*Bloom's Level: 2. Understand*

*Learning Outcome: 02.11*

*Section: 02.04*

*Topic: Chemistry*

20. Which is true of carbohydrates?
- A. They may be part of the structure of bacteria.
  - B. They may serve as a source of food.
  - C.

They contain carbon, hydrogen, and oxygen in a 1:2:1 ratio.

- D. They may be bonded to proteins to form glycoproteins.
- E.** All of the choices are correct.

*Bloom's Level: 2. Understand*

*Learning Outcome: 02.12*

*Section: 02.05*

*Topic: Chemistry*

21. Carbohydrates
- A. form only ring structures.
  - B. form only linear structures.
  - C.** may interconvert between ring and linear structures.
  - D. contain both ring and linear portions within the same molecule.

*Bloom's Level: 2. Understand*

*Learning Outcome: 02.13*

*Section: 02.05*

*Topic: Chemistry*



22. Structural isomers

- A. contain the same number of atoms/elements, but in different arrangements.
- B. are exemplified by glucose and galactose.
- C. are formed by different arrangements of the -COOH groups.
- D. may be referred to as the -D and -L forms.
- E.** contain the same number of atoms/elements, but in different arrangements AND are exemplified by glucose and galactose.

*Bloom's Level: 3. Apply*  
*Learning Outcome: 02.13*  
*Section: 02.05*  
*Topic: Chemistry*

23. What type of bonding holds one strand of DNA to the complementary strand of DNA?

A.

Covalent

**B.**

Hydrogen

C.

Disulfide

D.

Ionic

*Bloom's Level: 2. Understand*  
*Learning Outcome: 02.14*  
*Section: 02.06*  
*Topic: Chemistry*

Chapter 02 - The Molecules of Life

24. The sugars found in nucleic acids consist of
- A. 3 carbon atoms.
  - B.** 5 carbon atoms.
  - C. 7 carbon atoms.
  - D. 9 carbon atoms.

*Bloom's Level: 1. Remember*  
*Learning Outcome: 02.14*  
*Section: 02.06*  
*Topic: Chemistry*

25. Which of the following is found in RNA but not in DNA?

A.

Adenine

B.

Ribose

C.

Thymine

D.

Uracil

**E.**

Ribose AND Uracil

*Bloom's Level: 2. Understand*  
*Learning Outcome: 02.14*  
*Section: 02.06*  
*Topic: Chemistry*

26. Which shows the incorrect complementary base pairing?

- A. A:T
- B. G:C
- C. G:T**
- D. A:U
- E.

A:T, G:C, AND A:U

*Bloom's Level: 3. Apply*  
*Learning Outcome: 02.14*  
*Section: 02.06*  
*Topic: Chemistry*

27. The components of fats are fatty acids and

- A. amino acids.
- B. nucleotides.
- C. phosphate.
- D. glycerol.**
- E. All of the choices are correct.

*Bloom's Level: 1. Remember*  
*Learning Outcome: 02.15*  
*Section: 02.07*  
*Topic: Chemistry*

28.

In general, when saturated fats are compared to unsaturated fats (assuming the same number of carbon atoms in the molecule),

- A. they have about the same melting temperature.
- B. saturated fats have a lower melting temperature.
- C. unsaturated fats have a lower melting temperature.**
- D. No generalizations can be made since melting temperature is strongly influenced by other factors.

*Bloom's Level: 3. Apply*  
*Learning Outcome: 02.15*  
*Section: 02.07*  
*Topic: Chemistry*

### **True / False Questions**

29. If you placed the molecule in a vertical orientation, then from top to bottom, the two parallel strands of DNA are both oriented in the same, 5' to 3', direction.

**FALSE**

*Bloom's Level: 2. Understand*

*Learning Outcome: 02.14*

*Section: 02.06*

*Topic: Chemistry*

30. RNA is a long double-stranded helix containing ribose and uracil.

**FALSE**

*Bloom's Level: 1. Remember*

*Learning Outcome: 02.14*

*Section: 02.06*

*Topic: Chemistry*

31. Lipids, like nucleic acids and proteins, are made of strings of similar subunits.

**FALSE**

*Bloom's Level: 2. Understand*

*Learning Outcome: 02.15*

*Section: 02.07*

*Topic: Chemistry*

32. Steroids are simple lipids.

**TRUE**

*Bloom's Level: 2. Understand*

*Learning Outcome: 02.15*

*Section: 02.07*

*Topic: Chemistry*

33.

Water-soluble substances easily pass through the phospholipid bilayer of a cell membrane.

**FALSE**

*Bloom's Level: 2. Understand*

*Learning Outcome: 02.15*

*Section: 02.07*

*Topic: Chemistry*

### Multiple Choice Questions

34. The positively charged component of the atom is the

A. electron.

B. neutron.

**C.** proton.

D. quark.

*Bloom's Level: 1. Remember*

*Learning Outcome: 02.01*

*Section: 02.01*

*Topic: Chemistry*

35. The uncharged component of the atom is the

A. electron.

B. proton.

**C.** neutron.

D. muon.

*Bloom's Level: 1. Remember*

*Learning Outcome: 02.01*

*Section: 02.01*

*Topic: Chemistry*

36. Which determines the chemical and physical properties of an atom of an element?

A.

Electron

B.

Neutron

C.

Atomic weight

**D.**

Atomic number

*Bloom's Level: 2. Understand*

*Learning Outcome: 02.01*

*Section: 02.01*

*Topic: Chemistry*

37. The atom, as a whole, is uncharged because

A. the number of protons equals the number of neutrons.

B. the number of electrons equals the number of neutrons.

C. neutrons neutralize the charges.

**D.** the number of protons equals the number of electrons.

*Bloom's Level: 2. Understand*

*Learning Outcome: 02.01*

*Section: 02.01*

*Topic: Chemistry*

Chapter 02 - The Molecules of Life

38. The atomic weight is equal to
- A. the number of electrons.
  - B. the number of electrons plus neutrons.
  - C. the number of protons.
  - D.** the number of neutrons and protons.

*Bloom's Level: 1. Remember*  
*Learning Outcome: 02.01*  
*Section: 02.01*  
*Topic: Chemistry*

39. If electrons are shared unequally, this forms a(n)
- A. weak bond.
  - B.

non-polar bond.

- C.** polar bond.
- D. ionic bond.

*Bloom's Level: 2. Understand*  
*Learning Outcome: 02.03*  
*Section: 02.02*  
*Topic: Chemistry*

40. Atoms that gain electrons are now
- A. positively charged.
  - B.** negatively charged.
  - C. neutral.
  - D. lighter.

*Bloom's Level: 2. Understand*  
*Learning Outcome: 02.02*  
*Section: 02.02*  
*Topic: Chemistry*

41. Which of these bonds are weak individually but are much stronger as a group?

A.

Covalent

B.

Ionic

C.

Neutron

D.

Hydrogen

**E.**

Ionic AND Hydrogen

*Bloom's Level: 3. Apply*  
*Learning Outcome: 02.03*  
*Section: 02.02*  
*Topic: Chemistry*

42. The most important molecule(s) in the world is(are)

**A.** water.

B. protein.

C. carbohydrates.

D. nucleic acids.

*Bloom's Level: 2. Understand*  
*Learning Outcome: 02.08*  
*Section: 02.03*  
*Topic: Chemistry*



43. The energy storage form of ATP

A. contains deoxyribose.

**B.** contains ribose.

C. contains a pyrimidine base.

D. readily releases energy by breaking the bond between the base and the sugar.

E.

contains deoxyribose, contains a pyrimidine base, AND readily releases energy by breaking the bond between the base and the sugar.

*Bloom's Level: 1. Remember*

*Learning Outcome: 02.07*

*Section: 02.03*

*Topic: Chemistry*

44. How many different amino acids are there to choose from when assembling a protein? A. 5

B. 10

**C.** 20

D. 25

*Bloom's Level: 1. Remember*

*Learning Outcome: 02.10*

*Section: 02.04*

*Topic: Chemistry*

45. If the side chains of amino acids contain the ammonium ion, they readily form ions that

A. are described as acidic amino acids.

B. give positive electric charges to the amino acid.

C. are described as basic amino acids.

D. react with lipids to form lipoproteins.

**E.** give positive electric charges to the amino acid AND are described as basic amino acids.

*Bloom's Level: 3. Apply*

*Learning Outcome: 02.10*

*Section: 02.04*

*Topic: Chemistry*

46. L-amino acids occur in proteins and are designated
- A. unnatural.
  - B. natural.
  - C. rare.
  - D. left handed.
  - E. natural AND left handed.**

*Bloom's Level: 2. Understand*  
*Learning Outcome: 02.10*  
*Section: 02.04*  
*Topic: Chemistry*

47. Amino acids in proteins are linked to one another by peptide bonds between the
- A. methyl group of one amino acid and a side group of another amino acid.
  - B. carbon atoms of two adjacent amino acids.
  - C. carboxyl group of one amino acid and the amino group of another.**
  - D. nitrogen atom and carboxyl ion.

*Bloom's Level: 2. Understand*  
*Learning Outcome: 02.11*  
*Section: 02.04*  
*Topic: Chemistry*

48. The primary structure in a protein
- A. refers to the helical folding of a protein.
  - B. refers to two or more polypeptides linked to one another.
  - C. refers to the sequence of amino acids.**
  - D. refers to the initial folding of a protein.

*Bloom's Level: 1. Remember*  
*Learning Outcome: 02.11*  
*Section: 02.04*  
*Topic: Chemistry*

49. Side chains are important to proteins because they
- A. help determine protein shape.
  - B. help determine the degree of solubility of the protein in water.
  - C. are a source of energy for hydration reactions in the cell.
  - D.

form the peptide bonds that link amino acids to one another.

**E.** help determine protein shape AND help determine the degree of solubility of the protein in water.

*Bloom's Level: 3. Apply*  
*Learning Outcome: 02.10*  
*Section: 02.04*  
*Topic: Chemistry*

50. A protein
- A. assumes any number of equally functional shapes.
  - B.** may need help, in the form of chaperones, to assume the correct shape.
  - C. consists of a string of hydroxyl acids.
  - D. is always polar.
  - E. assumes any number of equally functional shapes AND may need help, in the form of chaperones, to assume the correct shape.

*Bloom's Level: 2. Understand*  
*Learning Outcome: 02.11*  
*Section: 02.04*  
*Topic: Chemistry*

51. Weak bonds are important for the \_\_\_\_\_ structure of proteins.

- A. primary
- B. secondary
- C. tertiary
- D. quarternary
- E.**

secondary, tertiary, AND quarternary

*Bloom's Level: 2. Understand*

*Learning Outcome: 02.11*

*Section: 02.04*

*Topic: Chemistry*

52. Proteins

- A. are involved in almost every important function performed by a cell.
- B. comprise more than 50% of the dry weight of a cell.
- C. are composed of a string of nucleotides.
- D. are characterized by a 1:2:1 ratio of carbon to hydrogen to oxygen.
- E.** are involved in almost every important function performed by a cell AND comprise more than 50% of the dry weight of a cell.

*Bloom's Level: 2. Understand*

*Learning Outcome: 02.09*

*Section: 02.04*

*Topic: Chemistry*

53. The carbohydrate(s) found in nucleic acids is/are

- A. ribose.
- B. glucose. C.
- galactose. D.
- deoxyribose.
- E.** ribose AND deoxyribose.

*Bloom's Level: 1. Remember*

*Learning Outcome: 02.12*

*Section: 02.05*

*Topic: Chemistry*

54. The -OH group in a carbohydrate
- A. may be found above or below the plane of the ring.
  - B. is involved in the formation of stereoisomers.
  - C. is involved when linking monosaccharides together.
  - D.** All of the choices are true.

*Bloom's Level: 2. Understand*  
*Learning Outcome: 02.13*  
*Section: 02.05*  
*Topic: Chemistry*

55. Dehydration reactions are involved in
- A. the formation of polypeptides.
  - B. the formation of polysaccharides.
  - C. the formation of monosaccharides.
  - D. the formation of nucleotides.
  - E.** the formation of polypeptides AND the formation of polysaccharides.

*Bloom's Level: 2. Understand*  
*Learning Outcome: 02.10*  
*Section: 02.04*  
*Topic: Chemistry*

56. Which is true of nucleotides?
- A. They are the building blocks of DNA.
  - B. They carry chemical energy in their bonds.
  - C. They are part of certain enzymes.
  - D. They serve as specific signaling molecules.
  - E.** All of the choices are true.

*Bloom's Level: 2. Understand*  
*Learning Outcome: 02.14*  
*Section: 02.06*  
*Topic: Chemistry*

57. The purines of DNA are  
**A.** adenine and guanine.  
B. thymine and adenine.  
C. serine and threonine.  
D. thymine and uracil.  
E. thymine and adenine AND thymine and uracil.

*Bloom's Level: 1. Remember*  
*Learning Outcome: 02.14*  
*Section: 02.06*  
*Topic: Chemistry*

58. The end of the nucleic acid chain that grows by adding more nucleotides is always the  
A. 5 prime end.  
B. C terminal.  
C. N terminal.  
**D.** 3 prime end.

*Bloom's Level: 2. Understand*  
*Learning Outcome: 02.14*  
*Section: 02.06*  
*Topic: Chemistry*

59. The characteristic common to all lipids is their  
A. solubility in organic solvents.  
B. hydrophilic nature.  
C. large size.  
D. hydrophobic nature.  
**E.** solubility in organic solvents AND hydrophobic nature.

*Bloom's Level: 2. Understand*  
*Learning Outcome: 02.15*  
*Section: 02.07*  
*Topic: Chemistry*

60.

Which is (are) true of lipids?

- A. They are a major structural element of all cell membranes.
- B. They act as gatekeepers of the cell.
- C. They demark the inside vs. the outside of the cell.
- D. They are a heterogeneous group of molecules.
- E.** All of the choices are correct.

*Bloom's Level: 2. Understand*  
*Learning Outcome: 02.15*  
*Section: 02.07*  
*Topic: Chemistry*

### **True / False Questions**

61. As DNA is always double-stranded, RNA is always single-stranded.

**FALSE**

*Bloom's Level: 2. Understand*  
*Learning Outcome: 02.14*  
*Section: 02.06*  
*Topic: Chemistry*

62. Lipids are polar, hydrophilic molecules.

**FALSE**

*Bloom's Level: 2. Understand*  
*Learning Outcome: 02.15*  
*Section: 02.07*  
*Topic: Chemistry*

63. Simple lipids contain carbon, hydrogen, and oxygen in a 1:2:1 ratio.

**FALSE**

*Bloom's Level: 1. Remember*

*Learning Outcome: 02.15*

*Section: 02.07*

*Topic: Chemistry*

64.

Phospholipids are non-polar molecules.

**FALSE**

*Bloom's Level: 1. Remember*

*Learning Outcome: 02.15*

*Section: 02.07*

*Topic: Chemistry*

65. Unsaturated fats have lower melting points than saturated fats.

**TRUE**

*Bloom's Level: 3. Apply*

*Learning Outcome: 02.15*

*Section: 02.07*

*Topic: Chemistry*

## Multiple Choice Questions



66.

Microorganisms use hydrogen bonds to attach themselves to the surfaces that they live upon. Many of them lose hold of the surface because of the weak nature of these bonds and end up dying or being washed away. Why don't microbes just use covalent bonds instead?

A.

Covalent bonds are always permanent bonds; the microbes could never get OFF their surface if they used them.

B.

Covalent bonds depend on completely giving up or completely accepting an electron to form the bond. This isn't possible for many microbes without dramatically altering their basic molecular composition.

C.

Covalent bonds typically require enzymes to form/break, whereas hydrogen bonds don't. If covalent bonds were used, it would require much more energy and molecules to be contributed from the cell. Hydrogen bonds don't have these requirements.

D.

Covalent bonds may have more specific and stringent requirements for what atoms can bond with. This makes for stronger bonds, but also decreases the overall potential for bonds that could readily be created between the microbe and its desired surface.

**E.** C and D

*Bloom's Level: 5. Evaluate*  
*Learning Outcome: 02.03*  
*Section: 02.02*  
*Topic: Chemistry*

67.

A biologist determined the amounts of several amino acids in two separate samples of pure protein. His data stated that Protein A possessed: 7% leucine, 12% alanine, 4% histidine, 2% cysteine, and 5% glycine. Interestingly, Protein B had the same percentages of each of the same amino acids. He concluded, from this data, that Proteins A and B are the same protein. Based on this information and his conclusion, determine which of the following is the correct statement regarding his findings:

**A.**

He is correct; they have the same percentages of each amino acid, so they are identical protein molecules.

B.

He is incorrect; while they may possess the same percentages of each amino acid, his findings say nothing about the order in which the amino acids are put together. The order will dictate the overall structure of the protein, so the two could be very different in shape, even though the amino acid totals are the same.

C.

He is correct; the order of the amino acids is irrelevant. It's only the total number of each molecule that is important to structure.

D.

He is incorrect; he hasn't accounted at all for the effects of pH on the composition of the protein and its effects on the individual amino acids.

*Bloom's Level: 5. Evaluate*

*Learning Outcome: 02.11*

*Section: 02.04*

*Topic: Chemistry*