Test Bank for New Perspectives Microsoft Office 365 and Access 2016 Intermediate 1st Edition Shellman Vodnik 1305880293 9781305880290

Full link download Test Bank:

https://testbankpack.com/p/test-bank-for-new-perspectives-microsoft-office-365-and-access-2016-intermediate-1st-edition-shellman-vodnik-1305880293-9781305880290/
Solution Manual: https://testbankpack.com/p/solution-manual-for-new-perspectives-microsoft-office-365-and-access-2016-intermediate-1st-edition-shellman-vodnik-1305880293-9781305880290/

| Name: | | Class: | Date: |
|----------------------------|------------------|---|----------------------------------|
| Access Modu | le 02: Buildii | ng a Database and Defining Table Relations | ships |
| 1. The F6 key to | ggles the Acce | ss table workspace between the Table Design grid | and the Field Properties pane. |
| a. True | | | |
| b. False | | | |
| ANSWER: | True | | |
| POINTS: | 1 | | |
| REFERENCES: | Session 2.1 V | sual Overview | |
| 2. All fields in a | database shoul | d be contained in one table. | |
| a. True | | | |
| b. False | | | |
| ANSWER: | False | | |
| POINTS: | 1 | | |
| REFERENCES: | Modifying Fie | ld Properties | |
| 3. Data redundar database. | ncy should be a | voided because it wastes storage space and might of | cause inconsistencies within the |
| a. True | | | |
| b. False | | | |
| ANSWER: | True | | |
| POINTS: | 1 | | |
| REFERENCES: | Guidelines for | Designing Databases | |
| 4. Access autom | atically assigns | the Number data type to all new fields. | |
| a. True | | | |
| b. False | | | |
| ANSWER: | False | | |
| POINTS: | 1 | | |

REFERENCES: Guidelines for Setting Field Properties

| a. True | |
|-------------------|--|
| b. False | |
| ANSWER: | True |
| POINTS: | 1 |
| REFERENCES: | Creating a Table in Design View |
| 6. Access does n | not allow data to be imported from sources other than another Access database. |
| a. True | |
| b. False | |
| Copyright Cengage | e Learning. Powered by Cognero. |

Page 1

5. Access does not require a field description for every field included in a table.

| Name: | | Class: | Date: |
|----------------------------------|--------------------------------|--|---|
| | lule 02: Building a Datab | ase and Defining Table Relations | hips |
| ANSWER: | False | | |
| POINTS: | 1 | | |
| | S: Importing Data from an E | xcel Worksheet | |
| 7. The Data Ty Datasheet view | - | e entry of groups of fields using the Quie | ck Start selection, is only available in |
| a. True | | | |
| b. False | | | |
| ANSWER: | True | | |
| POINTS: | 1 | | |
| | S: Adding Fields to a Table | Using the Data Type Gallery | |
| 8. Field names | s in a table may only be chang | ged in Design view. | |
| a. True | | | |
| b. False | | | |
| ANSWER: | False | | |
| POINTS: | 1 | | |
| REFERENCE | S: Modifying the Structure of | f an Imported Table | |
| | | or a field property, it is recommended the essage. | nat the text be enclosed within quotation |
| ANSWER: | True | | |
| POINTS: | 1 | | |
| | S: Setting the Default Value | Property for a Field | |
| 10. In order to | define table relationships, ea | ach table being joined must contain a co | mmon field. |
| a. True | | | |
| b. False | | | |
| ANSWER: | True | | |
| POINTS: | 1 | | |
| REFERENCE | S: Defining Table Relationsl | nips | |
| either table is | updated. | sed by Access to maintain consistency b | between related tables when data in |
| ANSWEK:Fais POINTS:1 | se - Referential integrity | | |
| i Onvio.i | | | |

REFERENCES: Defining Table Relationships

| Name: | | Class: | Date: |
|-------|--|--------|-----------------------|
| | 2 02: Building a Database and Defin Quick Start selection adds a group of relati | | Address, City, State, |
| oto | | | |

| Name: | Class: | Date: |
|---------------------------------------|--|-------------------------------|
| Access Modu | ale 02: Building a Database and Defining Table Relationships | |
| ANSWER: | False - fields | |
| POINTS: | 1 | |
| REFERENCES: | : Adding Fields to a Table Using the Data Type Gallery | |
| keyboard shortc | mbination of keys that complete an action more efficiently than using the mous | e is called a(n) |
| ANSWER: True | | |
| POINTS:1 REFERENCES: | : Adding Records to a New Table | |
| | | |
| | s not require a table to have a(n) <u>primary key</u> . | |
| ANSWER: POINTS: | True | |
| | : Creating a Table in Design View | |
| | | |
| 15. In the <u>Datab</u> | pase Design grid, press the Enter key to move from one property to the next pro | perty. |
| | - Table Design grid | |
| POINTS:1 | | |
| REFERENCES: | : Session 2.1 Visual Overview | |
| 16. The field na | ame displayed in database objects, including forms and reports, is determined by | the <u>Caption property</u> . |
| ANSWER:True | | |
| POINTS:1 | | |
| REFERENCES: | : Guidelines for Setting Field Properties | |
| · · · · · · · · · · · · · · · · · · · | ey data type is accurate up to 4 digits on the right side of the decimal point. | |
| ANSWER: True | | |
| POINTS:1 | | |
| REFERENCES: | : Guidelines for Setting Field Properties | |
| 18. A primary k | key that consists of two or more fields is called a(n) redundant key. | |
| | - composite key | |
| POINTS:1 | | |
| REFERENCES: | : Guidelines for Designing Databases | |
| <u></u> | default name for a new table in an Access database. | |
| a. My table | | |
| c. ADB Tab | | |
| ANSWER: | b | |
| POINTS: | 1 | |

REFERENCES: Session 2.1 Visual Overview

| Name: | Class: | Date: |
|--|---|----------|
| Access Module 02: Building a Database and Defin | ning Table Relationships | |
| 20. The property allows the database designer to explain | ain the purpose of a field or how a field | is used. |

| Name: | | Class: | Date: |
|----------------------|------------------------|--|-----------------------|
| Access Modu | ıle 02: Building a | Database and Defining Table Relationships | |
| a. Data typ | e b. Field size | | |
| c. Required | d d. Description | | |
| ANSWER: | d | | |
| POINTS: | 1 | | |
| REFERENCES | : Table Window in D | Design View | |
| 21. A database | management system i | is a useful tool only if it meets which of the following | criteria? |
| a. produces | | b. contains simple records | , |
| _ | _ | d. meets the needs of the designer | |
| ANSWER: | С | | |
| POINTS: | 1 | | |
| | : Guidelines for Desi | igning Databases | |
|) 22 Δ field used | to connect one table | logically with another table is called a field. | |
| a. common | | rogreatly with another table is called a field. | |
| c. composi | | | |
| ANSWER: | a a. data | | |
| POINTS: | 1 | | |
| | : Guidelines for Desi | gning Databases | |
| 03 A datahasa s | evetem determines how | to store, display, and process field values based on whi | ich of the following? |
| a. field nar | = | | en of the following: |
| c. field cap | | or nes | |
| ANSWER: | b | | |
| POINTS: | 1 | | |
| | : Guidelines for Setti | ing Field Properties | |
| | | | |
| | - | best to choose names that | |
| | both numbers and lett | | |
| | uppercase characters | | |
| | the content or purpos | | |
| • | lowercase letters and | i no spaces | |
| ANSWER: | c | | |
| POINTS: | 1 | | |
| REFERENCES | : Guidelines for Setti | ing Field Properties | |
| | | st logical data type for a field named PaidDate? | |
| a. Currenc | | | |
| c. Memo | d. Date/Time | | |
| ANSWER: | d | | |
| POINTS: | 1 | | |

REFERENCES: Guidelines for Setting Field Properties

| Name: | Class: | Date: |
|---|--------|-------|
| Access Module 02: Building a Database and Defir 26. The default character length for the Short Text data type | • | |

| Name: | | Class: | Date: |
|---------------------------------|---------|--|--------------------------|
| Access Modu | ule 02 | 2: Building a Database and Defining Table Relationships | |
| a. 55 b | . 255 | | |
| c. 64 d | . 15 | | |
| ANSWER: | b | | |
| POINTS: | 1 | | |
| | : Gui | idelines for Setting Field Properties | |
| 27. Which data | type | allows both positive and negative numbers as field values? | |
| a. Number | | b. Date/Time | |
| c. AutoNu | mber | d. Short Text | |
| ANSWER: | a | | |
| POINTS: | 1 | | |
| REFERENCES | : Gui | idelines for Setting Field Properties | |
| 28. The data ty | pe tha | at allows both sequential and random numbering is the data type | |
| a. Number | | b. Currency | |
| c. AutoNu | mber | d. Long Date | |
| ANSWER: | c | | |
| POINTS: | 1 | | |
| REFERENCES | : Gui | delines for Setting Field Properties | |
| 29. The d condition. | ata ty | pe only allows a field length of 1 character and is used to indicate the | presence or absence of a |
| a. AutoNu | mber | b. Short Text | |
| c. Yes/No | | d. Long Text | |
| ANSWER: | c | | |
| POINTS: | 1 | | |
| REFERENCES | : Gui | delines for Setting Field Properties | |
| 30. Which of the | e follo | owing is the most logical data type to use if a field will contain long comm | nents or explanations? |
| a. Hyperlir | nk | b. Short Text | |
| c. Memo | | d. Long Text | |
| ANSWER: | d | | |
| POINTS: | 1 | | |
| REFERENCES | : Gui | delines for Setting Field Properties | |
| 31. Which data | type | allows the designer to define the Field Size property? | |
| a. Long Te | ext | b. Hyperlink | |
| c. Memo | | d. AutoNumber | |
| ANSWER: | d | | |
| POINTS. | 1 | | |

REFERENCES: Guidelines for Setting Field Properties

| Name: | C | lass: | Date: |
|-------------------|---|-------|------------|
| | Building a Database and Definin pecifies the number of decimal places | | mal point. |
| a. Decimal Places | b. Input Mask | | |

| Name: | | Class: | Date: |
|----------------------|-----------------------------------|----------------------------------|--------------------------------------|
| Access Module | 02: Building a Database a | nd Defining Table Relation | nships |
| c. Default Valu | ie d. Format | | |
| ANSWER: a | | | |
| POINTS: 1 | | | |
| | reating a Table in Design View | V | |
| 33. Which symbols | would be used to create a cust | tom date format that would disp | olay July 4, 2016 as 7/04/16? |
| a. mm/dd/yyyy | | · | |
| c. mmm/d/yyy | y d. m/dd/yy | | |
| ANSWER: d | • | | |
| POINTS: 1 | | | |
| REFERENCES: C | reating a Table in Design View | v | |
| 34. A custom date fo | ormat set for a Date/Time field t | hat contains the symbols mmm/d | ld/yy would display the date as |
| a. July 4, 2016 | b. 07/04/16 | | |
| c. 7/4/2016 | d. Jul/04/16 | | |
| ANSWER: d | | | |
| POINTS: 1 | | | |
| REFERENCES: C | reating a Table in Design View | V | |
| 35. Which data typ | e would be most logical to use | for a field named BillPaid to in | ndicate if an invoice has been paid? |
| | o. Memo | | r |
| c. Text | l. AutoNumber | | |
| ANSWER: a | | | |
| POINTS: 1 | | | |
| | reating a Table in Design View | V | |
| 36. A field in an Ao | ccess database table that has no | o value is determined by Access | s to have a value. |
| | . zero | J | |
| c. null | . number | | |
| ANSWER: c | | | |
| POINTS: 1 | | | |
| | reating a Table in Design View | v | |
| 37. Changing the o | der of fields in a database tabl | le is an example of changing a t | table's . |
| | b. structure | 1 0 0 | |
| | d. value | | |
| ANSWER: b | | | |
| POINTS: 1 | | | |
| | reating a Table in Design View | v | |
| 38. Formatting Dat | e/Time fields changes only the | way data is displayed, not the | field |
| a. values | b. letters | 1 7, | |
| c. numbers | d. mask | | |

| Name: | Class: | Date: |
|--|--------------------------|-------|
| Access Module 02: Building a Database and Definance and De | ning Table Relationships | |

| Name: | Class: Date: |
|--|---|
| Access Module | 02: Building a Database and Defining Table Relationships |
| POINTS: 1 | |
| REFERENCES: C | reating a Table in Design View |
| 39. The common fi a. key icon c. join line | teld between two tables in the Relationship window is indicated by a(n) b. field name d. infinity symbol |
| ANSWER: c | |
| POINTS: 1 | |
| | Iodified Visit table in Datasheet view |
| Access database m a. there is no r b. the Excel ar c. the data was | relationship between tables and Access caption property values to do not match s entered incorrectly |
| d. the Access t | field names and the Excel worksheet column headings do not match |
| ANSWER: d | |
| POINTS: 1 | |
| REFERENCES: In | mporting Data from an Excel Worksheet |
| 41. To begin important a. Create c. External Da | rting data from an Excel spreadsheet, click on the tab on the ribbon. b. Database Tools ta d. Home |
| ANSWER: c | |
| POINTS: 1 | |
| | mporting Data from an Excel Worksheet |
| 42. By choosing the | e Definition Only option in the Import Objects dialog box, the of a table is imported, but not the |
| a. data, structu | re b. data type, structure |
| c. structure, da | d. structure, data type |
| ANSWER: c | |
| POINTS: 1 | |
| REFERENCES: C | reating a Table by Importing an Existing Table or Table Structure |
| 13 Δ value set in t | he Field Properties pane that appears in a field automatically is the for the field. |
| a. entered valu | • |
| c. default valu | |
| ANSWER: c | 5. Permanent raide |
| POINTS: 1 | |
| | Iodifying the Structure of an Imported Table |
| TELLECTION IV. | today and but detaile of all imported rable |

| Name: | | Class: | Date: | |
|-------------------|--|--------|----------|----|
| | e 02: Building a Database and Detathat data being imported from a text | | <u> </u> | ì, |
| which defines the | text file as a(n) text file. | | | |

| Name: | | Class: | Date: |
|--|---|--|---|
| Access Module | e 02: Building a Database | and Defining Table Relation | nships |
| a. imported | b. readable | | |
| c. delimited | d. external | | |
| ANSWER: | c | | |
| POINTS: | 1 | | |
| REFERENCES: | Adding Data to a Table by Im | porting a Text File | |
| many records in t is defined as a a. One-to-On | the second table, and at least o relationship. b. One-to-Many | - | rd in the first table and zero, one, or ches at most one record in the first table, |
| c. One-to-Mo | | | |
| | b 1 | | |
| | Defining Table Relationships | | |
| Case-Based Crit | tical Thinking Questions | | |
| agency. Participa An Access databa | nt and payment information is ase contains information about he database contains the follow rmation | stored in an Excel spreadsheet as t children (participants), parents, e | For their local recreation and parks schildren are registered for activities. Employees, as well as activity sessions |
| if each participan allow the report to a. Short Text | nt has paid for the activity. The odisplay a true/false condition b. Number | e ParticipantPD field will be incl | ctivities. Their supervisor needs to know uded in the report. Which data type will |
| c. Yes/No | d. Currency | | |
| | C 1 | | |
| POINTS: | [Co. 1.1] for Co First 1.1. | lun a a sudda a | |
| | Guidelines for Setting Field P | roperties | |
| TOPICS: | Critical Thinking | | |
| displayed on the | report are hard to read. For ext. Which field property should | | antana decides some of the field names erMobilePhone to be displayed as Mother ame display on the report? |
| ANSWER: | d | | |
| POINTS: | 1 | | |

TOPICS:

REFERENCES: Guidelines for Setting Field Properties

Critical Thinking

| Name: | | CIASS: | | Wate: |
|--|-------------------------------|-----------------------------|----------------------------------|--------------------------|
| | ıle 02: Building a Datab | _ | _ | |
| Access Modu | ıle 02: Building a Datab | ase and Defining Tab | le Relationships | |
| of a relationship <i>ANSWER</i> :refere <i>POINTS</i> :1 | o if a matching record exists | in a related table. | primary key from being chan | ged in the primary table |
| KEI EKENCES. | . Defining Fable Relationsh | прѕ | | |
| 49. Performing <i>ANSWER</i> :join <i>POINTS</i> :1 | a(n) | _ is the process of relatir | ng tables in a database based o | on a common field. |
| REFERENCES. | : Defining Table Relationsh | iips | | |
| having to open ANSWER: POINTS: | _ | | ried to an Access database tab | ole from a source withou |
| | | | | |
| ANSWER: prima POINTS: 1 | | • | table. | |
| REFERENCES. | : Defining Table Relationsh | iips | | |
| | display in database objects s | such as datasheets, forms, | and reports is determined by | the |
| ANSWER: Capti | | | | |
| POINTS:1 REFERENCES. | : Guidelines for Setting Fiel | ld Properties | | |
| | places in four bytes. | e property of a Number fie | eld stores positive and negative | ve numbers to precisely |
| REFERENCES. | : Guidelines for Setting Fiel | ld Properties | | |
| | only | • | operty for the data types inclu | uding Short Text, |
| REFERENCES. | : Guidelines for Setting Fiel | ld Properties | | |
| 55. The with decimal va | | is not subject to round-of | f error when calculated, unlik | ke the Number data type |

| Name: | Class: | Date: |
|---|-------------------------|-------|
| Access Module 02: Building a Database and Defin | ing Table Relationships | |

POINTS:1

| Name: | Class:Date: | |
|--------------------|--|------------------|
| | | |
| Access Modu | le 02: Building a Database and Defining Table Relationships | |
| REFERENCES: | Guidelines for Setting Field Properties | |
| 56. In a single ta | able, all must be unique within that table. | |
| ANSWER: | field names | |
| POINTS: | 1 | |
| REFERENCES: | Guidelines for Setting Field Properties | |
| 57. The way field | ld values are stored, displayed, and processed in an Access database is determined by the | |
| ANSWER: | field properties | |
| POINTS: | 1 | |
| REFERENCES: | Modifying Field Properties | |
| 58 | view allows the database designer to enter both the field names and define the | |
| field properties. | | |
| ANSWER: Desig | n | |
| POINTS:1 | | |
| REFERENCES: | Session 2.1 Visual Overview | |
| | Field Size for the Short Text data type is characters. | |
| ANSWER: | 255 | |
| POINTS: | 1 | |
| REFERENCES: | Guidelines for Setting Field Properties | |
| 50. A primary k | ey field from one table that is also a field in another table and is used to create a relationship between | en the |
| | in the second table. | |
| ANSWER: | foreign key | |
| POINTS: | 1 | |
| REFERENCES: | Creating a Table in Design View | |
| | values are never allowed by Access in the primary key field. | |
| ANSWER:Dupli | cate | |
| POINTS:1 | | |
| | Creating a Table in Design View | |
| _ | side of a one-to-many relationship is represented by the | 3. |
| ine. | | Group related |
| ANSWER: | infinity symbol | fields |
| POINTS: | | into |
| REFERENCES: | Modified Visit table in Datasheet view | tables. 4. |
| 63. List six guid | elines for designing databases. | 4. Determi |
| ANSWER: | 1. Identify all the fields needed to produce the required information. | ne each |
| | 2. Organize each piece of data into its smallest useful part. | table's |

| Name: | Class: | Date: |
|--------------|--------|------------------------|
| | | |
| primary key. | | at the end of the join |

| lame: | Class: | Date: |
|-------|--------|-------|
| | | |

Access Module 02: Building a Database and Defining Table Relationships

- 5. Include a common field in related tables.
- 6. Avoid data redundancy.

POINTS:

REFERENCES: Guidelines for Designing Databases

TOPICS: Critical Thinking

64. Discuss at least three advantages of including a primary key in a table.

ANSWER:

Students should include at least three of these five advantages in the answer to this question. As a part of the discussion of these advantages, students might note that Access does not require a table to have a primary key.

- 1. A primary key uniquely identifies each record in a table.
- 2. Access does not allow duplicate values in the primary key field.
- 3. When a primary key has been specified, Access forces the user to enter a value for the primary key field in every record in the table.
- 4. By default, Access displays records in order of the primary key's field values regardless of the order or when the records were added to the table.
- 5. Database requests are returned faster when requests for specific records are based on the primary key.

POINTS:1

REFERENCES: Creating a Table in Design View

TOPICS: Critical Thinking

65. Explain how a one-to-many relationship is created using an Access database with two or more tables. Why is it useful to create a relationship between tables?

ANSWER: A one-to-many relationship exists between two tables when one record in the first table matches zero, one, or many records in the second table, and when one record in the second table matches at most one record in the first table. Here, the Owner and Animal tables have a one-to-many relationship because an Owner can own many animals, and each animal is associated with only one owner. The two tables are still separate tables, but because they are joined, you can use the data in them as if they were one table.

POINTS:1

REFERENCES: Session 2.2 Visual Overview

TOPICS: Critical Thinking

Identify the letter of the choice that best matches the phrase or definition.

- a. Cascade Update Related Fields Option
- b. Cascade Delete Related Records Option
- c. Composite key
- d. data redundancy
- e. Data Type gallery
- f. Design
- g. orphaned record
- h. propagate
- i. Quick Start selection

| Name: | Class: | Date: |
|-------|--------|-------|
| | | |

j. referential integrity

REFERENCES: Defining Table Relationships

Guidelines for Designing Databases

| Name: | | Class: | Date: | |
|---|---|---------------------------|--------------------------------------|------------|
| Access Modul | e 02: Building a Database and De | fining Table Relation | ships | |
| 9 | Adding Fields to a Table Using the Dat Session 2.1 Visual Overview Modifying the Structure of an Imported | | | |
| 66. A primary key <i>ANSWER</i> : c <i>POINTS</i> : 1 | that consists of two or more fields in a | a table. | | |
| 67. A group of fie <i>ANSWER:</i> i <i>POINTS:</i> 1 | lds added all at once using the Data Ty | pe gallery. | | |
| _ | nat occurs when the field Description (Options tool is used to update the entire : h | | | and |
| 69. The Access da ANSWER: f POINTS: 1 | atabase view that allows users to define | or modify a table struc | ture or field properties in a table. | |
| 70. A record in a table. <i>ANSWER</i> : § <i>POINTS</i> : 1 | able that is related to a primary table b | ut has no matching reco | ord established with the primary | |
| 71. The Access op key values in the a ANSWER: a POINTS: 1 | otion that permits a change in the value related table. | of the primary key in a | table and changes the appropria | te foreign |
| 72. An Access fea same time. ANSWER: e POINTS: 1 | ture available from the FIELDS tab that | at allows the user to add | l a group of related fields to a tab | ole at the |
| 73. A set of rules database. <i>ANSWE POINTS</i> : 1 | that Access uses to maintain consistence <i>R</i> : j | cy between related table | s when data is updated in a | |
| 74. The Access of have matching for <i>ANSWER:</i> b <i>POINTS:</i> 1 | otion that deletes a record in the primar reign key values. | y table and also deletes | all records in related tables that | |

| Name: | Class: | Date: |
|-------|--------|-------|
| | | |

75. The term used when the same data is stored in more than one place which can cause inconsistencies in the database. *ANSWER*: d

| Name: | Class: | Date: |
|--|-----------------------------|-------|
| | | |
| Access Module 02: Building a Database an | nd Defining Table Relations | hips |

POINTS: 1