Test Bank for Organic Chemistry 8th Edition Brown Iverson Anslyn Foote 1305580354 9781305580350 Full link download:

https://testbankpack.com/p/test-bank-for-organic-chemistry-8thedition-brown-iverson-anslyn-foote-1305580354-9781305580350/

1. Approximately how long is a C-C single bond of an alkane?

11 V	6 6
a. 111 pm	
b. 134 pm	
c. 142 pm	
d. 153 pm	
ANSWER:	d
POINTS:	1
QUESTION TYPE:	Multiple Choice
HAS VARIABLES:	False
DATE CREATED:	3/12/2015 3:24 PM
DATE MODIFIED:	3/12/2015 3:24 PM

2. What is the approximate C-C-C bond angle in propane?

a. 90° b. 109° c. 120° d. 180° ANSWER: b POINTS: 1 QUESTION TYPE: Multiple Choice HAS VARIABLES: False DATE CREATED: 3/12/2015 3:24 PM DATE MODIFIED: 3/12/2015 3:24 PM

3. What is the name of the linear hydrocarbon with the molecular formula C_7H_{16} ?

a. hexane

b. heptane

c. decane

d. undecane ANSWER:

b POINTS: 1

QUESTION TYPE:Multiple ChoiceHAS VARIABLES:FalseDATE CREATED:3/12/2015 3:24 PMDATE MODIFIED:3/12/2015 3:24 PM

4. What is the name of the linear hydrocarbon with the molecular formula $C_{11}H_{24}$?

a. heptane b. decane

c. undecane

d. eicosane

ANSWER:

POINTS: 1

QUESTION TYPE: Multiple Choice

Copyright Cengage Learning. Powered by Cognero.

с

HAS VARIABLES: FalseDATE CREATED: 3/12/2015 3:24 PMDATE MODIFIED: 3/12/2015 3:24 PM

5. How many hydrogen atoms are there in nonane, the linear hydrocarbon with nine carbon atoms?

a. 16 b. 18 c. 20 d. 22 ANSWER: c POINTS: 1 QUESTION TYPE: Multiple Choice HAS VARIABLES: False DATE CREATED: 3/12/2015 3:24 PM DATE MODIFIED: 3/12/2015 3:24 PM

6. How many hydrogen atoms are there in dodecane, the linear hydrocarbon with twelve carbon atoms?

a. 12 b. 20 c. 24 d. 26 ANSWER: d POINTS: 1 QUESTION TYPE: Multiple Choice HAS VARIABLES: False DATE CREATED: 3/12/2015 3:24 PM DATE MODIFIED: 3/12/2015 3:24 PM

7. How many constitutional isomers are there with the molecular formula C_4H_{10} ?

a. 2 b. 3 c. 4 d. 5 ANSWER: a POINTS: 1 QUESTION TYPE: Multiple Choice HAS VARIABLES: False DATE CREATED: 3/12/2015 3:24 PM DATE MODIFIED: 3/12/2015 3:24 PM

8. How many constitutional isomers are there with the molecular formula C_5H_{12} ?

a. 2 b. 3 c. 4

d. 5 ANSWER: b POINTS: 1 QUESTION TYPE: Multiple Choice HAS VARIABLES: False DATE CREATED: 3/12/2015 3:24 PM DATE MODIFIED: 3/12/2015 3:24 PM

9. How many constitutional isomers are there with the molecular formula C_6H_{14} ?

a. 3 b. 4 c. 5 d. 8 ANSWER: c POINTS: 1 QUESTION TYPE: Multiple Choice HAS VARIABLES: False DATE CREATED: 3/12/2015 3:24 PM DATE MODIFIED: 3/12/2015 3:24 PM

10. What is the IUPAC name of the following compound?

a. 3-propylpentane
b. 1,1-diethylpropane
c. 3-ethylhexane
d. isooctane ANSWER:
c POINTS:
1
QUESTION TYPE: Multiple Choice
HAS VARIABLES: False
DATE CREATED: 3/12/2015 3:24 PM
DATE MODIFIED: 3/12/2015 3:24 PM

11. What is the IUPAC name of the following compound?

a. 2-ethyl-4-methylpentaneb. 2,4-dimethylhexane

c. 3,5-dimethylhexane d. 1,1,3-trimethylpentane ANSWER: b POINTS: 1 QUESTION TYPE: Multiple Choice HAS VARIABLES: False DATE CREATED: 3/12/2015 3:24 PM DATE MODIFIED: 3/12/2015 3:24 PM

12. What is the IUPAC name of the following compound?

a. 2,2-dimethyl-4-ethylheptane b. 4-ethyl-2,2-dimethyl-heptane c. 6,6-dimethyl-4-ethylheptane d. 4-ethyl-6,6-dimethyl-heptane *ANSWER:* b *POINTS:* 1

QUESTION TYPE:Multiple ChoiceHAS VARIABLES:FalseDATE CREATED:3/12/2015 3:24 PMDATE MODIFIED:3/12/2015 3:24 PM


13. What is the IUPAC name of the following compound?

a. 5,5-dimethyl-3-ethylheptane
b. 5-ethyl-3,3-dimethyl-heptane
c. 3,3-dimethyl-5-ethylheptane
d. 3-ethyl-5,5-dimethyl-heptane


ANSWER: d
POINTS: 1
QUESTION TYPE: Multiple Choice
HAS VARIABLES: False
DATE CREATED: 3/12/2015 3:24 PM
DATE MODIFIED: 3/12/2015 3:24 PM

14. What is the IUPAC name of the following compound?

Chapter 02 - Alkanes and Cycloalkanes



15. What is the IUPAC name of the following compound?



POINTS:1QUESTION TYPE:Multiple ChoiceHAS VARIABLES:FalseDATE CREATED:3/12/2015 3:24 PMDATE MODIFIED:3/12/2015 3:24 PM

16. Which of the following compounds has 1°, 2°, 3° and 4° carbon atoms?

a. hexane

b. 2-methylhexane

c. 2,2-dimethylhexane

d. 2,2,3-trimethylhexane ANSWER: d POINTS: 1 QUESTION TYPE: Multiple Choice HAS VARIABLES: False DATE CREATED: 3/12/2015 3:24 PM DATE MODIFIED: 3/12/2015 3:24 PM

17. Which of the following compounds has only 1° and 3° carbon atoms?

a. hexane b. 2-methylpentane c. 3-methylpentane d. 2,3-dimethylbutane ANSWER: d POINTS: 1 QUESTION TYPE: Multiple Choice HAS VARIABLES: False DATE CREATED: 3/12/2015 3:24 PM DATE MODIFIED: 3/12/2015 3:24 PM

18. What is the correct assignment of common names for the following molecules?


CH3 CH₂CCH₂ CH₃CH₂CH₂CH₃ CH₂CHCH₂ iii i ii a. i = butane; ii = neopentane; iii = isopentane b. i = neobutane; ii = isobutane; iii = pentane c. i = butane; ii = isobutane; iii = isopentane d. i = butane; ii = isobutane; iii = neopentane ANSWER: d POINTS: 1 QUESTION TYPE: Multiple Choice HAS VARIABLES: False DATE CREATED: 3/12/2015 3:24 PM DATE MODIFIED: 3/12/2015 3:24 PM

19. What is the correct assignment of common names for the following molecules?

 CH_3 CH₃CCH₃ CH3CH2CHCH3 CH₃CH₂CH₂CH₂CH₃ CH iii i ii a. i = pentane; ii = isopentane; iii = neopentaneb. i = neopentane; ii = isopentane; iii = pentane c. i = pentane; ii = neopentane; iii = isopentaned. i = neopentane; ii = pentane; iii = isopentane ANSWER: а POINTS: 1 QUESTION TYPE: Multiple Choice

HAS VARIABLES: FalseDATE CREATED: 3/12/2015 3:24 PMDATE MODIFIED: 3/12/2015 3:24 PM

20. What is the IUPAC name of the following compound?



21. What is the IUPAC name of the following compound?



a. 1-methylbicyclo[2.2.1]heptane

- b. 2-methylbicyclo[2.2.1]heptane
- c. 3-methylbicyclo[2.2.1]heptane
- d. 4-methylbicyclo[2.2.1]heptane

ANSWER:bPOINTS:1QUESTION TYPE:Multiple ChoiceHAS VARIABLES:FalseDATE CREATED:3/12/2015 3:24 PMDATE MODIFIED:3/12/2015 3:24 PM

22. What is the IUPAC name of the following compound?

Chapter 02 - Alkanes and Cycloalkanes

a. bicyclo[4.3]nonane b. bicyclo[4.3.0]nonane c. bicyclo[6.5]nonane d. bicyclo[6.5.0]nonane ANSWER: b POINTS: 1 QUESTION TYPE: Multiple Choice HAS VARIABLES: False DATE CREATED: 3/12/2015 3:24 PM DATE MODIFIED: 3/12/2015 3:24 PM

23. What is the IUPAC name for the following compound?



a. cycloheptane b. bicyclo[3.2.0]heptane c. bicyclo[5.4]heptane d. cyclobutylcy-lopentane ANSWER: b POINTS: 1 QUESTION TYPE: Multiple Choice HAS VARIABLES: False DATE CREATED: 3/12/2015 3:24 PM DATE MODIFIED: 3/12/2015 3:24 PM


24. What is the IUPAC name for the following compound?

a. bicyclo[5.4.3]octane
b. bicyclo[3.2.1]octane
c. bicyclo[3.2.1]hexane
d. bicyclo[2.2.1]octane


ANSWER: b
POINTS: 1
QUESTION TYPE: Multiple Choice

HAS VARIABLES: FalseDATE CREATED: 3/12/2015 3:24 PMDATE MODIFIED: 3/12/2015 3:24 PM

25. Which of the following Newman projections does not represent 2-methylhexane?




26. Which of the following Newman projections represents 2,4-dimethylpentane?




27. Which of the following Newman projections represents the most stable conformation of 2,3-dimethylbutane?

Chapter 02 - Alkanes and Cycloalkanes



28. Which of the following Newman projections represents the most stable conformation of 2-methylbutane?



29. Which of the following cycloalkanes has the most ring strain?

a. cyclopropane

b. cyclobutane

c. cyclopentane

d. cyclohexane

ANSWER:aPOINTS:1QUESTION TYPE:Multiple ChoiceHAS VARIABLES:FalseDATE CREATED:3/12/2015 3:24 PM


DATE MODIFIED: 3/12/2015 3:24 PM

30. Which of the following cycloalkanes has the least ring strain?


- a. cyclopropane
- b. cyclopentane
- c. cyclohexane
- d. cycloheptane

ANSWER:cPOINTS:1QUESTION TYPE:Multiple ChoiceHAS VARIABLES:FalseDATE CREATED:3/12/2015 3:24 PMDATE MODIFIED:3/12/2015 3:24 PM

31. Which of the following structures represents trans-1,3-dimethylcyclohexane?




32. Which of the following structures represents trans-1,2-dimethylcyclohexane?




HAS VARIABLES: FalseDATE CREATED: 3/12/2015 3:24 PMDATE MODIFIED: 3/12/2015 3:24 PM

33. Which of the following is the most stable conformation of *cis*-1-isopropyl-3-methylcyclohexane?



34. Which of the following is the most stable conformation of trans-1-ethyl-3-methylcyclohexane?



35. Which of the following alkanes has the highest boiling point?

- a. propane
- b. butane
- c. pentane


d. hexaneANSWER:dPOINTS:1QUESTION TYPE:Multiple ChoiceHAS VARIABLES:FalseDATE CREATED:3/12/2015 3:24 PMDATE MODIFIED:3/12/2015 3:24 PM

36. Which of the following alkanes has the highest boiling point?

- a. 2,3-dimethylbutane
- b. 2-methylpentane
- c. 3-methylpentane
- d. hexane

ANSWER:dPOINTS:1QUESTION TYPE:Multiple ChoiceHAS VARIABLES:FalseDATE CREATED:3/12/2015 3:24 PMDATE MODIFIED:3/12/2015 3:24 PM

37. What is the IUPAC name of the following compound?




a. trans-1-isopropyl-4-methylcyclohexane
b. cis-1-isopropyl-4-methylcyclohexane
c. cis-2-isopropyl-5-methylcyclohexane
d. cis-1-tert-butyl-4-methylcyclohexane
ANSWER: b
POINTS: 1
QUESTION TYPE: Multiple Choice
HAS VARIABLES: False
DATE CREATED: 3/12/2015 3:24 PM
DATE MODIFIED: 3/12/2015 3:24 PM

38. What is the IUPAC name of the following compound?


a. *trans*-1-isopropyl-4-methylcyclopentane b. *cis*-1-*tert*-butyl-2-methylcyclopentane

c. *trans*-1-*tert*-butyl-2-methylcyclopentane d. *cis*-1-isopropyl-2-methylcyclopentane ANSWER: c POINTS: 1 QUESTION TYPE: Multiple Choice HAS VARIABLES: False DATE CREATED: 3/12/2015 3:24 PM DATE MODIFIED: 3/12/2015 3:24 PM

39. Which one of the following structures represents a different compound from the other three?



40. Which one of the following structures represents a different compound from the other three?



HAS VARIABLES: FalseDATE CREATED: 3/12/2015 3:24 PMDATE MODIFIED: 3/12/2015 3:24 PM

41. In which of the following compounds are all of the carbon atoms in the same plane?

a. cyclopropane		
b. cyclobutane		
c. cyclopentane		
d. cyclohexane		
ANSWER:	a	
POINTS:	1	
QUESTION TYPE:	Multiple Choice	
HAS VARIABLES:	False	
DATE CREATED:	3/12/2015 3:24 PM	
DATE MODIFIED:	3/12/2015 3:24 PM	

42. Which of the following compounds can adopt a chair conformation in which there are no axial methyl groups?

- a. 1,1-dimethylcyclohexane
- b. *cis*-1,2-dimethylcyclohexane
- c. trans-1,2-dimethylcyclohexane
- d. cis-1,3-dimethylcyclohexane

ANSWER:cPOINTS:1QUESTION TYPE:Multiple ChoiceHAS VARIABLES:FalseDATE CREATED:3/12/2015 3:24 PMDATE MODIFIED:3/12/2015 3:24 PM

- 43. Which of the following compounds can adopt a chair conformation in which there are no axial methyl groups?
 - a. *cis*-1,2-dimethylcyclohexane b. *cis*-1,3-dimethylcyclohexane
 - c. trans-1,3-dimethylcyclohexane
 - d. *cis*-1,4-dimethylcyclohexane

ANSWER:bPOINTS:1QUESTION TYPE:Multiple ChoiceHAS VARIABLES:FalseDATE CREATED:3/12/2015 3:24 PMDATE MODIFIED:3/12/2015 3:24 PM

- 44. Which of the following statements is not true regarding the conformation of substituted cyclohexanes? a. ring inversion of cyclohexane between two chair conformations takes place via a boat conformation
 - b. substituted cyclohexanes are destabilized by 1,3-diaxial interactions
 - c. the boat conformation of cyclohexane is usually more stable than the chair conformation

d. the relative amount of two conformations of substituted cyclohexanes can be determined from the difference in strain energy

ANSWER:	c
POINTS:	1
QUESTION TYPE:	Multiple Choice
HAS VARIABLES:	False
DATE CREATED:	3/12/2015 3:24 PM
DATE MODIFIED:	3/12/2015 3:24 PM

45. What is the approximate dihedral angle between the two chlorine atoms in *cis*-1,2-dichlorocyclohexane?

a. 0° b.	
60° c.	
120° d.	
180°	
ANSWER:	b
POINTS:	1
QUESTION TYPE:	Multiple Choice
HAS VARIABLES:	False
DATE CREATED:	3/12/2015 3:24 PM
DATE MODIFIED:	3/12/2015 3:24 PM

46. What is the approximate dihedral angle between the two chlorine atoms in the diequatorial conformation of *trans*-1,2-dichlorocyclohexane?

a. 0° b.	
60° c.	
120° d.	
180°	
ANSWER:	b
POINTS:	1
QUESTION TYPE:	Multiple Choice
HAS VARIABLES:	False
DATE CREATED:	3/12/2015 3:24 PM
DATE MODIFIED:	3/12/2015 3:24 PM

47. What is the approximate dihedral angle between the two chlorine atoms in the diaxial conformation of *trans*-1,2-dichlorocyclohexane?

a. 0° b. 60° c. 120° d. 180° ANSWER: d POINTS: 1 QUESTION TYPE: Multiple Choice HAS VARIABLES: False

DATE CREATED:3/12/2015 3:24 PMDATE MODIFIED:3/12/2015 3:24 PM

48. Which of the following is *not* true regarding the properties of alkanes? a. alkanes are nonpolar

b. alkanes burn in air to give H₂O and CO₂

c. alkanes are highly miscible with water

d. the strongest intermolecular force between alkane molecules is the van der Waals interaction

ANSWER:cPOINTS:1QUESTION TYPE:Multiple ChoiceHAS VARIABLES:FalseDATE CREATED:3/12/2015 3:24 PMDATE MODIFIED:3/12/2015 3:24 PM

49. Which of the following undergoes the most exothermic combustion?

a. octane

b. 2-methylheptane

c. 2,2-dimethylhexane

d. 2,2,3,3-tetramethylbutane

ANSWER:aPOINTS:1QUESTION TYPE:Multiple ChoiceHAS VARIABLES:FalseDATE CREATED:3/12/2015 3:24 PMDATE MODIFIED:3/12/2015 3:24 PM

50. How many moles of molecular oxygen (O_2) are consumed in the complete combustion of one mole of octane (C_8H_{18})?

a. 12.5 b. 13 c. 17 d. 26 ANSWER: a POINTS: 1 QUESTION TYPE: Multiple Choice HAS VARIABLES: False DATE CREATED: 3/12/2015 3:24 PM DATE MODIFIED: 3/12/2015 3:24 PM

51. How many moles of molecular oxygen (O_2) are consumed in the complete combustion of one mole of hexane (C_6H_{14})?


c. 12.5	
d. 14	
ANSWER:	b
POINTS:	1
QUESTION TYPE:	Multiple Choice
HAS VARIABLES:	False
DATE CREATED:	3/12/2015 3:24 PM
DATE MODIFIED:	3/12/2015 3:24 PM

52. Which of the following statements is not true?

- a. Combustion of an alkane is an exothermic reaction.
- b. The heat of combustion of propane is three times that of methane.
- c. The constitutional isomers of C_7H_{16} have different heats of combustion from one another
- d. The products of combustion of an alkane are H_2O and CO_2 .

ANSWER:bPOINTS:1QUESTION TYPE:Multiple ChoiceHAS VARIABLES:FalseDATE CREATED:3/12/2015 3:24 PMDATE MODIFIED:3/12/2015 3:24 PM

53. Which of the following is the steroid nucleus?



QUESTION TYPE:Multiple ChoiceHAS VARIABLES:FalseDATE CREATED:3/12/2015 3:24 PMDATE MODIFIED:3/12/2015 3:24 PM

54. Which of the following cycloalkanes has the largest heat of combustion?

a. cyclopropane	
b. cyclobutane	
c. cyclopentane	
d. cyclohexane	
ANSWER:	d
POINTS:	1
QUESTION TYPE:	Multiple Choice
HAS VARIABLES:	False
DATE CREATED:	3/12/2015 3:24 PM
DATE MODIFIED:	3/12/2015 3:24 PM

55. Which of the following cycloalkanes has the largest heat of combustion per carbon atom?

- a. cyclopropaneb. cyclopentane
- c. cyclohexane
- d. cycloheptane


ANSWER:aPOINTS:1QUESTION TYPE:Multiple ChoiceHAS VARIABLES:FalseDATE CREATED:3/12/2015 3:24 PMDATE MODIFIED:3/12/2015 3:24 PM

56. Which of the following cycloalkanes has the smallest heat of combustion per carbon atom?


a. cyclopropane b. cyclopentane c. cyclohexane d. cycloheptane ANSWER: POINTS: 1 QUESTION TYPE: Multiple Choice HAS VARIABLES: False DATE CREATED: 3/12/2015 3:24 PM DATE MODIFIED: 3/12/2015 3:24 PM

57. Which of the following structures is different from the other three?

Chapter 02 - Alkanes and Cycloalkanes



58. Which of the following structures is different from the other three?



Copyright Cengage Learning. Powered by Cognero.

a. 1 b. 2 c. 3 d. 4 ANSWER: a POINTS: 1 QUESTION TYPE: Multiple Choice HAS VARIABLES: False DATE CREATED: 3/12/2015 3:24 PM DATE MODIFIED: 3/12/2015 3:24 PM

59. Which of the following substituted cyclohexanes has the most negative value of ΔG° for ring flipping from the conformation in which the substituent is axial to the one where it is equatorial?

a. methylcyclohexane

- b. chlorocyclohexane
- c. isopropylcyclohexane
- d. ethynylcyclohexane

ANSWER:cPOINTS:1QUESTION TYPE:Multiple ChoiceHAS VARIABLES:FalseDATE CREATED:3/12/2015 3:24 PMDATE MODIFIED:3/12/2015 3:24 PM


60. Which of the following substituted cyclohexanes has the most negative value of ΔG° for ring flipping from the conformation in which the substituent is axial to the one where it is equatorial?

- a. fluorocyclohexane
- b. methylcyclohexane
- c. ethylcyclohexane

d. tert-butylcyclohexane

ANSWER:dPOINTS:1QUESTION TYPE:Multiple ChoiceHAS VARIABLES:FalseDATE CREATED:3/12/2015 3:24 PMDATE MODIFIED:3/12/2015 3:24 PM

61. The Newman projection of the gauche conformation of 1,2-dichloroethane is shown below.



a. True


b. False

ANSWER:TruePOINTS:1QUESTION TYPE:True / FalseHAS VARIABLES:FalseDATE CREATED:3/12/2015 3:24 PMDATE MODIFIED:3/10/2017 1:33 AM

62. The most stable conformation of an alkane occurs when carbon–carbon bonds are staggered and bulky groups are anti.

a. The	
b. False	
ANSWER:	True
POINTS:	1
QUESTION TYPE:	True / False
HAS VARIABLES:	False
DATE CREATED:	3/12/2015 3:24 PM
DATE MODIFIED:	3/12/2015 3:24 PM


63. The following pairs of Newman projections represent the same compound but in differing conformations.




64. There are four constitutional isomers for the molecular formula C_6H_{14} .

a. True b. False ANSWER: False POINTS: 1 QUESTION TYPE: True / False HAS VARIABLES: False DATE CREATED: 3/12/2015 3:24 PM DATE MODIFIED: 3/12/2015 3:24 PM


65. The following Newman projection represents 2-methylhexane.



66. The following structures represent, from left to right, a cis and a trans isomer.



67. The following structures represent a pair of constitutional isomers.



68. 3-methylhexylcyclopentane represents a correct IUPAC name.

a. True

b. False

ANSWER: False

POINTS:1QUESTION TYPE:True / FalseHAS VARIABLES:FalseDATE CREATED:3/12/2015 3:24 PMDATE MODIFIED:3/12/2015 3:24 PM


69. In the following structure the positions labeled a and d are equatorial positions.



b. False ANSWER: True POINTS: 1 QUESTION TYPE: True / False HAS VARIABLES: False DATE CREATED: 3/12/2015 3:24 PM DATE MODIFIED: 3/13/2017 2:28 AM

a. True

70. In the following conversion, the conformations are of equal stability.




71. The correct IUPAC name for the following compound is


ANSWER: 3-methyl-5-(1-methylethyl)octane POINTS: 1

QUESTION TYPE: Completion HAS VARIABLES: False DATE CREATED: 3/12/2015 3:24 PM DATE MODIFIED: 3/13/2017 2:29 AM

72. The tertiary carbon atom in the following structure is indicated by the letter_____.



Match the Newman projection for the conformation of 2-methylbutane to the indicated position on the potential energy diagram.



ANSWER: POINTS: 1

QUESTION TYPE: Completion HAS VARIABLES: False PREFACE NAME: PE Diagram

DATE CREATED: 3/12/2015 3:24 PM *DATE MODIFIED:* 3/12/2015 3:24 PM

74. Conformation B is represented by Roman numeral	
ANSWER:	III
POINTS:	1
QUESTION TYPE:	Completion
HAS VARIABLES:	False
PREFACE NAME:	PE Diagram
DATE CREATED:	3/12/2015 3:24 PM
DATE MODIFIED:	3/12/2015 3:24 PM


75. Conformation C is represented by Roman numeral _____.ANSWER:IVPOINTS:1QUESTION TYPE:CompletionHAS VARIABLES:FalsePREFACE NAME:PE DiagramDATE CREATED:3/12/2015 3:24 PMDATE MODIFIED:3/12/2015 3:24 PM

76. Conformation D is represented by Roman numeral _____.ANSWER:IPOINTS:1QUESTION TYPE:CompletionHAS VARIABLES:FalsePREFACE NAME:PE DiagramDATE CREATED:3/12/2015 3:24 PMDATE MODIFIED:3/12/2015 3:24 PM

77. What is the IUPAC name of the following compound?

ANSWER:4-ethyl-2-methylhexanePOINTS:1QUESTION TYPE:Subjective Short AnswerHAS VARIABLES:FalseDATE CREATED:3/12/2015 3:24 PMDATE MODIFIED:3/12/2015 3:24 PM

78. What is the IUPAC name of the following compound?



79. What is the IUPAC name of the following compound?

ANSWER:2,4,4-trimethylhexanePOINTS:1QUESTION TYPE:Subjective Short AnswerHAS VARIABLES:FalseDATE CREATED:3/12/2015 3:24 PMDATE MODIFIED:3/12/2015 3:24 PM

80. What is the IUPAC name of the following compound?

ANSWER: 2,2,4-trimethylhexane POINTS: 1 QUESTION TYPE: Subjective Short Answer HAS VARIABLES: False DATE CREATED: 3/12/2015 3:24 PM DATE MODIFIED: 3/12/2015 3:24 PM

81. What is the IUPAC name of the following compound?



ANSWER:bicyclo[4.2.0]octanePOINTS:1QUESTION TYPE:Subjective Short AnswerHAS VARIABLES:FalseDATE CREATED:3/12/2015 3:24 PMDATE MODIFIED:3/12/2015 3:24 PM

82. What is the IUPAC name of the following compound?

ANSWER:bicyclo[2.2.1]heptanePOINTS:1QUESTION TYPE:Subjective Short AnswerHAS VARIABLES:FalseDATE CREATED:3/12/2015 3:24 PMDATE MODIFIED:3/12/2015 3:24 PM

83. What is the IUPAC name of the following compound?

ANSWER:

cis-1-tert-butyl-2-methylcyclohexane

[ignoring absolute stereochemistry in Chap 2]

POINTS:1QUESTION TYPE:Subjective Short AnswerHAS VARIABLES:FalseDATE CREATED:3/12/2015 3:24 PMDATE MODIFIED:3/12/2015 3:24 PM

84. What is the IUPAC name of the following compound?

ANSWER:cis-1-isopropyl-3-methylcyclohexane[ignoring absolute stereochemistry in Chap 2]POINTS:1QUESTION TYPE:Subjective Short AnswerHAS VARIABLES:FalseDATE CREATED:3/12/2015 3:24 PMDATE MODIFIED:3/12/2015 3:24 PM

85. How many hydrogen atoms are there in decane?
ANSWER: 22
POINTS: 1
QUESTION TYPE: Subjective Short Answer
HAS VARIABLES: False
DATE CREATED: 3/12/2015 3:24 PM
DATE MODIFIED: 3/12/2015 3:24 PM

86. How many hydrogen atoms are there in octane?
ANSWER: 18
POINTS: 1
QUESTION TYPE: Subjective Short Answer
HAS VARIABLES: False
DATE CREATED: 3/12/2015 3:24 PM
DATE MODIFIED: 3/12/2015 3:24 PM

87. What are the common and IUPAC names of the following compound?

ANSWER:common: neopentane
IUPAC: 2,2-dimethylpropanePOINTS:1QUESTION TYPE:Subjective Short AnswerHAS VARIABLES:FalseDATE CREATED:3/12/2015 3:24 PMDATE MODIFIED:3/12/2015 3:24 PM

88. What are the common and IUPAC names of the following compound?

ANSWER:

common: isopentane *IUPAC:* 2-dimethylbutane

POINTS:1QUESTION TYPE:Subjective Short AnswerHAS VARIABLES:FalseDATE CREATED:3/12/2015 3:24 PMDATE MODIFIED:3/12/2015 3:24 PM

89. What is the IUPAC name of the following compound?


Ο ٠H

ANSWER:butanalPOINTS:1QUESTION TYPE:Subjective Short AnswerHAS VARIABLES:FalseDATE CREATED:3/12/2015 3:24 PMDATE MODIFIED:3/12/2015 3:24 PM

90. What is the IUPAC name of the following compound?

ANSWER: butanone POINTS: 1 Subjective Short Answer QUESTION TYPE: HAS VARIABLES: False DATE CREATED: 3/12/2015 3:24 PM DATE MODIFIED: 3/12/2015 3:24 PM

91. Provide a line-bond structure of hexanoic acid.




DATE MODIFIED: 3/12/2015 3:24 PM

92. Provide a line-bond structure of pentanal.

Ω


ANSWER:	н
POINTS:	1
QUESTION TYPE:	Subjective Short Answer
HAS VARIABLES:	False
DATE CREATED:	3/12/2015 3:24 PM
DATE MODIFIED:	3/12/2015 3:24 PM

93. Provide a Newman projection of the most stable conformation of 2-methylpentane, (CH₃)₂CHCH₂CH₂CH₃, looking along the C2-C3 bond




ANSWER:CH3POINTS:1QUESTION TYPE:Subjective Short AnswerHAS VARIABLES:FalseDATE CREATED:3/12/2015 3:24 PMDATE MODIFIED:3/10/2017 5:50 AM


94. Provide a Newman projection of the most stable conformation of 3-methylpentane, CH₃CH₂CH(CH₃)CH₂CH₃ looking along the C2-C3 bond.




95. Provide a neatly drawn plot of energy versus dihedral angle for rotation around the C2-C3 bond of butane.




96. Provide a neatly drawn plot of energy versus dihedral angle for rotation around the C-C bond of ethane.





97. Identify the constitutional isomer with the molecular formula C_7H_{16} .




DATE MODIFIED: 4/13/2017 1:02 AM

98. The molecular formulas of neopentane and isobutane are _____ and _____, respectively.

a. $C_{5}H_{12}$; $C_{4}H_{8}$ b. $C_{5}H_{10}$; $C_{4}H_{10}$ c. $C_{5}H_{12}$; $C_{4}H_{11}$ d. $C_{5}H_{12}$; $C_{4}H_{10}$ *ANSWER*: d *POINTS*: 1 *QUESTION TYPE*: Multiple Choice *HAS VARIABLES*: False *DATE CREATED*: 4/11/2017 7:54 AM *DATE MODIFIED*: 4/11/2017 7:55 AM

99. The total numbers of 2° and 3° carbon atoms in the following structure are _____ and _____, respectively.




100. What is "X" in the following reaction?

$$H_3C-OH + CO \xrightarrow{Catalyst} X$$

a. O
II
H₃C-C-OH
b. HC≡CH

с. О II H ₃ C–C–CH ₃	
_{d.} Н ₃ С–СН ₃	
ANSWER:	a
POINTS:	1
QUESTION TYPE:	Multiple Choice
HAS VARIABLES:	False
DATE CREATED:	4/11/2017 8:01 AM
DATE MODIFIED:	4/11/2017 8:09 AM

101. What is "X" in the following reaction?



102. What is "X" in the following reaction?

$$\begin{array}{c} X \xrightarrow{800-900^{\circ}C} H_2C=CH_2 + H_2 \\ a. HC=CH \\ b. H_3C-OH \\ c. O \\ H_3C-OH \\ d. H_3C-C-OH \\ d. H_3C-CH_3 \\ ANSWER: d \end{array}$$

POINTS:1QUESTION TYPE:Multiple ChoiceHAS VARIABLES:FalseDATE CREATED:4/11/2017 8:10 AMDATE MODIFIED:4/19/2017 12:56 AM

Match the etructures with their IUP \cdot a. H_3C CH_3 b. H_3C CH_3 H_3C CH_3 H_3C CH_3 H_3C H_3

CH₃ CH3 CH₃ c. H₃C

QUESTION TYPE: Matching *HAS VARIABLES:* False *DATE CREATED:* 4/11/2017 8:15 AM *DATE MODIFIED:* 4/11/2017 8:26 AM

103. 3-ethyl-2-methylhexane ANSWER: a POINTS: 1

104. 4-ethyl-2,2-dimethylhexane ANSWER: b POINTS: 1

105. 4-ethyl-2-methylhexane ANSWER: c POINTS: 1